

Error:

The name ""BlueSpiceMultiUpload"" enables users to seamlessly upload multiple files to the wiki.

By clicking on the "Upload file" link in the main navigation, the operating system's upload dialog opens. Multiple files can be selected.

After confirming the selection of files, a wiki upload dialog appears. Here, it is possible to add additional data such as:

****the namespace to upload to,***

****category to attach to the files, and***

****file descriptions.***

All settings are optional.' is too long (471 characters).

Please provide this file in your support ticket

```
com.lowagie.text.pdf.PdfName.<init>(Unknown Source)
```

```
com.lowagie.text.pdf.PdfName.<init>(Unknown Source)
```

```
com.lowagie.text.pdf.PdfFormField.setValueAsName(Unknown Source)
```

```
com.lowagie.text.pdf.PdfAcroForm.addHiddenField(Unknown Source)
```

```
org.xhtmlrenderer.pdf.EmptyReplacedElement.paint(EmptyReplacedElement.java:46)
```

```
org.xhtmlrenderer.pdf.ITextOutputDevice.paintReplacedElement(ITextOutputDevice.java:203)
```

```
org.xhtmlrenderer.layout.Layer.paintReplacedElement(Layer.java:540)
```

```
org.xhtmlrenderer.layout.Layer.paintReplacedElements(Layer.java:497)
```

```
org.xhtmlrenderer.layout.Layer.paintAsLayer(Layer.java:471)
```

```
org.xhtmlrenderer.render.BlockBox.paintInline(BlockBox.java:265)
```

```
org.xhtmlrenderer.layout.Layer.paintInlineContent(Layer.java:274)
```

```
org.xhtmlrenderer.layout.Layer.paint(Layer.java:332)
```

```
org.xhtmlrenderer.pdf.ITextRenderer.paintPage(ITextRenderer.java:408)
```

```
org.xhtmlrenderer.pdf.ITextRenderer.writePDF(ITextRenderer.java:356)
```

```
org.xhtmlrenderer.pdf.ITextRenderer.createPDF(ITextRenderer.java:313)
```

```
org.xhtmlrenderer.pdf.ITextRenderer.createPDF(ITextRenderer.java:250)
```

biz.hallowelt.bluespice.bshtml2pdf.servlets.RenderPDF.processRequest(RenderPDF.java:116)
biz.hallowelt.bluespice.bshtml2pdf.servlets.RenderPDF.doPost(RenderPDF.java:165)
javax.servlet.http.HttpServlet.service(HttpServlet.java:665)
javax.servlet.http.HttpServlet.service(HttpServlet.java:750)
org.eclipse.jetty.servlet.ServletHolder\$NotAsync.service(ServletHolder.java:1450)
org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:799)
org.eclipse.jetty.servlet.ServletHandler\$ChainEnd.doFilter(ServletHandler.java:1656)
org.eclipse.jetty.websocket.server.WebSocketUpgradeFilter.doFilter(WebSocketUpgradeFilter.java:292)
org.eclipse.jetty.servlet.FilterHolder.doFilter(FilterHolder.java:193)
org.eclipse.jetty.servlet.ServletHandler\$Chain.doFilter(ServletHandler.java:1626)
org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:552)
org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:600)
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:127)
org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:235)
org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1624)
org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:233)
org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1440)
org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:188)
org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:505)
org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1594)
org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:186)
org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1355)
org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
org.eclipse.jetty.server.handler.ContextHandlerCollection.handle(ContextHandlerCollection.java:234)
org.eclipse.jetty.server.handler.HandlerCollection.handle(HandlerCollection.java:146)
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:127)
org.eclipse.jetty.server.Server.handle(Server.java:516)

```
org.eclipse.jetty.server.HttpChannel.lambda$handle$1(HttpChannel.java:487)
org.eclipse.jetty.server.HttpChannel.dispatch(HttpChannel.java:732)
org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:479)
org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:277)
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:311)
org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:105)
org.eclipse.jetty.io.ChannelEndPoint$1.run(ChannelEndPoint.java:104)
org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.runTask(EatWhatYouKill.java:338)
org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:315)
org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.tryProduce(EatWhatYouKill.java:173)
org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:409)
org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:883)
org.eclipse.jetty.util.thread.QueuedThreadPool$Runner.run(QueuedThreadPool.java:1034)
java.base/java.lang.Thread.run(Thread.java:829)
```