


## Setup:Installation Guide/Advanced/VisualEditor Configuration

A [quality version](#) of this page, approved on *25 October 2019*, was based off this revision.

Before you can use VisualEditor in BlueSpice, you have to activate it in your installation:


In the BlueSpice installation directory, locate the following files inside the folder „var\www\settings.d“:

### 020-VisualEditor.php:



```
1 <?php
2 return;
3
4 //Config description can
5 //https://www.mediawiki.
6 wfLoadExtension( 'Visual
```

### 020-BlueSpiceVisualEditorConnector.php:



```
<?php
return;
wfLoadExtension( "BlueSpiceVisualEditorConnector" );
$GLOBALS['bsgVisualEditorConnectorUploadDialogType'] = 'simple';

$GLOBALS['wgUploadDialog']['fields']['categories'] = true;
$GLOBALS['wgUploadDialog']['format']['filepage'] = '$DESCRIPTION $CATEGORIES';
```

1. Remove the line containing the „return;“ command in both files and save them.
2. Restart your web server (recommended).

### Checking the Configuration manager

In case the VisualEditor is still not appearing, check if VisualEditor is shown as activated in the configuration manager of your wiki:

1. Go to *Global actions > Config manager*

2. Make sure the checkbox "Enable VisualEditor for BlueSpice extensions" is activated:

The screenshot shows the BlueSpice Config Manager interface. On the left, there's a sidebar with various management options like Global actions, Management, and Page templates. The 'Config Manager' option is highlighted with a yellow circle. In the main area, there's a 'Feature' dropdown menu. A yellow arrow points to the 'Editor' option in the dropdown, which is also highlighted with a yellow circle. To the right of the dropdown, there are two sections: 'BlueSpiceInsertLink' and 'BlueSpiceVisualEditorConnector'. Both sections contain checkboxes. In 'BlueSpiceInsertLink', the 'Allow unmapped links' checkbox is checked. In 'BlueSpiceVisualEditorConnector', the 'Enable VisualEditor for BlueSpice extensions' checkbox is checked. There are also other checkboxes like 'Configuration variable to use a simplified save process' and 'Upload type'.

By default, VisualEditor is only activated in the main (Pages) and the User namespaces.

## Activating VisualEditor for a namespace

1. Go to Global actions > Namespace manager In the column "VisualEditor", you can see which namespaces have VisualEditor activated. They have a green check mark.
2. Click the wrench icon in the "Actions" column. The wrench appears, when you hover over the row of the namespace:

The screenshot shows the BlueSpice Namespace manager. The left sidebar includes 'Namespace manager'. The main area displays a table of namespaces. The columns include ID, Namespace, Pages, Subpages, Content namespace, CategoryCheck, Secured page assignments, PageTemplate, Visual editor (which has a yellow circle around it), Rating, Recommendations, Read, Confirmation, Semantic MediaWiki, and Actions. A yellow circle highlights the 'Visual editor' column header. A yellow box highlights the 'Edit' icon in the 'Actions' column for the 'FAQ\_Talk' row. The 'FAQ\_Talk' row also has a yellow circle around its 'Visual editor' cell.

ID	Namespace	Pages	Subpages	Content namespace	CategoryCheck	Secured page assignments	PageTemplate	Visual editor	Rating	Recommendations	Read	Confirmation	Semantic MediaWiki	FlaggedRevs	Actions
3004	Legal	4	✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✓	✗	
3005	Legal_Talk	2	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	✗	
3008	Setup	87	✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✓	✓	
3009	Setup_Talk	4	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	✗	
3010	Reference	279	✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✓	✓	
3011	Reference_Talk	9	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	✗	
3012	FAQ	75	✓	✓	✗	✗	✓	✗	✗	✗	✗	✓	✓	✗	
3013	FAQ_Talk	1	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	✗	

3. Activate the checkbox for VisualEditor in the dialog window and click "Done":

The screenshot shows the 'Edit namespace' dialog box. The 'Namespace name' field is set to 'FAQ'. The 'Alias:' field is empty. In the 'Features' section, the 'Visual editor' checkbox is checked and highlighted with a yellow arrow. Other checkboxes available are Subpages, Content namespace, CategoryCheck, Secured page assignments, PageTemplates, Rating, Recommendations, Read Confirmation, Semantic MediaWiki, and FlaggedRevs. A 'Done' button is located at the top right of the dialog. To the left of the dialog is a 'Namespaces' table listing various namespaces with their IDs and names. To the right is a 'Semantic MediaWiki FlaggedRevs' table.

4. Refresh the Namespace manager page (F5) to confirm the change.

VisualEditor should now be working correctly in all namespaces that actively use it.