

Manual:Extension/BlueSpiceGroupManager

A quality version of this page, approved on *31 October 2019*, was based off this revision.

Contents

1	Accessing the group manager	2
2	Functionality	. 2
3	Assigning roles and users to groups	3
4	Related info	. 3



Accessing the group manager

The interface for the Group manager is provided by BlueSpiceGroupManager. It allows adding, renaming and deleting groups. An administrator can go to *Global actions > Management > Group manager*. This opens the page Special:GroupManager :

BlueSpice3	٩		Ø •••	so [®]
1 🔋 🗎 🔯	≡	Special		
Recommendations Reminder		Group manager		
⊠ Expiry ● Review		• •	Export table \lor	
 WikiExplorer All templates 		Group autoreview	Actions	
Management ^		bot		
 Ø About BlueSpice ▲ Config Manager 		editor		
Group manager		restrictedsysop		
 Namespace-CSS Manager Namespace manager 		smoketest		
Assignment management		smwadministrator		
Page templates		smwcurator		

Functionality

The group manager has the following features:

- Viewing groups: it provides a list of all user groups
- **Creating new groups:** Clicking on the "plus" button opens a dialog for adding a new group.
- **Renaming groups:** A group can be renamed by selecting it and then clicking the wrench icon. System groups and groups declared by other extensions cannot be renamed.
- **Deleting a group:** A group can be deleted by selecting it and then clicking the "x" button. System groups cannot be deleted.



BlueSpice3	٩		 ••• 	SO ¹²
1 🗎 🗎	\$ ≡	Special		
	(Group manager	Export table V	
Management	^	bot		
Ø About BlueSpice		bureaucrat	(Chy)	
 Config Manager Group manager 		editor	Edit	
Soloop manager		restrictedsysop		
Namespace-CSS Manager		reviewer		
Namespace manager		smoketest		
Assignment management		smwadministrator		
Page templatesPermission manager		smwcurator		

Assigning roles and users to groups

To assign users to groups, use the User manager. To assign roles (permissions) to groups, use the Permission manager.

Related info

Reference:BlueSpiceGroupManager