

# Manual:Extension/BlueSpiceGroupManager


A [quality version](#) of this page, [approved](#) on *31 October 2019*, was based off this revision.

## Contents

|   |   |   |
|---|---|---|
| 1 | <a href="#">Accessing the group manager</a>         | 2 |
| 2 | <a href="#">Functionality</a>                       | 2 |
| 3 | <a href="#">Assigning roles and users to groups</a> | 3 |
| 4 | <a href="#">Related info</a>                        | 3 |

## Accessing the group manager


The interface for the Group manager is provided by BlueSpiceGroupManager. It allows adding, renaming and deleting groups. An administrator can go to *Global actions > Management > Group manager*. This opens the page `Special:GroupManager` :



## Functionality

The group manager has the following features:

- **Viewing groups:** it provides a list of all user groups
- **Creating new groups:** Clicking on the "plus" button opens a dialog for adding a new group.
- **Renaming groups:** A group can be renamed by selecting it and then clicking the wrench icon. System groups and groups declared by other extensions cannot be renamed.
- **Deleting a group:** A group can be deleted by selecting it and then clicking the "x" button. System groups cannot be deleted.



## Assigning roles and users to groups

To assign users to groups, use the [User manager](#). To assign roles (permissions) to groups, use the [Permission manager](#).

## Related info

- [Reference:BlueSpiceGroupManager](#)