

## **UserManual:Permissions**

| Permission              | Definition  | Namespace specific? | Distribution |
|-------------------------|---|---------------------|--------------|
| applychangetags         | Apply tags along with one's changes   | yes                 | MediaWiki    |
|                         | Automatically log in with an external user  |                     |              |
| autocreateaccount       | account - a more limited version of   | yes                 | MediaWiki    |
|                         | createaccount   |                     |              |
| autoreview              | automatically marks those edits which a user has made themselves as reviewed      | yes                 | BlueSpice    |
| autoreviewrestore       | autoreview of the rollbacks made by the user                                      | VOC                 | BlueSpice    |
| bluespiceabout-         | autoreview of the folibacks made by the user                                      | yes                 | ыиезрісе     |
| viewspecialpage         | access to the page Special:BlueSpiceAbout   |                     | BlueSpice    |
| bluespiceconfigmanager- | access to the page Special:   |                     | PluoSpico    |
| viewspecialpage         | BlueSpiceConfigManager  |                     | BlueSpice    |
| bookshelfbookmanager-   |   |                     | BlueSpice    |
| viewspecialpage         |   |                     | Bidespice    |
| bookshelfbookui-        |   |                     | BlueSpice    |
| viewspecialpage         |   |                     | Бисэрісс     |
| bs-privacy-admin        | execute privacy administrative action   |                     | BlueSpice    |
| changetags              | Add and remove arbitrary tags on individual revisions and log entries             | yes                 | MediaWiki    |
| checklistmodify         | Allow user to modify checklist  | yes                 | BlueSpice    |
| createclass             | Allows access to and creating classes in Special:<br>CreateClass                  | yes                 | BlueSpice    |
| createpage              | allows the user to create new pages (edit permission is needed)                   | yes                 | MediaWiki    |
| createtalk              | allows the user to create discussion page   | yes                 | BlueSpice    |
| delete                  | allows the user to delete pages   | yes                 | BlueSpice    |
| deletechangetags        | Delete tags from the database   |                     | Mediawiki    |
| deletedhistory          | View deleted history entries, without their associated text                       | yes                 | MediaWiki    |
| deletedtext             | View deleted text and changes between deleted revisions                           | yes                 | BlueSpice    |
| dpl_param_delete_rules  | allows the bulk deletion of wiki pages within the framework of DynamicPageList    | yes                 | BlueSpice    |
| dpl_param_update_rules  | allows you to define the rules that the  DynamicPageList does to update the pages | yes                 | BlueSpice    |
| duplicate               | allows user to duplicate pages  | yes                 | BlueSpice    |
| edit                    | allows the user to edit uprotected pages  | yes                 | MediaWiki    |
| editcontentmodel        | edit the content model of a page  | yes                 | MediaWiki    |
| editmyuserjson          | edit your own user JSON files (note that this is                                  |                     |              |
|                         | not needed if the group already has the   |                     |              |
|                         | edituserjson right)   |                     |              |
| editor                  |   |                     |              |
| editprotected           | edit protected pages as as "sysop"  | yes                 | BlueSpice    |



| Permission                             | Definition   | Namespace specific? | Distribution |
|--|--|---------------------|--------------|
| editrestrictedfields                   | allows editing of resticted fields   | yes                 | BlueSpice    |
| editsemiprotected                      | edit protected pages as "autoconfirmed"  | yes                 | BlueSpice    |
| editusercss                            | edit other users' CSS files  | yes                 | MediaWiki    |
| edituserjson                           | Edit other users' JSON files   | yes                 | MediaWiki    |
| editwidgets                            | edit and create widgets in the namespace "Widget"  | yes                 | BlueSpice    |
| expirearticle                          | set an expiration date for an article  | yes                 | BlueSpice    |
| extendedsearch-search-<br>externalfile |  |                     |              |
| extendedsearch-search-repofile         |  |                     |              |
| extendedsearch-search-                 |  |                     |              |
| specialpage                            |  |                     |              |
| extendedsearch-search-                 |  |                     |              |
| wikipage                               |  |                     |              |
| extendedstatistics-                    |  |                     |              |
| viewspecialpage-                       |  |                     |              |
| aggregated                             |  |                     |              |
| generatepages                          | enables "Generate pages" tab   | yes                 | BlueSpice    |
| geocode                                | create georeferences   | yes                 | BlueSpice    |
| managechangetags                       | create and (de)activate tags   | yes                 | MediaWiki    |
| markbotedits                           | mark rolled-back edits as bot edits  | yes                 | MediaWiki    |
| mergehistory                           | merge the history of pages   | yes                 | MediaWiki    |
| minoredit                              | marks edit as minor  | yes                 | BlueSpice    |
| move                                   | allows the user to change the title of unprotected pages (edit permission is needed here). If the user has this permission, subpages are automatically moved with main pages.                | yes                 | MediaWiki    |
| move-categorypages                     | move category pages - (requires the <i>move</i> right)   | yes                 | MediaWiki    |
| move-subpages                          | this moves subpages along with the main page to which they are assigned (move permission is needed here). If the user has this permission, subpages are automatically moved with main pages. | yes                 | MediaWiki    |
| movefile                               | move files - requires the <i>move</i> right and \$wgAllowImageMoving to be true  | yes                 | MediaWiki    |
| movestable                             | user can move pages with stable revisions  | yes                 | BlueSpice    |
| nominornewtalk                         | not have minor edits to discussion pages trigger the new messages prompt   |                     | BlueSpice    |
| noratelimit                            | the user is not affected by rate limits  | yes                 | MediaWiki    |
| nuke                                   | allows access to Special:Nuke to mass delete pages   | yes                 | BlueSpice    |
| pageassignable                         | user can get assignments   | yes                 | BlueSpice    |
| pageassignments                        | user can make assignments  | yes                 | BlueSpice    |
| passwordreset                          |  |                     | BlueSpice    |
| patrol                                 | mark others edits of others as patrolled   | yes                 | BlueSpice    |



| Permission                        | Definition  | Namespace specific? | Distribution |
|-----------------------------------|---|---------------------|--------------|
| patrolmarks                       | view recent changes patrol marks  | yes                 | BlueSpice    |
| protect                           | allows users to protect the one side, to prevent that is this edited or moved ("Protect"can be found under "More")                        | yes                 | MediaWiki    |
| purge                             | purge the site cache for a page without information   | yes                 | BlueSpice    |
| rating-archive                    | allows to delete reviews  | yes                 | BlueSpice    |
| rating-read                       | allows to read reviews  | yes                 | BlueSpice    |
| rating-viewspecialpage            | allows to open the special page "Special Ratings"   | yes                 | BlueSpice    |
| rating-write                      | allows updating, inserting and archiving rated comments   | yes                 | BlueSpice    |
| read                              | lets the user view pages  | yes                 | MediaWiki    |
| readconfirmationremind            | remind users that they have to confirm to have read the page  |                     | BlueSpice    |
| remindereditall                   | edit reminders of others  |                     | BlueSpice    |
| renameuser                        | rename users  |                     | BlueSpice    |
| replacetext                       | make string replacements on the entire wiki   | yes                 | BlueSpice    |
| reupload                          | overwrite existing files  | yes                 | BlueSpice    |
| reupload-shared                   | overwrite files on the shared media repository locally  | yes                 | BlueSpice    |
| review                            | let the user review changes   | yes                 | BlueSpice    |
| rollback                          | quickly rollback the edits of the last user who edited a particular page  | yes                 | MediaWiki    |
| rssfeeder-<br>viewspecialpage     | access to the Special:RSSFeeder special page  |                     | BlueSpice    |
| smw-admin                         | allows administrating semantic MediaWiki  | yes                 | BlueSpice    |
| social-deleteothers               | delete entries of others  |                     | BlueSpice    |
| social-editothers                 | edit entries of others  |                     | BlueSpice    |
| social-editothersprofile          | edit user profiles of others  |                     | BlueSpice    |
| socialprofile-<br>viewspecialpage | view the special page Special:Profiles  |                     | BlueSpice    |
| stablesettings                    | user can changes the settings of stable revisions of any page   | yes                 | BlueSpice    |
| undelete                          | allows the user to restore deleted pages  | yes                 | MediaWiki    |
| unreviewedpages                   | lets the user see the page Special: Unreviewed pages  | yes                 | BlueSpice    |
| unwatchedpages                    | View a list of unwatched pages - lists pages that no user has watchlisted   | yes                 | MediaWiki    |
| upload                            | allows the creation of new pictures and files, i.e. pictures and files can be uploaded  | yes                 | MediaWiki    |
| upload_by_url                     | uploaded files from a URL   | yes                 | BlueSpice    |
| usermerge                         | user is allowed to merge user-accounts  | yes                 | BlueSpice    |
| validate                          | lets the user validate changes. lets the useThe user is not affected by rate limitsr download and /or view files which have been uploaded | yes                 | BlueSpice    |



| Permission                                       | Definition   | Namespace specific? | Distribution |
|--|--|---------------------|--------------|
| viewedittab                                      | enables "Edit with form" tab   | yes                 | BlueSpice    |
| viewsuppressed                                   | view revisions hidden from any user - i.e. a more narrow alternative to "suppressrevision"   | yes                 | MediaWiki    |
| apihighlimits                                    | gives a user a higher limit for API queries; this is<br>a spepical permiussion to allow several actions<br>to be carried out at once   | no                  | MediaWiki    |
| autoconfirmed                                    | not to be affected by IP-based rate limits   | no                  | BlueSpice    |
| autopatrol                                       | have one's own edits automatically marked as patrolled - \$wgUseRCPatrol must be <i>true</i>   | no                  | MediaWiki    |
| bigdelete  | Allows the user to delte pages which are lager than the limit \$wgDeleteRevisionsLimit. The variable DeleteRevisionsLimit can be set up in advance.  | no                  | MediaWiki    |
| block  | Allows the user to block IP addresses and registered users. There are various block options uincluding stopping a user from editing and from registering new accounts and automatic block of other users with the same IP address. This takes place via the special page Block user. | no                  | MediaWiki    |
| blockemail                                       | block a user from sending mail   | no                  | BlueSpice    |
| blog-viewspecialpage                             | allows viewing Special:Blog  | no                  | BlueSpice    |
| bluespicepreferences-<br>viewspecialpage         | allows viewing Special:BlueSpice_Preferences   | no                  | BlueSpice    |
| bot  | every edit is auto-accepted / no new version   | no                  | BlueSpice    |
| browserarchive                                   | search for deleted pages   | no                  | BlueSpice    |
| categorymanager-<br>viewspecialpage              | user is allowed to view categorymanager  | no                  | BlueSpice    |
| createaccount                                    | allows the user to create new accounts   | no                  | MediaWiki    |
| dashboards-<br>viewspecialpage-<br>userdashboard | allows viewing Special:UserDashboard   | no                  | BlueSpice    |
| editinterface                                    | edit the user interface  | no                  | BlueSpice    |
| editmyoptions                                    | edit your own private data (e.g. email address, real Name)   | no                  | BlueSpice    |
| editmyprivateinfo                                | edit your own private data (e.g. email address, real Name)   | no                  | BlueSpice    |
| editmyusercss                                    | edit your own user CSS files   | no                  | BlueSpice    |
| editmyuserjs                                     | edit your own JavaScript files   | no                  | BlueSpice    |
| editmywatchlist                                  | edit your own watchlist  Note: some actions will still add pages even without this right   | no                  | BlueSpice    |
| edituserjs                                       | edit other users' JavaScript files   | no                  | BlueSpice    |
| extendedsearch-<br>viewspecialpage               | Allows viewing Special:ExtendedSearch  | no                  | BlueSpice    |
| hideuser   | block a username, hiding it from the public allows the user to import an article from another  | no                  | MediaWiki    |
|  | and the deer to import an article from another   |                     |              |



| Permission                             | Definition  | Namespace specific? | Distribution |
|--|---|---------------------|--------------|
| import                                 | wiki in one go  | no                  | MediaWiki    |
| importupload                           | import pages from a file upload   | no                  | BlueSpice    |
| interwikilinks-<br>viewspecialpage     | allows viewing Special:InterWikiLinks   | no                  | BlueSpice    |
| ipblock-exempt                         | bypass IP blocks, auto-blocks and range blocks  | no                  | BlueSpice    |
| move-rootuserpages                     | move root user pages  | no                  | BlueSpice    |
| namespacemanager-<br>viewspecialpage   | allows viewing Special:NamespaceManager   | no                  | BlueSpice    |
| override-export-depth                  | export pages including linked pages up to a depth of 5  | no                  | BlueSpice    |
| pageaccess-<br>viewspecialpage         | allows viewing Special:PageAccess   | no                  | BlueSpice    |
| pagetemplatesadmin-<br>viewspecialpage | allows viewing Special:PageTemplates  | no                  | BlueSpice    |
| passwordreset                          | view password rest emails emails  | no                  | BlueSpice    |
| permissionmanager-<br>viewspecialpage  | allows viewing Special:PermissionManager  | no                  | BlueSpice    |
| remindereditall                        | Let the user view and edit all reminders  | no                  | BlueSpice    |
| renameuser                             | rename users  | no                  | BlueSpice    |
| rssfeeder-<br>viewspecialpage          | allows viewing Special:RSSFeeder  | no                  | BlueSpice    |
| sendemail                              | send emails to others   | no                  | BlueSpice    |
| unblockself                            | unblock oneself   | no                  | BlueSpice    |
| usagetracker-update                    | allows updating UsageTracker data   | no                  | BlueSpice    |
| usermanager-<br>viewspecialpage        | allows viewing Special:UserManager  | no                  | BlueSpice    |
| userrights                             | user is allowed to add user groups (permissions) to other users   | no                  | BlueSpice    |
| viewmyprivateinfo                      | view your own private data (e.g. email adress, real name)   | no                  | BlueSpice    |
| viewmywatchlist                        | view your own watchlist   | no                  | BlueSpice    |
| viewreaders                            | view a list of people who have read a page  | no                  | BlueSpice    |
| wikiadmin                              | used in many BlueSpice extensions for potentially dangerous task such as user manager and global configuration                            | no                  | BlueSpice    |
| workflowedit                           | user is allowed to edit workflows   | no                  | BlueSpice    |
| workflowlist                           | let the user view other peoples work flows  | no                  | BlueSpice    |
| workflowview                           | let the user view work flows  | no                  | BlueSpice    |
| writeapi                               | controls acess to the write API (\$wgEnableWriteAPI must be set to true), this means commands can be given using this external interface. | no                  | MediaWiki    |

UserManual:De:Rechte