

Manual:Extension/BlueSpiceConfigManager

A quality version of this page, approved on *6 December 2019*, was based off this revision.

Contents

1 About Config manager	2
2 Layout	2
2.1 Searching for settings	3
3 Settings by extension	3
3.1 BlueSpiceFoundation	3
3.2 BlueSpiceAbout	5
3.3 BlueSpiceArticleInfo	5
3.4 BlueSpiceAuthors	6
3.5 BlueSpiceAvatars	6
3.6 BlueSpiceBookshelf	7
3.7 BlueSpiceChecklist	7
3.8 BlueSpiceExtendedSearch	7
3.9 BlueSpiceExtendedStatistics	7
3.10 BlueSpiceInsertCategory	8
3.11 BlueSpicensertLink	8
3.12 BlueSpicePageTemplates	8
3.13 BlueSpicePermissionManager	8
3.14 BlueSpiceReaders	8
3.15 BlueSpiceSaferEdit	8
3.16 BlueSpiceUEModuleBookPDF	8
3.17 BlueSpiceUEModuleHTML	9
3.18 BlueSpiceUEModulePDF	9
3.19 BlueSpiceUniversalExport	9
3.20 BlueSpiceVisualEditorConnector	9
3.21 BlueSpiceWholsOnline	9
3.22 BlueSpiceExpiry	9
3.23 BlueSpiceReview	L0
3.24 BlueSpiceReviewExtended 1	L0
3.25 BlueSpiceFlaggedRevsConnector 1	L0
3.26 BlueSpiceSocialBlog 1	LO
3.27 BlueSpiceSocialTopics	11
3.28 BlueSpiceMatomoConnector	11
4 Related info	11



About Config manager

With the Config manager, a wiki user with *sysop* rights can manage all BlueSpice wiki-wide settings in one place. In the navigation, it is located under *Global navigations > Management > Config manager*. This link loads the page *Special:ConfigManager*.

1	Ŵ	Î	۵	=	Speci	al	
Globa 。• Spe	actions		^	Config Manager			
🕹 Upk	ad file				Fe	ature 🗸 I	
☆ Wat	chlist					Skinning	
ii Boo	k Manager					System	BlueSpiceAbout
<u>اللہ</u> Exte	nded statistics					Searching and Navigation	Show link "About Blue Spice" in the main menu
ଲ RSS	feeder					Data analysis	- BlueSpiceArticleInfo
Exte	nded file list					Personalization	Update interval in seconds:
☆ Rati	ngs					Export	- 10
Rec Rec	inder					Book	
🖾 Exp	rv					Content structuring	BlueSpiceAuthors
I Sevi	ew .					Quality assurance	Jisplay authors
🚯 Wiki	Explorer					Administration	- BlueSpiceExtendedSearch
🔳 All te	emplates					Editor	External file paths
Mana	omont						Add new entry
Manag			Ŷ				Physical path URL prefix
O Abo							*
A Gro		anager					Use simple autocomplete
∿ Inter	wiki links						Automatically set language filter
Conf	ig mana	iger n	avigat	tion item			

Online users

Layout

All settings can be accessed through the following filter options:

- Feature: group by type of functionality the setting belongs to (search, administration...)
- Extension: group by extension name
- **Package:** group by BlueSpice edition and services (BlueSpice free, BlueSpice pro, Matomo)

	Config Manager		
/	Feature	Reset Save	
1	Feature		
1	Extension	BlueSpiceAbout	
	Package	Show link "About Blue Spice" in the main menu	
	Data analysis Permalization Export	BlueSpiceArticleInfo Update interval in seconds: 10 +	
	Expline		
сс	onfig manager filter		



All settings are available in any type of grouping. Changing the grouping type does not add or remove setting options. It just groups them differently.

After settings are adjusted, they can be saved by clicking *Save*, or reset to the default settings by clicking *Reset*.

Searching for settings

A search bar is located above the list of settings. Type in a keyword such as "logo" to find the corresponding setting.

The search returns settings regardless of the currently selected group.

Note: The search field has to be empty if you want to see the filter menu instead of the search.

	logo	
	- BlueSpiceFoundation	
	/w/skins/BlueSpiceCalumma/resources/images/common/logo/bs3_logo.	png
Co	nfig manager search box	

Settings by extension

BlueSpiceFoundation

• **Logo path:** The logo image should be stored in the /images folder of your installation. If you store it in the /skins folder of your BlueSpice installation, it could be overwritten with an upgrade.



To upload the logo directly in the wiki:

- 1. **Upload** the logo on the page *Extended file list* (*Special:ExtendedFilelist*). This is a link under the *Global actions* navigation.
- 2. Search for the logo name in the extended file list.
- 3. Click on the thumbnail image of the logo. This opens the logo on a separate page.

Exter	Extended file list			
Filt	ter:			
« <	Page 1 of 1 > >			
Thumbnail	Filename			
-	LASERLINE Logo 2016.png			
We print it. You love it!	Ŧ			
logo thumbna	iil image			

4. **Copy** the relative logo path from the address bar.In a typical Wiki configuration, this path starts with */w/....*.



5. **Paste** the logo path into the text field for the logo.

Exte	ension	\sim 1	
	BlueSpiceFoundation	^	0 Maria a
	BlueSpiceAbout		Logo path:
	BlueSpiceArticleInfo		/w/nsfr img auth.php/6/68/LASERLINE Logo 2016.png
	BlueSpiceAuthors		Favicon path:
ogo p	bath		

- 6. Click Save.
- 7. **Refresh** the page (Strg+F5).

Manual:Extension/BlueSpiceConfigManager

BlueSpice

/lediaWik

- **Favicon path:** The favicon image should be stored in the */images* folder of your installation. If you store it in the /skins folder of your BlueSpice installation, it could be overwritten with an upgrade. Favicon images have the file extension *.ico*.
- Allowed file extensions: For security reasons, the types of files that users can upload are restricted. Here, you can allow additional file formats. If a file format is blacklisted in the server configuration, adding this file extension here will not allow this file type to be uploaded. See mediawiki.org/wiki/Manual: Configuring_file_uploads for more info.
- Allowed image extensions: The standard web image types are listed here. In general, you want to restrict image uploads to web images. See developer.mozilla.org/en-US/docs/Web/Media/Formats /Image_types for more on browser-supported image types.

BlueSpiceAbout

• Show link "About BlueSpice" in the main menu: Shows or hides the link to the page AboutBlueSpice in the main navigation.



BlueSpiceArticleInfo

BlueSpiceArticleInfo, together with *BlueSpiceAuthors*, is part of the *Page Information* in the Quality management tools.

• **Update interval in seconds:** Sets the refresh rate for the "Last edit" value. By default, this date is updated every 10 seconds via JavaScript.



article info



BlueSpiceAuthors

BlueSpiceAuthors together with *BlueSpiceArticleInfo*, is part of the *Page Information* in the quality management tools.

• **Display authors:** Show or hide authors on the page information page.

← → C ■ https://en.demo.blu	espice.com/wiki/TestFage#pell-Turwiczegzz			* 0 0
	٩	0	• ••	1
Page information ree you the information related to the Last det . Thus and 13 insules are Last det . Thus and 13 insules are handles when any second second his templates used on population his templates used Categories Categories	Authors of this page Testuser (Original author) Testuser (Editor)	×	 Page informa Categories Page assignt Reminder Expiry Review 	If the second seco

BlueSpiceAvatars

An avatar image is automatically generated if the user does not upload a profile picture or if the user decides to create an avatar image in the preferences.

- Generator
 - InstantAvatar: Generates an avatar image based on using the initials of the Real name or the Username
 - Identicon: Generates an avatar image based on parts of the user's IP address.



User image:	
	Change profile picture
Change profile picture	Picture upload
	Browse Upload Reset
	Picture from wiki or picture URL
	Generate new avatar
Identicon	



BlueSpiceBookshelf

 Use display title from book source on article: Shows the title from the book navigation as page title instead of the page name.



Note: If the page contains a "displaytitle" tag in the page source, this display title is shown instead of the display title of the book.

- Prepend article table of contents and headlines with book numberation
- Supress namespace prefix of book articles in output

BlueSpiceChecklist

Mark checklist changes as minor edit: If this setting is active, changes to a checklist (for example, checking a checkbox) in view mode are logged as minor edits. If this setting is inactive, a change to the checklist is not recorded in the page history.



BlueSpiceExtendedSearch

BlueSpiceExtendedStatistics



BlueSpiceInsertCategory

BlueSpicensertLink

BlueSpicePageTemplates

BlueSpicePermissionManager

• **Backup limit:** Sets the number of backups for the permissions manager. Each time the page *Special: PermissionManager* is saved, a backup is created. If the backup limit is set to 5, the last five versions of the permissions configuration are saved as backups.

BlueSpiceReaders

• **Number of readers to display:** Sets the number of readers that are displayed on the Page information in the Quality management tools.

Page information						
Here you find information related to the page. You can check its quality and up-to-dateness and see how it relates to other pages in the wiki.						
Last edit: one month ago Last editor: Rodrigue Number of views: 13315						
Templates used on page	Authors of this page					
BSExtensionInfobox	WikiSysop (Original author)					
Similar pages						
BlueSpiceTagCloud BlueSpiceInsertFile BlueSpiceCategoryManager InsertImage	Mlink-rodrigue (Editor)					
Extension/VisualEditor ServiceCenter BlueSpiceTagSearch BlueSpiceInsertLink Pastelmage	Ebaeckmann (Editor)					
Categories	(Euror)					
Categories BlueSpice free Extension	Lsireta (Editor)					
Readers of this page	RichardHeigl (Editor)					
Wi WikiSysop	P technik (Editor)					
LukasHoenig	IdaK (Editor)					
Fl. FlorianFuess	Angelika (Editor)					
page readers						

BlueSpiceSaferEdit

- Interval for lookup for concurrent editings: Sets the time in seconds for checking if another person is editing the page.
- Show name of current editor: Shows or hides the name of the user who is currently editing the page.

BlueSpiceUEModuleBookPDF

- Table of Contents
 - Only article titles (indent by grade):
 - ^O Embed article TOCs (No indent of article titles)



BlueSpiceUEModuleHTML

• Hide namespace prefix in PDF: If activated, the namespace is shown in the HTML main heading.

Note: If the page contains a "displaytitle" tag in the page source, the page display title is shown and this setting has no effect.

BlueSpiceUEModulePDF

• Hide namespace prefix in PDF: If activated, the namespace is shown in the PDF main heading.

	Contents
1 Acce	ssing the group manager
2 Func	tionality
3 Assig	ning roles and users to groups
4 Relat	ted info

Note: If the page contains a "displaytitle" tag in the page source, the page display title is shown and this setting has no effect.

BlueSpiceUniversalExport

BlueSpiceVisualEditorConnector

BlueSpiceWhoIsOnline

- **Time in seconds until a user is marked as offline:** The system checks every *x* seconds if a user logged out and no longer displayed as online. This can be less frequent than the update inteval for newly logged-in users.
- **Update interval in seconds:** The system checks every *x* seconds for users.

BlueSpiceExpiry

• Show watermark for expired pages in PDF: shows the watermark for expired pages in PDFs.



- Show watermark for expired pages in print version: shows the watermark for expired pages when a page is printed.
- Show watermark for expired pages: shows a watermark on the page itself.

The wiki is t	he platform to dynamically develop management processes and communicate quickly in the enterpris
Example	e Pages
Here are so	me example pages for quality management articles:
Introduction	on of a QM System
Quality As	ssurance (using the PDCA method)
 Corrective 	a Actions (process description)
 Preparing 	an Offer (process description)
The compile	ation of the individual articles into an online manual takes place with the Book Manager.
Attachmen	ts
watei	mark

BlueSpiceReview

BlueSpiceReviewExtended

BlueSpiceFlaggedRevsConnector

BlueSpiceSocialBlog

• Use teaser text for blog entries in the timeline: When you create a blog entry, you can create a teaser text for it by clicking the cogwheel symbol in the blog entry form. If this setting is active, the teaser text will be shown on the page *Special:Timeline* instead of the first part of the content.





BlueSpiceSocialTopics

• Automatically create all discussion pages. If a user creates the first discussion topic for a page using the link in the page footer of a wiki page, the needed discussion page is automatically created first.

Attachments	+
Discussions	+
create discussion topic	

A message "This discussion page was created automatically" is inserted on the discussion page.

Sandbox
This discussion page was created automatically.
New Topic
Recommend (0)
automatically created discussion page

If this setting is deactivated, the user is directed to the "Create page" default page first

BlueSpiceMatomoConnector

• Site ID: Eingabe der Matomo ID für die Webseite. Diese findet man leicht als url parameter in Matomo.



- **Base url:** Die url zu Ihrer Matomo Login-Seite.
- Show opt-out link in footer:



Related info



• Reference:ConfigManager