

Manual:Extension/BlueSpiceConfigManager


A [quality version](#) of this page, [approved](#) on *6 December 2019*, was based off this revision.

Contents

1 About Config manager	2
2 Layout	2
2.1 Searching for settings	3
3 Settings by extension	3
3.1 BlueSpiceFoundation	3
3.2 BlueSpiceAbout	5
3.3 BlueSpiceArticleInfo	5
3.4 BlueSpiceAuthors	6
3.5 BlueSpiceAvatars	6
3.6 BlueSpiceBookshelf	7
3.7 BlueSpiceChecklist	7
3.8 BlueSpiceExtendedSearch	7
3.9 BlueSpiceExtendedStatistics	7
3.10 BlueSpiceInsertCategory	8
3.11 BlueSpiceInsertLink	8
3.12 BlueSpicePageTemplates	8
3.13 BlueSpicePermissionManager	8
3.14 BlueSpiceReaders	8
3.15 BlueSpiceSaferEdit	8
3.16 BlueSpiceUEModuleBookPDF	8
3.17 BlueSpiceUEModuleHTML	9
3.18 BlueSpiceUEModulePDF	9
3.19 BlueSpiceUniversalExport	9
3.20 BlueSpiceVisualEditorConnector	9
3.21 BlueSpiceWholsOnline	9
3.22 BlueSpiceExpiry	10
3.23 BlueSpiceReview	10
3.24 BlueSpiceReviewExtended	10
3.25 BlueSpiceFlaggedRevsConnector	10
3.26 BlueSpiceSocialBlog	11
3.27 BlueSpiceSocialTopics	12
3.28 BlueSpiceMatomoConnector	12
4 Related info	13

About Config manager


With the Config manager, a wiki user with *sysop* rights can manage all BlueSpice wiki-wide settings in one place. In the [navigation](#), it is located under *Global navigations > Management > Config manager*. This link loads the page *Special:ConfigManager*.



Layout

All settings can be accessed through the following filter options:

- **Feature:** group by type of functionality the setting belongs to (search, administration...)
- **Extension:** group by extension name
- **Package:** group by BlueSpice edition and services (BlueSpice free, BlueSpice pro, Matomo)



All settings are available in any type of grouping. Changing the grouping type does not add or remove setting options. It just groups them differently.


After settings are adjusted, they can be saved by clicking *Save*, or reset to the default settings by clicking *Reset*.

Searching for settings

A search bar is located above the list of settings. Type in a keyword such as "logo" to find the corresponding setting.

The search returns settings regardless of the currently selected group.

Note: The search field has to be empty if you want to see the filter menu instead of the search.



The screenshot shows a search interface within the BlueSpice Config Manager. At the top, there is a search input field containing the text "logo". Below this, a dropdown menu is open, displaying the search results. The first result is "BlueSpiceFoundation", which is highlighted with a blue line. Underneath this, the setting "Logo path:" is listed. Below the setting name, there is a text box containing the path "/w/skins/BlueSpiceCalumma/resources/images/common/logo/bs3_logo.png". At the bottom of the search results area, the text "Config manager search box" is visible.


Settings by extension

BlueSpiceFoundation


- **Logo path:** The logo image should be stored in the /images folder of your installation. If you store it in the /skins folder of your BlueSpice installation, it could be overwritten with an upgrade.

To upload the logo directly in the wiki:

1. **Upload** the logo on the page *Extended file list* (*Special:ExtendedFilelist*). This is a link under the *Global actions* navigation.
2. **Search** for the logo name in the extended file list.
3. **Click** on the thumbnail image of the logo. This opens the logo on a separate page.



4. **Copy** the relative logo path from the address bar. In a typical Wiki configuration, this path starts with `/w/....`.




5. **Paste** the logo path into the text field for the logo.

6. **Click Save**.
7. **Refresh** the page (Strg+F5).

- **Favicon path:** The favicon image should be stored in the */images* folder of your installation. If you store it in the */skins* folder of your BlueSpice installation, it could be overwritten with an upgrade. [Favicon images](#) have the file extension *.ico*.
- **Allowed file extensions:** For security reasons, the types of files that users can upload are restricted. Here, you can allow additional file formats. If a file format is blacklisted in the server configuration, adding this file extension here will not allow this file type to be uploaded. See mediawiki.org/wiki/Manual:Configuring_file_uploads for more info.
- **Allowed image extensions:** The standard web image types are listed here. In general, you want to restrict image uploads to web images. See developer.mozilla.org/en-US/docs/Web/Media/Formats/Image_types for more on browser-supported image types.

BlueSpiceAbout


- **Show link "About BlueSpice" in the main menu:** Shows or hides the link to the page [AboutBlueSpice](#) in the main navigation.



BlueSpiceArticleInfo

BlueSpiceArticleInfo, together with *BlueSpiceAuthors*, is part of the *Page Information* in the Quality management tools.


- **Update interval in seconds:** Sets the refresh rate for the "Last edit" value. By default, this date is updated every 10 seconds via JavaScript.



BlueSpiceAuthors

BlueSpiceAuthors together with *BlueSpiceArticleInfo*, is part of the *Page Information* in the quality management tools.



- **Display authors:** Show or hide authors on the page information page.



BlueSpiceAvatars


An avatar image is automatically generated if the user does not upload a profile picture or if the user decides to create an avatar image in the preferences.

- **Generator**
 - **InstantAvatar:** Generates an avatar image based on using the initials of the Real name or the Username
 - **Identicon:** Generates an avatar image based on parts of the user's IP address.



BlueSpiceBookshelf

- Use display title from book source on article: Shows the title from the book navigation as page title instead of the page name.




Note: If the page contains a "displaytitle" tag in the page source, this display title is shown instead of the display title of the book.

- Prepend article table of contents and headlines with book numbering
- Suppress namespace prefix of book articles in output

BlueSpiceChecklist

- **Mark checklist changes as minor edit:** If this setting is active, changes to a checklist (for example, checking a checkbox) in view mode are logged as minor edits. If this setting is inactive, a change to the checklist is not recorded in the page history.



BlueSpiceExtendedSearch

BlueSpiceExtendedStatistics

BlueSpiceInsertCategory

BlueSpicinsertLink


BlueSpicePageTemplates

BlueSpicePermissionManager

- **Backup limit:** Sets the number of backups for the permissions manager. Each time the page *Special:PermissionManager* is saved, a backup is created. If the backup limit is set to 5, the last five versions of the permissions configuration are saved as backups.

BlueSpiceReaders

- **Number of readers to display:** Sets the number of readers that are displayed on the Page information in the Quality management tools.



BlueSpiceSaferEdit

- **Interval for lookup for concurrent editings:** Sets the time in seconds for checking if another person is editing the page.
- **Show name of current editor:** Shows or hides the name of the user who is currently editing the page.

BlueSpiceUEModuleBookPDF

- Table of Contents
 - Only article titles (indent by grade):
 - Embed article TOCs (No indent of article titles)


BlueSpiceUEModuleHTML

- **Hide namespace prefix in PDF:** If activated, the namespace is shown in the HTML main heading.

Note: If the page contains a "displaytitle" tag in the page source, the page display title is shown and this setting has no effect.

BlueSpiceUEModulePDF

- **Hide namespace prefix in PDF:** If activated, the namespace is shown in the PDF main heading for a page.



Note: If the page contains a "displaytitle" tag in the page source, the page display title is shown and this setting has no effect.

BlueSpiceUniversalExport


BlueSpiceVisualEditorConnector

BlueSpiceWholsOnline

- **Time in seconds until a user is marked as offline:** The system checks every x seconds if a user logged out and no longer displayed as online. This can be less frequent than the update interval for newly logged-in users.
- **Update interval in seconds:** The system checks every x seconds for users.

BlueSpiceExpiry

- **Show watermark for expired pages in PDF:** shows the watermark for expired pages in PDFs.
- **Show watermark for expired pages in print version:** shows the watermark for expired pages when a page is printed.
- **Show watermark for expired pages:** shows a watermark on the page itself.



BlueSpiceReview

BlueSpiceReviewExtended

BlueSpiceFlaggedRevsConnector

- **Export:** The export settings affect how the pages of a book are generated in the PDF export.
 - **Bookshelf: List accepted revisions log:** Shows a log of stable page versions and when these pages were put into accepted status. If editors did not provide a comment when accepting the page, the *Stable comment* field for a revision is empty.

Stable date	Page	Stable comment
18.11.2019	Permission matrix	
18.11.2019	Permission matrix	
15.11.2019	Wiki pages model	
14.11.2019	Permission manager	
14.11.2019	Group manager	

accepted revisions log

- **Bookshelf: List pages without stable revision**
- **Bookshelf: List pages without FlaggedRevs**
- **UEModulePDF: Show FlaggedRevs info below main heading:** Prints the latest revision dates below the heading.



Introduction

Stable: 06.12.2019 - 12:00 / Revision: 06.12.2019 - 11:43

FlaggedRevs info below heading

- **Automatically set the page to stable, when the workflow was finished successfully:** The workflow ends with setting the page status to stable.
- **Automatically delete the workflow, when a page was marked as stable:** The workflow is deleted.
- **Show unstable pages for following groups:** If the group *user* is removed from the *BlueSpiceFlaggedRevs* configuration, users in this group will not be able to see draft versions when they are added as reviewers in a review process. When the group *user* is removed, only *sysop* and *reviewer* users can access drafts. If you want other groups, for example *editor*, to see draft versions, you need to add them to the configuration. If no user groups are specified in the configuration field, not even reviewers and sysops users will see a visual status indication of a page. They will have access to drafts through the revision history for the page instead.

Indexing only stable versions

BlueSpiceSocialBlog

- **Use teaser text for blog entries in the timeline:** When you create a blog entry, you can create a teaser text for it by clicking the cogwheel symbol in the blog entry form. If this setting is active, the teaser text will be shown on the page *Special:Timeline* instead of the first part of the content.

Title

ISO 7010 Symbole

Content

Please makes sure to adhere to the [ISO 2010 graphics standards](#) when using symbols in your manuals.

We still see a lot of outdated images throughout the company and will flag documents as expired if they contain the wrong images.

For questions, please contact your documentation team. Thank you!

ISO 7010 M002

Teaser

Pages in violation of ISO 2010 graphics standards will be expired.


× Main Page

⚙ Cancel Post

blog teaser text

BlueSpiceSocialTopics

- **Automatically create all discussion pages.** If a user creates the first discussion topic for a page using the link in the page footer of a wiki page, the needed discussion page is automatically created first.




Attachments +

Discussions +

create discussion topic

A message "This discussion page was created automatically" is inserted on the discussion page.



Sandbox

This discussion page was created automatically.

New Topic


Recommend (0) Unwatch

automatically created discussion page

If this setting is deactivated, the user is directed to the "Create page" default page first

BlueSpiceMatomoConnector


- **Site ID:** Eingabe der Matomo ID für die Webseite. Diese findet man leicht als url parameter in Matomo.



date=last7&period=range&idSite=13

matomo site ID

- **Base url:** Die url zu Ihrer Matomo Login-Seite.
- **Show opt-out link in footer:**



Base url

https://matomo.mycompany.com

☒ Show opt-out link in footer

matomo url

Related info

- [Reference:ConfigManager](#)