

2 UserManual:Preferences

Contents

1 What are user preferences?	3
2 User profile	3
2.1 Basic Information	3
2.2 Internationalisation	4
2.3 Signature	4
2.4 Email options	4
3 Appearance	4
3.1 Skin	4
3.2 Reading preferences	4
3.3 Date format	4
3.4 Time offset	4
3.5 Files	5
3.6 Diffs	6
3.7 Advanced options	6
3.8 Context menu	7
3.9 Dashboards	7
3.10 Player	8
3.11 Timeline	8
3.12 BlueSpice Calumma settings	8
4 Editing	9
4.1 General options	9
4.2 Editor	9
4.3 Preview	10
4.4 Reminder	10
4.5 Timeline	11
5 Recent changes	11
5.1 Display options	11
5.2 Advanced options	11
5.3 Edit review	11
6 Watchlist	11
6.1 Edit watchlist	11
6.2 Display options	12
6.3 Advanced options	12
6.4 Token	12
7 Notifications	12
7.1 Email options	13
7.2 Notify me about these events	13
7.3 New message indicator	13
7.4 Notifications on namespace events	13
7.5 Notifications on categories	13
7.6 Review	13

8	Extended Search	14
9	Semantic MediaWiki	14
10	Resetting all preferences	14

What are user preferences?


As a BlueSpice user, you can customize a lot of settings to make your wiki experience more personal and more efficient.

For example, you may want to show a real photo of yourself or maybe you prefer a randomly generated image. You can also set when and how you want to be notified about changes that are happening on your wiki. To find content tailored to your needs, you can even exclude entire namespaces from your search results if you only need information from particular areas of your wiki.

Just remember that all settings only affect your own wiki experience (except for your profile information, of course, which is visible to all users).

To access your preferences:

1. **Click** on the user menu.
2. **Click** *Preferences*. This opens the preferences page with multiple tabs.



Alternatively, you can access the page *Special:Preferences* directly.

User profile

Basic Information

User image:

<https://images.pexels.com/photos/762020/pexels-photo-762020.jpeg?auto=compress&cs=tinysrgb&dpr=2&h=61>



Change profile picture

profile image

- **Real name:** This name is shown throughout the wiki. When users hover over your real name, your profile picture and contact information is shown.
- **Change password:** If your wiki is not connected with the central authentication system of your company, you can manage your password here.
- **User image:**
 - *User image* text field: Enter the webaddress of a picture on another website and click *Save* at the bottom of the page. The profile picture points directly to the external image:
 - *Change profile picture* link: Upload an image to the wiki. Click *Browse* and then *Upload* to create a new profile image. If you click *Generate new avatar*, the system generates a graphic instead.

- **Privacy policy** acceptance checkbox: Select and save this checkbox setting to confirm that you accept the privacy policy. Administrators can review this setting for all users on the page *Special:Privacy_Admin*.

Internationalisation

- **Language:** Users can change their personal language that is used in the layout and menus. BlueSpice currently supports de-formal-German (formal), de-German and en-English.
- **How do you prefer to be described?** Option for setting your gender preferences.

Signature

- **Your existing signature:** shows a preview of your current signature including your profile info when you hover over the link.
- **New signature:** Enter a new name for your signature and save the *Preferences* page.
- **Treat signautre as wikitext:** Your signature will be shown as text-only.

Email options

If you provide an email adress, you can specify to receive email notifications in addition or in place of wiki notifications. As long as the email adress is not confirmed, the system will not send emails. This also affects the settings in the [Notifications](#) tab.

If you want to exclude minor page edits from email notifications, you need to set it under the email options here.

Appearance

Skin

If your wiki has more than one skin, you can choose the layout of your wiki here. It only affects your view of the wiki. All other users see the skin that is selected in their preferences.

Reading preferences

You can set if you want to see quick summaries of a page before you click on a link. This requires that the page has some intro text before the first heading on a page.

Date format

You can set how you would like to see the timestamp on wiki pages, for example the timestamp of a user signature on a discussion page.

Rodrigue (talk) 09:10, 3 December 2019 (CET)

date format example

Time offset

- **Server time:** Shows the server time so that you can compare it to your local time.


- **Local time:** Shows the time set in the time zone setting.
- **Time zone:** When you select a time zone, your local time will be shown throughout the wiki wherever there is a timestamp.


Files

- **Image size limit:** Sets the maximum size of the preview image on the file description page.



- **Thumbnail size:** Sets the size of the thumbnail image on a page if no custom size is specified in the image settings.
- **Enable Media Viewer:** If this checkbox is not selected, image links on a page will load the file description page rather than the media viewer overlay.






Diffs


- **Do not show the page content below diffs:** Turns off the [VisualDiff view](#) as well as the wikitext view of revisions. Revisions are only shown in classic view.
- **Don't show diff after performing a rollback:**

Advanced options

- **Link underlining:**
 - *Always:* Underlines all links in the content area of a page, even if the selected skin specifies no underlining. The table of contents is not affected by this setting.




- *Never*: Never underlines links in the content area of a page, even if the selected skin specifies underlining.
- *Skin or browser default*: Keeps the link settings as specified in the skin.
- **Threshold for stub link formatting**: Determines when the target page is considered short enough to change the link color to a page that fits the threshold criteria. If you choose 50 bytes, a link to a page with less than 50 characters (including wikitext), will be marked as a stub link and be shown in a different color. This only works if your wiki skin has a separate color value for stub links defined.
- Show hidden categories:
- **Auto-number headings**: Adds heading numbers to the page headings



Context menu

Page links in the content area of the wiki show a context menu that allows to perform actions on the target page without having to go to the target page first. You can set whether you want to show the context menu with *right-click* or with *right-click + Strg*.



Dashboards

By default, the logo of your wiki links to the main page. You can change this and link to your user dashboard instead.


Player

When a page contains a video, you can set it to autoplay when you load a page.

Timeline


You can set the timestamp on the timeline entries in date format or as age.

Note: It can take up to 24 hours for all timeline entries to show the new timestamp format. When you create a new entry, you should see the changed format immediately.



BlueSpice Calumma settings

- **Automatically hide main menu:** Hides the main menu every time you load a new page.
- **Automatically hide tool menu:** Hides the tool menu every time you load a new page.




Editing

General options

- **Enable section editing by right clicking on section titles:** Right-clicking a section title with the mouse sets the page in edit mode. The specified section can be edited immediately.
- **Editing pages by double clicking (JavaScript):** Double-clicking on the page sets the page in edit mode. The double-click needs to be inside the text area of the page. Clicking in the title section of a page will not set the page into edit mode.
- **Show the pending changes diff when editing pages:**


Editor

- **Edit area font style:** Displays source code in monospace, serif, or sans-serif font.
- **Mark all edits minor by default:** This automatically sets the minor flag in the save dialog. It can be selected or deselected in the save dialog on the page itself:



Note: Note: The 'Watch this page' checkbox in the save dialog can be activated or deactivated by default under the preferences tab *Watchlist* under *Advanced options: Add pages and files I edit to my watchlist*.

- **Prompt me when entering a blank edit summary:** Displays a text message when you click *Save changes* reminding you to enter a summary description. If you do not enter a description after that, the page will save without the summary the next time you click *Save changes*.



Resume editing Save your changes Save changes

Summary:

Describe what you changed

☒ Watch this page 255

Please note that all contributions to nextminor.bluespice.test.hw.local may be edited, altered, or removed by other contributors. If you do not want your writing to be edited mercilessly, then do not submit it here.

Reminder: You have not provided an edit summary. If you click "Save page" again, your edit will be saved without one.

edit summary prompt

- **Warn me when I leave an edit page with unsaved changes:** When you reload or leave a page with unsaved edits, a warning message is displayed. You can confirm to leave the page or stay on the page and save your changes.
- **Show edit toolbar:** Disables VisualEditor in visual editing mode. Disabling is not recommended, as this reverts the editor back to a previous version of MediaWiki editor.
- **Temporarily disable the visual editor while it is in beta:** You can disable visual editor while it is in [Extension:VisualEditor|beta mode](#). We recommend you do not disable VisualEditor unless you prefer to work with a previous visual editor version.


Preview

These preview settings are only applied if you have temporarily disabled VisualEditor and the edit text area is on the same page as the page preview. In BlueSpice 3.1+ you can generally ignore these settings.

- **Show preview on first edit:** The preview of the article is displayed when you click on "Edit"
- **Show preview before edit box:** If this option is deactivated, the preview will be shown under the edit form
- **Show previews without loading the page:**

Reminder

- **Default reminder period:** Prefills the date field for reminders with *current date + x days* specified here.



Create a reminder

09.12.2019

Melissa

Check if images are correct.

Save Reset

reminder default date

- **Set reminder on page creation:** When you create a new page, a reminder for that page is automatically created based on the default reminder period you entered.
- **Do not create reminder for the following namespaces:** Excludes namespaces from the automatic reminder on page creation.

Timeline

- **Warn me when I leave an edit of an entry with unsaved changes:** If unchecked, any unsaved changes to a social entity (such as blog entry, comment, microblog or discussion topic) will be automatically lost if you navigate to a different page or reload the page before saving your changes.
- **Skip dialog on discussion creation:** Automatically creates a discussion page when a user adds a discussion directly on a page and the discussion page for the entry does not yet exist. If this checkbox is unchecked, the user has to create the discussion page first before the discussion topic can be posted.

Recent changes

Display options

- **Days to show in recent changes:** You can set how many results are displayed on the page *Recent changes*.
- **Number of edits to show in recent changes,...:**

Advanced options

- **Group changes by page in recent changes and watchlist:**
- **Hide minor edits from recent changes:** Hide minor changes from appearing on your *Recent changes* page. This is useful if pages are saved a lot by a single user without major differences between the edits.

Edit review

- **Basic interface**
- **When to show the stable version...':** *Here you can set to 'Always show the latest version* for each page. This setting is only useful if the [FlaggedRevs](#) feature is active in a namespace. It is a useful settings for users with review permissions who can accept draft versions. Without this setting, the last stable version of a page is shown by default.
- **Show the pending changes diff when viewing the latest pending version:**

Watchlist


Edit watchlist

- **Edit entries on your watchlist:**
 - *View and remove titles on your watchlist:* Links to the page [Special:EditWatchlist](#) where you can manage your watchlist entries. The watchlist is organized by namespaces.
 - *Edit raw watchlist:* Links to the page [Special:EditWatchlist/raw](#) where you can remove pages by page name from a textbox. This list is also organized by namespaces.
 - *Clear watchlist:* Links to the page [Special:EditWatchlist/clear](#) where you can empty your watchlist with the click of a button.

Display options

- **Days to show in watchlist:** Presets the value in the selection menu Period of time to display on the page *Special:Watchlist*.
- **Maximum number of changes to show in watchlist:** Limits the number of changes that are displayed in your watchlist.

This example shows a default setting of 8 days and 20 changes.



Advanced options

Here, you select all the criteria for automatically adding pages and files to your watchlist and for showing certain changes on your watchlist.


Token

- **Watchlist token:** The token can be used to create a public RSS feed to your watchlist. Anyone who knows this token can access the feed. The syntax for the feed URL is: `https://[YourWikiDomain]/w/api.php?action=feedwatchlist&wlower=[USERNAME]&wltoken=[TOKEN]`.

Notifications

Here you can set how and when you would like to receive notifications in email and/or in the notifications area of your user profile (Web notifications). If you haven't received email notifications yet, make sure that your email address has been verified. This information is available in the *User profile* tab, under the section *Email options*.

To view your Web notifications, go to your User profile menu and select Notifications.




The user profile image in the main toolbar and the *Notifications* menu item show the number of new notifications. Notifications can set for a variety of events, such as new assignments or reminders. You can also select to be notified about changes only in certain namespaces or categories.

To configure which notifications you want to get, click on *Preferences* in the *Settings* menu (3).


Email options

You can specify how often you receive emails: *never*, *immediately*, *daily*, or *weekly*.



notification email options

If you unexpectedly don't receive emails for notifications, check under the *User profile* tab to make sure that you have already confirmed your email account.



unconfirmed email address

Notify me about these events

Notifications can be displayed in the Notifications page of the wiki. This functionality is provided by the MediaWiki extension *Echo*.

New message indicator

This setting currently has no effect in BlueSpice. It is a configuration setting for the MediaWiki extension [Extension:Echo|Echo](#) (echo-show-alert).

Notifications on namespace events

Select for which namespaces you want to receive notifications.

Notifications on categories

Select for pages in which categories you want to receive notifications.

Review

- **Notify me about changes if I am the owner of a review:** Select if you want to be notified in email of any workflow changes of a review workflow if you are the owner of the review.
- **Notify me about changes if I am the reviewer of a review:** Select if you want to be notified in email of any workflow changes of a review workflow if you are the owner of the review.

Under the settings for *Notify me about these events*, you can set if and how you want to be notified if someone assigns a review task to you.

Extended Search

Here you can set which namespaces you want to include in your search results. This can be useful if you work in only some areas of the wiki or if you are looking for information in a few areas of your wiki only.

Semantic MediaWiki

These user preferences are provided by Semantic MediaWiki. If you would like to change these settings, you can visit the corresponding [help page](#).

Resetting all preferences

If you click *Restore all default settings (in all sections)*, all your customizations on all tabs are reset to their default settings. Since this could affect lots of customized settings, a warning page appears before the reset.

You can use this page to reset your preferences to the site defaults. This cannot be undone.

Restore all default settings (in all sections)

restoring default settings

Use the browser's back button if you do not want to restore the default settings.

UserManual:En: UserManual:De:Benutzereinstellungen