

Manual:Extension/DynamicPageList3

A [quality version](#) of this page, [approved](#) on *5 November 2020*, was based off this revision.

The extension **DynamicPageList3** allows you to include lists of wiki pages on any content page.

Contents

| | |
|---|---|
| 1 Application examples | 2 |
| 1.1 List of subpages | 2 |
| 1.2 Selecting pages by namespace | 3 |
| 1.3 Selecting pages by category | 3 |
| 1.4 Selecting pages with specific naming patterns | 3 |
| 1.5 Show a random page in a category | 4 |
| 2 UserManual:Edit pages | 4 |
| 3 Enable edit mode | 4 |
| 4 Editing | 4 |
| 5 Preview | 5 |
| 6 Elements of the "save" dialog | 5 |
| 7 Editing conflicts | 6 |
| 8 Blocked pages | 6 |
| 9 Related info | 6 |
| 10 List of common parameters | 5 |
| 10.1 Criteria for page selection | 5 |
| 10.2 Output-Format | 5 |
| 10.3 Sorting | 5 |
| 10.4 Display of meta data | 6 |
| 11 Related info | 6 |

Application examples

You can view a documentation of all selection criteria and formatting options at [Gamepedia](#).

This help page contains some examples of typical applications for this extension as well as a [list of common parameters and their values](#).

List of subpages

The following code shows the subpages of the current page in a 3-column layout:

```
{{#dpl:
|titlematch={{PAGENAME}}/%
|shownamespace=false
|replaceintitle={{PAGENAME}}\\/,
|columns=3
|mode=none
|rowcolformat=width=100%
}}
```

Example: Display the subpages of the page *VisualEditor* in the namespace *Manual* in a 1-column layout:

```
{{#dpl:
|titlematch=VisualEditor/%
|shownamespace=false
|namespace= Manual
|replaceintitle=/VisualEditor\\/,
|columns=1
|mode=ubordered
|rowcolformat=width=100%
}}
```

Output:

- [Files](#)
- [Images](#)
- [Tables](#)
- [Tables/Examples](#)
- [Version comparison](#)

Selecting pages by namespace

```
{{#dpl:
|namespace=Manual
|includesubpages=true
|shownamespace=false
|count=5
|ordermethod=title
}}
```

Output:

- [Admin Manual Introduction](#)
- [Archive/Extension/DocumentManager](#)
- [Archive:Extension/RatedComments](#)
- [BlueSpice Layout](#)
- [BlueSpice Layout/Footer](#)

Selecting pages by category

```
{{#dpl:
|category=QM
|addcategories = true
|includesubpages=true
|shownamespace=false
|count=5
|ordermethod=title
|mode=ordered
}}
```

Output:

Extension:DynamicPageList (DPL), version 3.3.2: Warning: No results.

Selecting pages with specific naming patterns

```
{{#dpl:
|namespace=File
|titlematch=A%
|count=5
}}
```

Output:

- [File:A1.png](#)
- [File:A1A3.png](#)
- [File:AbBISp1.jpg](#)
- [File:AboutBISp1.jpg](#)
- [File:AddPhoto.jpg](#)

Show a random page in a category

```
<div style="border:2px solid #f6f6f6; padding:10px; width:500px; height:500px;
overflow-x:hidden; overflow-y:auto;">
{{#dpl:
|category=Editing
|randomcount=1
|includepage=*
|includemaxlength=10
|format=,\n==[ [%PAGE%] ]==\n,,}}
</div>
```


Output:

UserManual:Edit pages

Warning: Display title "Edit pages" overrides earlier display title "Creating page lists with DPL3".

Enable edit mode

To edit an existing page, click the "edit" button.



Editing

You can now add and change content in the content area of the page.

Most users will edit page content using the VisualEditor toolbar.

VisualEditor has many features that make page editing much easier.

However, special pages such as templates are edited directly in the source text. Therefore, a knowledge of the Wikitext syntax is necessary for these pages.

List of common parameters

Criteria for page selection

| Preview Parameter | Syntax | Description |
|--|--|---|
| category | <code> category=QM Setup</code> | Pages in the category QM OR Setup |
| With the Preview button, you can check if you really want to save your changes. This way you can test small changes in the categories QM AND Setup page repeatedly after small editing steps will result in a large amount of entries in the article's version history. That does not always make sense. | <code> category=QM Setup</code> | Pages in the categories QM OR Setup, and pages in the category AND |
| notcategory: | <code> notcategory=QM</code> | Pages that are not in the category QM |
| The function SafeEdit automatically saves intermediate versions at defined time intervals while editing an article so that content is not lost if a page has not been saved for a while. | <code> category=QM categoriesminmax=2</code> | Pages that are in the category QM and in at least 2 more categories |
| | <code> category=QM categoriesminmax=,</code> | Pages that are only in the category QM and in no other category |
| namespace | <code> namespace=</code> | Pages in the namespace (Main) |
| To save the page, click the "Save changes" button | <code> namespace=Help Manual</code> | The corresponding dialog window opens: |
| namespacenot | <code> namespacenot=Help</code> | Pages that are not in the namespace Help |
| | <code> namespacenot={NAMESPACE}</code> | Pages that are not in the namespace of the current wiki page |

Output-Format

| Parameter | Syntax | Description |
|-----------|---|--|
| mode | <code> mode=ordered</code> | Unordered list |
| | <code> mode=unordered</code> | Numbered list |
| | <code> mode=none</code> | Line breaks |
| | <code> mode=category</code> | Pages are grouped alphabetically with a letter heading (similar to category pages) |
| | <code> mode=inline inlinetext=&nbsp;</code> | Page names are listed on the same line and separated with a bullet point |

Sorting

The following elements are part of the dialog window:

| Parameter Element | Type | Syntax Description | Description |
|-------------------|------|---|--|
| ordermethod | | <code> ordermethod=title</code> | Ordered by page (prefix+)title |
| Summary | | <code> ordermethod=titlewithoutnamespace</code> | A brief description of the changes makes it easier to understand the changes in the version history. |
| | | <code> ordermethod=counter</code> | Ordered by number of page views (popularity) |
| This is a | | <code> ordermethod=size</code> | Spelling corrections or formatting changes are usually marked as such. Under Recent Changes , changes are marked with the creation (date or changes"). This makes it easy to differentiate in which article version major changes have been |
| | | <code> ordermethod=user,firstedit</code> | Ordered by last edit date Ordered by author, then by creation date |

| Parameter | Type | Syntax | Description |
|-----------------------------|----------|--|---|
| minor edit | | <code> ordermethod=user lastedit</code> | Ordered by last editor, then by last edit date made. In addition minor changes can be excluded |
| order | | <code> order=ascending</code> | Sorted in ascending order from the watchlist. |
| Watch this | | <code> order=descending</code> | Sorted in descending order |
| page | checkbox | | A check mark in this box causes the page to be included in the personal Watchlist . |
| Display of meta data | | | |
| Accept this | | | This box will only be displayed if the revision function is activated in a namespace. A user with the corresponding rights of release can release the page |
| Parameters | checkbox | | design directly here. |
| page | | <code> addcategories=true</code> | Shows all categories of a page after the page name |
| Copyright notice | | <code> category:QM ordermethod=counter order=descending</code> | The slightly longer text between the article field and the page-save functions is the copyright notice. Shows the 5 most popular pages in |
| addpagecounter | | <code> addpagecounter=true count=5</code> | Clicking on this button saves the article with the category QM changes made. The edit view will be closed. |
| Resume editing | | <code> category=QM ordermethod=lastedit adduser=true</code> | This button returns directly to the page without saving the article. Editing is simply continued. Adds the name of the last editor in front of the page name |
| adduser | | <code> category=QM adduser=true</code> | The page opens in a preview window and can be saved from this window. Adds the name of the original author in front of the page name. |
| Show preview | | | |
| Review your changes | | | Shows a comparison of the article before editing and at the time of the current processing status with marking of the differences. The changes can be saved directly from this page |

Related info

Editing conflicts

- [Reference:DynamicPageList3](#)

If you try to save a page that someone else is currently also working on, the system will report an **editing conflict**. Each author can compare the current changes and merge them as needed.

Blocked pages

Some pages can be protected and edited only by administrators. Instead of the edit option, a link to "View source code" appears. The cause is often obvious from the version history of the page. In this case, you can contact an administrator who can unlock the page.

Related info

- [VisualEditor](#)
- [Insert images](#)
- [Insert tables](#)

