

## Reference:BlueSpicePageAssignments

### Contents

1	Extension: BlueSpicePageAssignments .....	2
1.1	Features .....	2
1.2	Usage / features .....	2
1.3	Technical information .....	2
1.3.1	Configuration .....	2
1.3.1.1	Display assignments in the title section .....	2
1.3.1.2	Assign all users (with option to exclude some users) .....	3
1.3.2	Rights (permissions) .....	4
1.3.3	Requirements .....	4
1.4	More info .....	4
1.5	Demo .....	4

## Extension: BlueSpicePageAssignments

Overview			
Description:	Assigns individual users or whole groups to pages, e.g. as responsible editors.		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	<a href="#">GPL v3 only</a>
Type:	<a href="#">BlueSpice</a>	Category:	Quality Assurance
Edition:	BlueSpice free		
<a href="#">View help page</a>			

## Features

**PageAssignments** allows to assign pages to single users or user groups. Assigned users are notified about assignment changes via email or internal notifications.

## Usage / features

- Assign responsible users to a page.
- Assign individual users or groups.
- The responsible editor(s) for the page can be viewed in the flyout "Page assignments" in the quality management tools.
- Users can view their assignments on the page *Special:PageAssignments*.
- Users with *admin*, *maintenanceadmin* or *reviewer* rights can manage all assignments on the page *Special:ManagePageAssignments*.

## Technical information

### Configuration

#### Display assignments in the title section

The page assignments can be displayed in the title section of the page. Activate this page assignments display in *LocalSettings.php* (or in the php file in the *d.settings* folder):

```
$GLOBALS['bsgBlueSpiceCalummaPageHeaderBeforeContentEnabledProviders'] = [ "pageheader-assignments" ];
```

Set the limit:


```
$GLOBALS['bsgPageAssignmentsPageHeaderLimit'] = 25;
```

### Assign all users (with option to exclude some users)

To activate the option to assign all users to a page, a group *everyone* can be created. For this, the following code needs to be set in `<bluespice-installationpath>/extensions/BlueSpicePageAssignments/extension.json`:

```
"PageAssignmentsActivatedTypes": {  
    "value": [  
        "user",  
        "group",  
        "everyone"  
    ],  
}
```

This allows users to add the group everyone to a page assignment. Individual users can be excluded from the assignment by creating the file *MediaWiki:PageAssignments-everyone-blacklist*. Users can be added to this blacklist with using line breaks.



## Rights (permissions)

Pages can only be assigned to users with the *pageassignable* permission (by default, this right is assigned to the *reader*, *editor* and *author* roles). Only users with *pageassignments* permission can assign pages to others (by default, this right is assigned to the *reviewer*, *admin* and *maintenanceadmin* roles).

## Requirements

PageAssignments requires [BlueSpiceFoundation](#).

## More info

---

For detailed description and usage, visit our [help page](#).

## Demo

---

Try out page assignments in our [BlueSpiceDemo](#).