

Reference:BlueSpicePageAssignments

Contents

1 Extension: BlueSpicePageAssignments	2
1.1 Features	2
1.2 Usage / features	2
1.3 Technical information	2
1.3.1 Configuration	2
1.3.1.1 Display assignments in the title section	2
1.3.1.2 Assign all users (with option to exclude some users)	3
1.3.2 Rights (permissions)	4
1.3.3 Requirements	4
1.4 More info	4
1.5 Demo	4

Extension: BlueSpicePageAssignments

Overview			
Description:	Assigns individual users or whole groups to pages, e.g. as responsible editors.		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL v3 only
Type:	BlueSpice	Category:	Quality Assurance
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

PageAssignments allows to assign pages to single users or user groups. Assigned users are notified about assignment changes via email or internal notifications.

Usage / features

- Assign responsible users to a page.
- Assign individual users or groups.
- The responsible editor(s) for the page can be viewed in the flyout "Page assignments" in the quality management tools.
- Users can view their assignments on the page *Special:PageAssignments*.
- Users with *admin*, *maintenanceadmin* or *reviewer* rights can manage all assignments on the page *Special:ManagePageAssignments*.

Technical information

Configuration

Display assignments in the title section

The page assignments can be displayed in the title section of the page. Activate this page assignments display in *LocalSettings.php* (or in the php file in the *d.settings* folder):

```
$GLOBALS['bsgBlueSpiceCalummaPageHeaderBeforeContentEnabledProviders'] = [ "pageheader-assignments" ];
```

Set the limit:


```
$GLOBALS['bsgPageAssignmentsPageHeaderLimit'] = 25;
```

Assign all users (with option to exclude some users)

To activate the option to assign all users to a page, a group *everyone* can be created. For this, the following code needs to be set in `<bluespice-installationpath>/extensions/BlueSpicePageAssignments/extension.json`:

```
"PageAssignmentsActivatedTypes": {  
    "value": [  
        "user",  
        "group",  
        "everyone"  
    ],  
}
```

This allows users to add the group everyone to a page assignment. Individual users can be excluded from the assignment by creating the file *MediaWiki:PageAssignments-everyone-blacklist*. Users can be added to this blacklist with using line breaks.



Rights (permissions)

Pages can only be assigned to users with the *pageassignable* permission (by default, this right is assigned to the *reader*, *editor* and *author* roles). Only users with *pageassignments* permission can assign pages to others (by default, this right is assigned to the *reviewer*, *admin* and *maintenanceadmin* roles).

Requirements

PageAssignments requires [BlueSpiceFoundation](#).

More info

For detailed description and usage, visit our [help page](#).

Demo

Try out page assignments in our [BlueSpiceDemo](#).