

Reference: VisualEditor

02.04.2025 This document was created with
BlueSpice

Page of

Reference: VisualEditor

Extension: VisualEditor

Overview			
Description:	Is an editor you can use without having to enter special markup.		
State:	stable	Dependency:	MediaWiki
Developer:	MediaWiki	License:	MIT
Type:	MediaWiki	Category:	Editor
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud, BlueSpice free (deactivated)		
For more info, visit Mediawiki .			

Features

Contents

- [1 Extension: VisualEditor](#)
 - [1.1 Features](#)
 - [1.2 Description](#)
 - [1.3 Usage / Features](#)
 - [1.4 Technical information](#)
 - [1.4.1 Configuration](#)
 - [1.4.2 Rights \(permissions\)](#)
 - [1.4.3 Requirements](#)
 - [1.5 User manual](#)
 - [1.6 Try free our BlueSpiceBlueSpiceDemo.](#)

Description

VisualEditor is a WYSIWYG editor that enables you to edit wiki pages without having to enter special markup (like HTML, wiki tags). The editor menu bar resembles those of commonly used word processing programs.

Usage / Features

When activated, clicking the "edit" button will load the visual editor instead of the wiki text editor.

If this is not the case, for example because you are using a form to edit the page, the VisualEditor is also available via the "arrow" menu next to the edit button under "Edit".

Technical information

Configuration

The VisualEditor uses the Node.js service Parsoid. Because this service cannot be installed in some cases, this extension is deactivated by default.

After successful installation and configuration, the visual editor can be activated as described [here](#).

Rights (permissions)

Requirements

VisualEditor requires [BlueSpiceFoundation](#).

User manual

For detailed description and usage please visit our [help page](#).

Try free our BlueSpice[BlueSpiceDemo](#).