

## Reference:ContentTransfer

# **Extension\: ContentTransfer**

Overview			
Description:	Copies new or existing wiki pages into a different wiki. (v3.2 and up)		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL v3
Туре:		Category:	Quality Assurance
Edition:	BlueSpice Farm, BlueSpice Farm (deactivated)		
View help page			

### **Features**

ContentTransfer copies new or existing wiki pages in a different wiki on the same farm.

# **Usage / Features**

Users can copy up to 200 pages per transfer form one wiki to the same namespace in a selected target wiki.

### **Technical information**

## **Configuration**

To setup the "Push and Merge" mechanism for wiki instances within the farm you need the following information:

#### <source-instance-name>

The name of the Wiki instance that acts as the source of the "push". This must be the directory name from /opt/mediawiki/w/\_sf\_instances/

#### <target-instance-name>

The name of the Wiki instance that acts as the target of the "push". This must be the directory name from /opt/mediawiki/w/\_sf\_instances/

#### <servername>

#### <username-provided-by>

A user name in form of <username>@<id>. Must first be generated using Special:BotPasswords on the target instance

Reference:ContentTransfer



#### <password-provided-by>

An automatically generated password of that particular user

When provided with the required information, please open the file /opt/mediawiki/w /\_sf\_instances/<source-instance-name>/LocalSettings.custom.php and add

```
$wgContentTransferTargets['<target-instance-name>'] = [
    "url" => "https://<servername>/<target-instance-name>/api.php",
    "user" => "<username-provided-by>",
    "password" => "<password-provided-by",
    "draftNamespace" => "Draft",
    "pushToDraft" => true,
    "displayText" => "<target-instance-name>",
];
```

### Additional settings:

```
$wgContentTransferIgnoreInsecureSSL = false; // Ignore invalid SSL certificates (for
test systems)
$wgContentTransferPageLimit = 200; // Max number of pages to be allowed at one
$wgContentTransferOnlyContentNamespaces = true; // Only allow content namespaces to be
selected in filters
$wgContentTransferAllowTalkNamespaces = false; // Allow talk namespaces to be selected
in filters
```

## Rights (permissions)

#### Requirements

ContentTransfer requires BlueSpiceFoundation. To merge wiki pages that already exist in the target namespace, the extension MergeArticles is necessary.