

## Reference:ContentTransfer

### Extension\ ContentTransfer

Overview			
Description:	Copies new or existing wiki pages into a different wiki. (v3.2 and up)		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	<a href="#">GPL v3</a>
Type:		Category:	Quality Assurance
Edition:	BlueSpice Farm (deactivated)		
<a href="#">View help page</a>			

## Features

ContentTransfer copies new or existing wiki pages in a different wiki on the same farm.

## Usage / Features

Users can copy up to 200 pages per transfer form one wiki to the same namespace in a selected target wiki.

## Technical information

### Configuration

To setup the "Push and Merge" mechanism for wiki instances within the farm you need the following information:

#### <source-instance-name>

The name of the Wiki instance that acts as the source of the "push". This must be the directory name from `/opt/mediawiki/w/_sf_instances/`

#### <target-instance-name>

The name of the Wiki instance that acts as the target of the "push". This must be the directory name from `/opt/mediawiki/w/_sf_instances/`

#### <servername>

#### <username-provided-by>

A user name in form of `<username>@<id>` . Must first be generated using [Special:BotPasswords](#) on the **target instance**

**<password-provided-by>**

An automatically generated password of that particular user

When provided with the required information, please open the file `/opt/mediawiki/w/_sf_instances/<source-instance-name>/LocalSettings.custom.php` and add

```
$wgContentTransferTargets['<target-instance-name>'] = [
    "url" => "https://<servername>/<target-instance-name>/api.php",
    "user" => "<username-provided-by>",
    "password" => "<password-provided-by>",
    "draftNamespace" => "Draft",
    "pushToDraft" => true,
    "displayText" => "<target-instance-name>",
];
```

Additional settings:

```
$wgContentTransferIgnoreInsecureSSL = false; // Ignore invalid SSL certificates (for
test systems)
$wgContentTransferPageLimit = 200; // Max number of pages to be allowed at one
$wgContentTransferOnlyContentNamespaces = true; // Only allow content namespaces to be
selected in filters
$wgContentTransferAllowTalkNamespaces = false; // Allow talk namespaces to be selected
in filters
```

## Rights (permissions)

## Requirements

ContentTransfer requires [BlueSpiceFoundation](#). To merge wiki pages that already exist in the target namespace, the extension [MergeArticles](#) is necessary.