

AutoDoc:BlueSpiceReminder

Contents

1 DescriptionMsg 2

2 License 2

3 Requirements 2

4 IntegratesInto 2

5 SpecialPages 2

6 Permissions 2

6.1 Permissions 2

7 DefaultUserOptions 2

7.1 User options 2

8 ApiModules 3

8.1 API Modules 3

9 Hooks 3

9.1 Hooks 3

DescriptionMsg

Gives the user the opportunity to create reminders.

License

GPL-3.0-only

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.2

IntegratesInto

- BlueSpiceEchoConnector
- BlueSpicePrivacy
- BlueSpiceReminder

SpecialPages

- Reminder

Permissions

Permissions

Name	Description	Role
remindereitall	Edit others reminders	admin, maintenanceadmin

DefaultUserOptions

User options

Name	Value
bs-reminder-forms	"
bs-reminder-oncreate	false
bs-reminder-period	6
echo-subscriptions-email-notification-bs-reminder-cat	1
echo-subscriptions-web-notification-bs-reminder-cat	1

ApiModules

API Modules

- [bs-reminder-store](#)
- [bs-reminder-tasks](#)

Hooks

Hooks

- [BeforePageDisplay](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [PageContentSaveComplete](#)
- [SkinTemplateNavigation](#)
- [SkinTemplateOutputPageBeforeExec](#)