

## Reference:BlueSpiceVisualEditorConnector

### Extension\ : BlueSpiceVisualEditorConnector

Overview			
<b>Description:</b>	Connects BlueSpice with VisualEditor		
<b>State:</b>	stable	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
<b>Type:</b>	BlueSpice	<b>Category:</b>	Administration
<b>Edition:</b>	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		

## Features

**BlueSpiceVisualEditorConnector** enables the connection of BlueSpice to the [VisualEditor](#) of the wikimedia foundation.

## Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

## Requirements

MediaWiki: 1.31

BlueSpiceFoundation: 3.2

- OOJSPlus: \* VisualEditor: =0.1.0

## Integrates into

- BlueSpiceSaferEdit
- BlueSpiceSimpleFarmer
- BlueSpiceVisualEditorConnector
- VisualEditor

## Special pages

## Configuration

Name	Value
VisualEditorConnectorCellBorderColors	<pre>array ( 0 =&gt; array ( 'code' =&gt; '#97bfe7', ), 1 =&gt; array ( 'code' =&gt; '#5185b9', ), 2 =&gt; array ( 'code' =&gt; '#0060df', ), 3 =&gt; array ( 'code' =&gt; '#3e5389', ), 4 =&gt; array ( 'code' =&gt; '#e49c00', ), 5 =&gt; array ( 'code' =&gt; '#259596', ), 6 =&gt; array ( 'code' =&gt; '#3fb34c', ), 7 =&gt; array ( 'code' =&gt; '#cd41cb', ), 8 =&gt; array ( 'code' =&gt; '#b73a3a', ), 9 =&gt; array ( 'code' =&gt; '#d2d2d2', ), 10 =&gt; array ( 'code' =&gt; '#acacac', ), 11 =&gt; array ( 'code' =&gt; '#787878', ), 12 =&gt; array ( 'code' =&gt; '#434343', ), 13 =&gt; array ( 'code' =&gt; '#000000', ), )</pre>
VisualEditorConnectorColorPickerColors	<pre>array ( 0 =&gt; array ( 'class' =&gt; 'col-white', 'name' =&gt; 'White', ), 1 =&gt; array ( 'class' =&gt; 'col-blue- light', 'name' =&gt; 'Light Blue', ), 2 =&gt; array ( 'class' =&gt; 'col-blue', 'name' =&gt; 'Blue', ), 3 =&gt; array ( 'class' =&gt; 'col-blue-dark', 'name' =&gt; 'Dark Blue', ), 4 =&gt; array ( 'class' =&gt; 'col-blue- navy', 'name' =&gt; 'Navy Blue', ), 5 =&gt; array ( 'class' =&gt; 'col-orange', 'name' =&gt; 'Orange', ), 6 =&gt; array ( 'class' =&gt; 'col-turquoise', 'name' =&gt; 'Turquoise', ), 7 =&gt; array ( 'class' =&gt; 'col-green', 'name' =&gt; 'Green', ), 8 =&gt; array ( 'class' =&gt; 'col- purple', 'name' =&gt; 'Purple', ), 9 =&gt; array ( 'class' =&gt; 'col-red', 'name' =&gt; 'Red', ), 10 =&gt; array ( 'class' =&gt; 'col-grey-light', 'name' =&gt; 'Light</pre>

Name	Value
	Grey', ), 11 => array ( 'class' => 'col-grey-medium', 'name' => 'Medium Grey', ), 12 => array ( 'class' => 'col-grey', 'name' => 'Grey', ), 13 => array ( 'class' => 'col-grey-dark', 'name' => 'Dark Grey', ), 14 => array ( 'class' => 'col-black', 'name' => 'Black', ), )
VisualEditorConnectorColorPickerColorsBackground	array ( 0 => array ( 'class' => 'col-white-bg', 'name' => 'White', ), 1 => array ( 'class' => 'col-blue-light-bg', 'name' => 'Light Blue', ), 2 => array ( 'class' => 'col-blue-bg', 'name' => 'Blue', ), 3 => array ( 'class' => 'col-blue-dark-bg', 'name' => 'Dark Blue', ), 4 => array ( 'class' => 'col-blue-navy-bg', 'name' => 'Navy Blue', ), 5 => array ( 'class' => 'col-orange-bg', 'name' => 'Orange', ), 6 => array ( 'class' => 'col-turquoise-bg', 'name' => 'Turquoise', ), 7 => array ( 'class' => 'col-green-bg', 'name' => 'Green', ), 8 => array ( 'class' => 'col-purple-bg', 'name' => 'Purple', ), 9 => array ( 'class' => 'col-red-bg', 'name' => 'Red', ), 10 => array ( 'class' => 'col-grey-light-bg', 'name' => 'Light Grey', ), 11 => array ( 'class' => 'col-grey-medium-bg', 'name' => 'Medium Grey', ), 12 => array ( 'class' => 'col-grey-bg', 'name' => 'Grey', ), 13 => array ( 'class' => 'col-grey-dark-bg', 'name' => 'Dark Grey', ), 14 => array ( 'class' => 'col-black-bg', 'name' => 'Black', ), )
VisualEditorConnectorEnableVisualEditor	true
VisualEditorConnectorHelpUrl	'https://en.wiki.bluespice.com/wiki/Manual:Extension/VisualEditor'
VisualEditorConnectorPasteFilename	'{{timestamp}}'
VisualEditorConnectorSimpleSaveProcess	true
VisualEditorConnectorTableStyleRegistry	array ( 'Standard' => 'wikitable', 'Content' => 'contenttable', 'Content (black)' => 'contenttable-black', 'Content (blue)' => 'contenttable-blue', 'Content (darkblue)' => 'contenttable-darkblue', 'CUSCO SKY' => 'cuscosky', 'Casablanca' => 'casablanca', 'Greyscale' => 'greyscale', 'Greyscale (narrow)' => 'greyscale-narrow', )
VisualEditorConnectorUploadDialogType	'original'

## API Modules

- [bs-vec-restbase-mock](#)
- [bs-vec-transformtohtml](#)
- [bs-vec-transformtowikitext](#)

## Hooks

- [APIAfterExecute](#)
- [BSApiNamespaceStoreMakeData](#)
- [BSPageTemplatesModifyTargetUrl](#)
- [BSSocialModuleDepths](#)
- [BSUEModulePDFBeforeAddingStyleBlocks](#)
- [BeforePageDisplay](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)