

Manual:Extension/Page Forms

A quality version of this page, approved on 15 July 2021, was based off this revision.

With **Page Forms,** users without administrator rights can use forms to create and edit pages to query data - without programming knowledge.

The use of the extension is documented on documented on MediaWiki.

Contents	
1 Main features	2
2 BlueSpice input types	2
3 Special pages	3
4 Related info	3



Main features

- **Definition pages in the namespace** *Form* The New forms can be created using the special page Special: CreateForm. Here, users select an existing template which provides the paramaters for the form. This means that before a form is created, the required template is always created first. All created form definition pages are saved in the *Form* namespace. Subsequent edits to the form definition page have to be made in source editing mode.
- **Application example: info boxes** Page Forms is often used to add and edit infoboxes on a wiki page. If Semantic MediaWiki is used, the collected data in the templates can be stored and retrieved.
- Edit existing forms values via menu item Existing values in a template can be updated using the menu item "Edit with form" of the page edit button, for example.
- **Automatic completion of fields** Users Users are offered existing values when entering them, depending on the form input type. This reduces problems with naming ambiguities, spelling, etc.
- **Free text field** Free text on the page that is not part of the template itself can be displayed in a separate input field called "Free text" for editing directly in forms mode.

BlueSpice input types

In addition to the default input types, BlueSpice offers the following additional input types:


Input type	Result	Function
bs-grid		
bs-usercombo	User name (with link to the profile page)	(Single selection).
bs-usertags	Comma-separated user name	Menu that allows to select existing wiki users (multiple selections possible).
		Note: To link to the profile page, the corresponding paramter in the template needs to be formated accordingly:
		{{#arraymap:{{{myParameter }}} , @@@ [[User: @@@ @@@]]}}
bs- mvvisualeditor	Formatted text	Text box with simplified VisualEditor.
bsvisualeditor	-	Obsolete - replaced by bs-mvvisualeditor



Special pages

Page Forms defines some special pages that are used for data input and data maintenance.

Among others, the following special pages are important for data collection:



Related info

https://www.mediawiki.org/wiki/Extension:Page_Forms/en