

ExtendedSearch replaces the default MediaWiki search engine. It is based on the Elasticsearch engine and provides many improvements over standard MediaWiki search both in terms of quality of indexed content and user interface. Pages and files are indexed immediately and available for searching in real-time.

Contents

1 Usage	2
2 Autocomplete	
2.1 Namespace and subpage "pills"	
2.2 Configuration	3
2.3 Search operators	3
2.4 Dates as search terms	4
3 Search Center (extended search)	
3.1 Search operators	5
3.2 Elements	
3.2.1 Results relevance	7
3.2.2 Exporting search results	7
4 Configuration	8
5 SearchAdmin	9
6 Related info	10



Usage

Extended search offers two ways of searching for content:

- 1. Title search using the quick search
- 2. Fulltext search using the search center

By default, the search indexes:

- wiki pages: all content pages, except for pages in the MediaWiki namespace
- special pages: all pages in the namespace Special
- repo files: files uploaded to the wiki for text files like Word documents and PDFs, this includes content and metadata
- external files: files from arbitrary locations from accessible storage paths (e.g., mounted drives)
- social entities: entities (pages) created by the BlueSpiceSocial extension, like blog posts and user profiles

Autocomplete

The search box in the main toolbar offers with autocomplete functionality is available from any page on the wiki. Autocomplete matches only page and file titles, but does not provide a full-text serach.

After typing in the search bar, an autocomplete popup appears:

Q Manual: Visual	۵
Manual:VisualEditor Manual:Extension/VisualEditor Manual:Extension/VisualEditor Manual:Extension/VisualDiff Manual:Extension/BlueSpiceVisualDiff	 Create page "Manual:Visual" Search full text You might be also looking for VisualEditor: Insert tables VisualEditor: Insert Images Insert a File
Autocomplete popup	

This popup is divided in two columns.

Left column:

• **Primary results:** These are the results that are direct matches for the search term. The exact matches are shown in bold letters.



MediaWik

- When looking for the term "quality management", it is also possible to type in "qual man" and the search starts looking for matches
- The best match is often shown with a thumbnail preview as a top search result

Right column:


- Tools and secondary results: Tools are displayed in the top portion of the right column and contain:
 a button to create the page with the current search term as the title (only if user has permission to
 - create new pages)
 - $^{\circ}\;$ a button to execute full-text search for the current term. Selecting this option leads to the Search Center.

In the bottom portion of the right column, secondary results are displayed. Secondary results are matches that do not directly match the given term, but might be relevant for the user. These show up only in certain contexts:

- If there are significantly more matches for a similar term than the term actually searched for (in a situation of a typo for example)
- If the namespace or subpage pill is present (see next section). In this case, secondary results will show direct matches in other namespaces/pages.

Namespace and subpage "pills"

Autocomplete search bar supports pills for namespaces and subpages.



If a user types Manual: , a pill for the namespace "Manual" appears and the search for the following term is limited to this namespace. . Subpage pills work in the same way. If the user types in PageName/, any term after that is matched in the context of that page. If you search for "TestPage/Te", for example, the search will match only subpages of "TestPage" that contain "Te" in the title, like "TestPage/Test" and "TestPage/TestSubpage".

Configuration

Previously explained is the full version of the autocomplete popup. Wiki admins can also choose to use "Simple autocomplete", which contains only one column with primary results and tools, without secondary results. This type of autocomplete is also more compact. This setting is available from BlueSpiceConfigManager, under *Extension > BlueSpiceExtendedSearch > Use simple autocomplete*.

Search operators

Since the autocomplete search only searches for titles, search operators such as AND or OR are not supported. However, they are supported using the Search Center.



Dates as search terms

The search recognizes certain date formats. In the search center, these date formats are treated with surrounding quotation marks.

Protokoll vom 27.11.2020		
	Seite "27.11.2020" erstellen	Seite T Diskuss
	Q Volltextsuche	
		h 🛈 Keine Statusinforma

Date format 1

Q 2020-11-27	۲	00
SpecialPages: SearchOenter		
Erweiterte Suche		
Ein Treffer für "2020-11-27"		
Ein Treffer für "2020-11-27" Namensiraum x Kategorie x		+ 7 0
		• • • •
Numericality Kategorie × 2020-11-27 Dokumentation		

Date format 2

Search Center (extended search)

As soon as you trigger the full-search with the magnifying glass symbol or the *Enter* key, the wiki switches to the Search Center. This is a special page that offers the full functionality of the search. The search in the Search Center is carried out using the same search bar that is also used for autocomplete.

Here, the search engine carries out a full text search, which also includes the metadata of documents. It does not index the wikitext of a wiki page, but rather the rendered content, that is the output by the browser.

MediaWiki BlueSpice **.** Q. Test fun 0 so 0 \$ ≡ Ê Global actions Search center Special pages 2 hits for Test fun 000 🕹 Upload file Namespace 🗙 Category 🗙 Book Manager Wiki Software 1.0 Sections ☆ A Extended statistic VIKI SOTIWATE 1.0 -> WikiSoftware - MediaWiki settings -> UniversalExport PDF Module PdfService (BN2PDF) Final Test In ore if the web services are running and configured correctly, point your browser to < Have funt[de:Wiki_Softwa 'type Wikipage (Created: 13 May 2016 | Modified: 5 November 2018 | Category, Instalation handbook | RSS feeder Extended file list ☆ Ratings Wiki Software 1.1 Sections ☆ VIKI SOLIWATE 1.1 > WikiSoftware MediaWiki settings -> UniversalExport PDF Module PdService (BN2PDF) Final **Test** In order to **test** if the web services are running and configured correctly, point your browser to < Have **funi** > Type Wikisge Correction 13 My 2016 (Mardies Novemers 2018 Classop) relation handbook I Expiry WikiExplore All templates Privacy policy About BlueSpice Disclaimers Analysis service MediaWiki 🕜 BlueSpice Semantic MediaWi Management 🔧 Config Manage 🤱 Group manage Assignment managemen Search Center

Search operators

To use search operators in the full-text search, the following syntax can be used:

- Sandbox **AND** Widgets returns pages that contain both the term sandbox and the term widgets
- Sandbox **OR** Widgets returns pages that contain either the term sandbox or the term widgets.
- (Sandbox) **NOT** (Widgets) returns pages that contain the term sandbox but not the term widgets.

The search operators have to be written in uppercase letters.

Elements

BlueSpice

- **Hit count** shows how many matches a search has returned. It may be exact or approximate. Approximation is due to dynamic check for permissions to view each page in the results, some results may not be shown to the user with no adequeate permissions event if it matches the search term.
- **Tools** these are located in the top right as a set of buttons:
 - Create a page represented by a "plus" button will create a page with current search term as a title (only visible if user has permission to create pages)
 - Add filters represented by a "funnel" icon opens a dialog where users can select the type of filter to apply to the search.

BlueSpice

eSpice3		_	Q. Test fun		٥	0	+ •
n 1	۵	=	Special				
l actions			Search center				
cial pages pad file			2 hits for Test fun				
chlist			Namespace x Category x				
k Manager ended statistics			Wiki Software 1.0 -> WikiSoftware - MediaWiki settings - UniversalEar		n der to test	Sections: Final Test	Ŵ
s feeder ended file list				Cancel Add Filter Type	oftware 1.0]]		
ngs ommendations			Wiki Software 1.1	Extension		Sections:	Å
ninder irv			-> WikiSoftware - MediaWiki settings -> UniversalExp if the web services are running and configured correct	Page language Namespace	n order to tes	Final Test	4
iew			Type: Wikipage Created: 13 May 2016 Malifed: 5 November 20	Search in Social Tag			
IExplorer emplates			Privacy policy About BlueSpice Disclaimers Analysiserv	Category Semantic properties	V Ø Blues	nice 🌒 🍓 Sei	nantic MediaWiki
gement				semanue properties			
ut BlueSpice fig Manager							
up manager							
rwiki links nespace-CSS Manager							
nespace manager ignment management							
e templates							
mission manager							
Adding fil	ters						

 Search options - represented by a "gear" icon - opens a dialog where users can change settings for the current search. It provides options like the number of results per page, sorting field and order.

	Special			
ons ^	Search enter			
ges		Cancel	Search options	Apply
	about 627 bas for *	Entries per page	0 25	
	NamespresSpecial, Fileand 1	more Sort by	50	
ager				
statistics	Test functions/Reporting		75	\$
r	Type: Wikipage Created: 18 July 2018	Modifie	0 100	
ile list				
ndations	Rename an artic (move)			. ÷
	Type: Wikipage Created: 13	l Modifi		
er	Versioncontrol			\$
es	Type: Wikipage Created: 18 May 2016	Modified: 5 November 2018		¥
	appart and page 1 consistent to may solo			
nt 🔨				

- Export search represented by the "export" icon opens a dialog to export current search results to a dedicated page (only visible to authorized users, by default admin users).
- **Filter:** Filters are displayed in form of pills below the results counter. Each filter pill represents a different attribute. Filter values can be changed by clicking on the filter pill and selecting the desired options from the popup that will open. Filter can be removed by clicking on the "x" button in each pill.

BlueSpice

eSpice3	٩. •		• • •	
	Special			
al actions	Search center			
pecial pages				
pload file	ac 627 hits for *		• • • •	
atchiist	Namespace:Special, Fileand 1	more x Co. v x		
ook Manager	9			
dended statistics	٠ ـ	ОК	\$	
SS feeder	Special	219		
tended file list				
ecommendations	V File	86	\$	
eminder	(Pages)	48 2018 Category: User Hadbook	ਸ	
piry	Talk	46		
eview	L Talk	40		
ikiExplorer	Property	27	☆	
l templates	Staff	21 2018 Category: Products	А	
agement ^	File_talk	17		
oout BlueSpice	SocialEntity	13	☆	
onfig Manager		2018 I Crushy: Products I	Ц	
roup manager	User	12		
lerwiki links amespace-CSS Manager	QM	10		
amespace manager			\$	
isignment management	Ty,	ember 2018 I	6	
ige templates				
ermission manager				

- **Results:** If current search criteria yield any results, a list of results is displayed. The information available in the results is depending on the result type):
 - $^{\rm O}$ $\,$ Main title of the result (page title, file name...)
 - Result type
 - Size and extension (for files)
 - $^{\circ}$ Thumb image (for images) or file type icon (for other file types)
 - O Redirect information
 - ^O Original name (for wikipages, if the page display title is different than the actual page title)
 - ^o Secondary information like page categories, modification and creation date, author, etc.
 - $^{\circ}$ Snippet of the matches in the content of the page (if there are matches in the page content),
 - Sections with matches in the content (for wikipages)

In case there is an exact match for a given search term, the result that matches exactly is displayed as a "featured" result. Such a result displays a preview image of the page and always displays the content snippet, regardless of whether there are matches in the content or not.

Results relevance


All logged-in users can mark certain results as "favorites" by clicking on the star symbol in the right corner of each result. Files marked as "favorite" will score higher in future searches - this is not visible immediately, however, but happens over time. One user's relevance settings won't affect other user's searches. Results can be unmarked as "favorite" by clicking on the "star" symbol again.

Exporting search results

After executing the search, administrators can export (save) the results to a specific page using the "Export" command from the "Tools" menu. The list is exported to *MediaWiki:PageCollection* /*LISTENNAME*.



Only valid wikipages are exported. The pages contained in a list can be included in a book in the book function via *Mass add> Source: Page collection.*



Configuration

In the BlueSpiceConfigManager, under settings for the extension *BlueSpiceExtendedSearch*, the following configuration options are available:

- **External file paths**: External locations to scan for and index files from. These locations are entered in key/value pairs of Physical path and URL prefix.
 - ^O *Physical path: S*torage path. For mounted drives, for example: *X:*|*Documents*
 - URL prefix: All files indexed from the indexed physical location are prefixed in the search results. It should be used if files are available from a web server. By default, the URL prefix is set to the same value as *Physical path*.

Example file	Phys. Path	URL Prefix	Link in results list
		file:///S:/	file:///S:/Sales/Info/glossary.pdf
		https://sharepoint /Sales/	https://sharepoint/Sales/
S:\Sales\Info\glossaryy.pdf	S:\	documents/	documents/Sales/Info/glossary. pdf
		https://intranet /showdocs	https://intranet/showdocsinline. aspx?
		inline.aspx?path=	path=/Sales/Info/glossary.pdf

Examples for external file paths



/var/www/bluespice/w	/var/www/bluespice	https://wiki.company.local/w
/mounted_	/w/	/mounted_
share/Sales/Info/glossary. pdf	mounted_share/	share/Sales/Info/glossary.pdf

• Use simple autocomplete: forces a more compact autocomplete (1-column Sales thumbnail preview).

Q Configu	0
Configure search	^
Configuration	
Getting started - Login and configuration	
Robot Configuration	
Create and configu re articles	
ExtendedSearch configuration	
Setup:Installation Manual/System Configuration/Apache Tomcat	
Create page "Configu"	
Q Search full text	*
compact autocomplete	
Q Configu	8
Configure search	

Q Configu	8
Configuration Getting started - Login and configuration Robot Configuration Create and configuration Create and configuration Setup:Installation Manual/System ConfigConfigucat VisualEditor configuration	Create page "Configu" Search full text
Salesautocompletey	

- **Automatically set language filter**: This setting applies to multi-languageSalesIt returns seyarch results for a user only in the user's language. Users can set their language in their preferences.
- **Exclude patterns:** Files at external file locations can be exluded from search based on regular expression patterns.

SearchAdmin

Special:SearchAdmin is a special page for wiki admins. This page provides stats on documents indexed in the search.



Related info

• Reference:BlueSpiceExtendedSearch