

Contents

1. Appliance	2
2. Univention	2

Appliance

Redirect to:

- [Univention](#)

Univention

BlueSpice is available as an app for the [Univention Corporate Server](#). It is delivered via the [Univention App Center](#) and can be easily installed.

BlueSpice is also available as appliance: It can be used in a virtual environment with the Univention Corporate Server as operating system.

Contents

1 Administration of the app	3
1.1 Assign user	3
1.2 Add more users	3
2 Install appliance	4
3 Trouble shooting	5
4 Related info	5

Administration of the app

Assign user

To login at your BlueSpice MediaWiki, users must be assigned in the UCS system and domain settings.

1. Open System and Domain Settings
2. Select **Users**, open -> **Users - Management of domain users** and select user.
3. Open **Apps** and select the check mark at "Activate user for BlueSpice MediaWiki".

Add more users

Adding more users does not work via the BlueSpice User Manager but via the UCS user management.


1. Open System and Domain Settings.
2. Select **Users**, open -> **Users - Management of domain users** and **Add** new user.
3. Do not forget to open **Apps** and select the check mark at "Activate user for BlueSpice MediaWiki".

Note: Some rights are defined in *../settings.d/099-Univention.php* which cannot be overwritten in the BlueSpice permission manager, (e.g. anonymous users have no read rights). These rights have to be updated directly in the *099-Univention.php* file.


LDAP Group Synchronization: With LDAP, group assignments are accomplished within the Univention LDAP interface and not within the wiki.

Install appliance


The steps to install the BlueSpice appliance




Start of the appliance




Select languages




Domain and network configuration




Domain setup




Set account information and Administrator password (important!)




Host settings




Confirm configuration settings




Setup success confirmation




Get IP to open the Univention Corporate Server in your browser




Upload license key, which you get via e-mail



Login as Administrator and with your administrator password



Your applications: open first the system and domain configuration



Assign user
(Administrator) in
the central
authentication
system for
BlueSpice. Now you
can start the wiki
and login as
Administrator

Trouble shooting

It is a known issue, that UCS under specific conditions changes the IP and users cannot authenticate at the BlueSpice MediaWiki. Univention is working on that.

To fix that problem:

1. **Open System and Domain Settings.**
2. Select **Domain**, open -> **LDAP - Browsing and managing the LDAP tree.**
3. Select in the tree in the left navigation bar under your Domain name. for instance: **computers - dc - ucs-xxx**
4. Check and change IP address (3 times) and **Save.**

Related info

- [Univention App Center](#)
- [Univention Wiki](#)