

Contents

1. Archive:InsertImage	2
2. Manual:Extension/InsertImage	3
3. Reference:BlueSpiceFoundation	8
4. Reference:InsertFile	12

Archive:InsertImage

Extension: InsertImage

Overview			
Description:	provides a dialogue to easily upload, insert and edit pictures.		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	-
Type:	BlueSpice	Category:	Editor
Edition:	BlueSpice free, BlueSpice pro		
View help page			

Features

Contents

1	Extension: InsertImage	2
1.1	Features	2
1.2	Description	3
1.3	Usage / Features	3
1.4	Technical information	3
1.4.1	Configuration	3
1.4.2	Rights (permissions)	3
1.4.3	Requirements	3
1.5	User manual	3
1.6	Try free our BlueSpice	3

Description

InsertImage is a tool developed by *Hallo Welt!* which lets you upload, insert and edit images using a pop-up window. Inserting images with BlueSpice is much easier than with MediaWiki because you no longer have to change to a special page to upload them.

Usage / Features

You can open the dialogue when you are using the [WYSIWYG editor](#), as well as in the wikicode.

Technical information

Configuration

This extension offers no configurations.

Rights (permissions)

This extension does not require any special rights. Users must have "edit" permission to be able to insert an image.

Requirements

InsertImage requires [BlueSpiceFoundation](#) and [InsertFile](#).

User manual

For detailed description and usage, visit our [user manual](#).

Try free our BlueSpice

[BlueSpiceDemo](#).

Manual:Extension/InsertImage

Contents

1 What is InsertImage?	5
2 Where to find the function?	5
3 The functionality of InsertImage	5
3.1 Inserting images	6
3.2 Uploading images	6
4 Tips for working with InsertImage	8


5	Licensing	8
6	Classical "insert image" with MediaWiki	8
7	See also	8

What is InsertImage?

InsertImage is a tool developed by *Hallo Welt!* which lets you upload, insert and edit images using a pop-up window. Inserting images with BlueSpice is much easier than with MediaWiki because you no longer have to change to a special page to upload them.

Where to find the function?


"InsertImage" can be accessed using the button , when you are in the edit mode. You can open the dialogue when you are using the WYSIWYG editor as well as in the standard wiki code editor.



The functionality of InsertImage

First, go to the place in the text field where you want to insert the image and then click on the button (see above) to access the tool. [Screencast](#)

Inserting images



Search and insert existing images: To insert images to your page, choose an image from the preview list given by InsertImage. You can restrict the images displayed here by typing the initial letters into the *filter* field. For example, when you type "Hi" into the *filter* field and wait a moment, all images which start with "Hi" will be shown. The image selected will be shown in the right part of the window.


Add adjustment, decoration, size and description: Now you can make further adjustments in the tab "Details", for example set the justification of the image, or insert it as a preview (then it will be displayed very small and with a thick grey border). You can also change the size of the image. Note that the picture itself is not made any smaller, only its appearance in the article! Alternative text is the caption.

Linking: Add links to your image so that in the view-mode a reader of the article will be linked to the connected article you choose. If you want set more than one link on the picture please use the function [Image Map](#).


Have you made all the adjustments you want to make? Then put the image into the article with "ok". Then the picture is incorporated in the wiki code.

Uploading images

If uploading an image, click on **upload**.



Then: **browse**.



You can choose the image you want here.

Make sure you enter the image's licence and, if desired, a short description. This will save you tedious research into copyright later on.

It is very useful if you insert a category for the image as well so you help to structure the content and to find images quickly.

Then you need to put the image into your wiki with the button **ok**. After this, you can insert it into pages as described above. Do not forget to choose the picture you want again!

Note: If the image preview does not automatically update after uploading an image, then you can update it by leaving the "InsertImage"-dialogue and opening it again.

Tips for working with InsertImage

- Do not be shocked if a picture appears somewhere you did not expect when working with the WYSIWYG editor. Everything will be shown as you wish in the preview, or at the latest when you save.
- Choose explicit names for your files before you upload them. The file name should be a description of the image, for example Emden-spanning-network.jpg rather than Image123.jpg. This will help you and others to find the image later.
- If there is an image with this name already there, the dialogue window will let you know and ask if you want to replace it. You can confirm the upload with the button "ok" or stop it with the button "cancel". If you click on the ok button, the existing image will be replaced. The version history of the image will show this change.

Licensing

You can define the license selection on the MediaWiki page Mediawiki:Licenses (see [documentation at MediaWiki.org](#) and an [example](#)).

Classical "insert image" with MediaWiki

Click [here](#) for the MediaWiki instructions.

See also

Our [reference page](#).

Reference:BlueSpiceFoundation

Extension\: BlueSpiceFoundation

Overview			
Description:	Makes MediaWiki enterprise ready		
State:	stable	Dependency:	BlueSpice

Overview			
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Infrastructure
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		

Features

The extension **BlueSpiceFoundation** is the interface between BlueSpice and Mediawiki. It provides basic functions for the individual BlueSpice extensions.

If you install any BlueSpice extension in a MediaWiki environment - that is outside of BlueSpice free or BlueSpice pro - the reference information for the extension will indicate if it requires BlueSpiceFoundation.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31

ExtJSBase: 1.31

Integrates into

- BlueSpicePrivacy

Special pages

- SpecialCredits
- WikiAdmin

Configuration

Name	Value
BlueSpiceExtInfo	<code>array ('name' => 'BlueSpice', 'version' => '3.2.3', 'status' => 'stable', 'package' => 'BlueSpice Free', 'url' => 'https://bluespice.com', 'desc' => 'Makes MediaWiki enterprise ready.', 'author' => array (0 => '[https://www.hallowelt.com Hallo Welt! GmbH]',),)</code>
CreditsContributors	<code>array (0 => 'Aaron Schulz', 1 => 'Acamicamacaraca', 2 => 'Alangi Derick', 3 => 'addshore', 4 => 'Albert221', 5 => 'Amir Sarabadani', 6 => 'Ammar', 7 => 'Ammarpad', 8 => 'amritsreekumar', 9 => 'Antoine Musso', 10 => 'Aryeh Gregor', 11 => 'Aude', 12 => 'Basil Hershberger', 13 => 'Bill Pirkle', 14 => 'Brad Jorsch', 15 => 'Chad Horohoe', 16 => 'Christian Aistleitner', 17 => 'DannyS712', 18 => 'David Sn', 19 => 'Demon', 20 => 'Derick Alangi', 21 => 'DrishyaR', 22 => 'Florian', 23 => 'Florianschmidtwelzow', 24 => 'Fomafix', 25 => 'Frederic Mohr', 26 => 'Gergő Tisza', 27 => 'Guycn2', 28 => 'hexmode', 29 => 'Holger Knust', 30 => 'idakuch', 31 => 'James D. Forrester', 32 => 'Jayprakash12345', 33 => 'Jforrester', 34 => 'jhsoby', 35 => 'Justin Du', 36 => 'Kunal Mehta', 37 => 'Legoktm', 38 => 'libraryupgrader', 39 => 'MarcoAurelio', 40 => 'Mark A. Hershberger', 41 => 'Max Semenik', 42 => 'MaxSem', 43 => 'MtDu', 44 => 'Nikita Rana', 45 => 'OmkarJ', 46 => 'Ori Livneh', 47 => 'Paladox', 48 => 'Phantom42', 49 => 'Prateek Saxena', 50 => 'Purodha', 51 => 'QChris', 52 => 'Rafid Aslam', 53 => 'Raimond Spekking', 54 => 'Raymond', 55 => 'RazeSoldier', 56 => 'Reedy', 57 => 'rlot', 58 => 'Rohitt Vashishtha', 59 => 'Siebrand Mazeland', 60 => 'Subin Siby', 61 => 'TGC', 62 => 'Tulsi Bhagat', 63 => 'Umherirrender', 64 => 'Yuki Shira', 65 => 'Yuriy Shnitkovskiy', 66 => 'withoutaname', 67 => 'Zoranzoki21',)</code>
CreditsDesignAndTesting	<code>array (0 => 'Anja Ebersbach', 1 => 'Richard Heigl', 2 => 'Nathalie Köpff', 3 => 'Michael Rödl', 4 => 'Michael Scherm', 5 => 'Dardan Diugan', 6 => 'Christina Glaser', 7 => 'Christian Graf', 8 => 'Angelika Müller', 9 => 'Karl Skodnik', 10 => 'Astrid Scheffler', 11 => 'Sabine Gürtler', 12 => 'Thomas Schnakenberg', 13 => 'Sabrina Dürr', 14 => 'Tobias Kornprobst', 15 => 'Luisa Roth', 16 => 'Ljubica Sireta', 17 => 'David Schweiger', 18 => 'Florian Bäckmann', 19 => 'Alexander Ziegltrum', 20 => 'Margit Link-Rodrigue',)</code>
	<code>array (0 => 'Markus Glaser', 1 => 'Radovan Kubani', 2 => 'Sebastian Ulbricht', 3 => 'Marc Reymann', 4 => 'Mathias Scheer', 5 => 'Thomas Lorenz', 6 => 'Tobias Weichart', 7 => 'Robert Vogel', 8 => 'Erwin Forster', 9 => 'Karl</code>

Name	Value
CreditsProgrammers	Waldmannstetter', 10 => 'Daniel Lynge', 11 => 'Tobias Davids', 12 => 'Patric Wirth', 13 => 'Stephan Muggli', 14 => 'Stefan Widmann', 15 => 'Jan Göttlich', 16 => 'Benedikt Hofmann', 17 => 'Daniel Vogel', 18 => 'Leonid Verhovskij', 19 => 'Gerhard Diller', 20 => 'Mannfred Dennerlein', 21 => 'Dejan Savuljesku', 22 => 'Josef Konrad', 23 => 'Philipp Pirzer', 24 => 'Peter Böhm', 25 => 'Gökhan Geyik', 26 => 'Oleksandr Pinchuck', 27 => 'Dmitry Shevliakov', 28 => 'Jenya Puchenko',)
CreditsTranslation	array (0 => 'Siebrand Mazeland', 1 => 'Raimond Spekking', 2 => 'Stephan Muggli',)
DefaultAnonImage	'resources/bluespice/images/bs-user-anon-image.png'
DefaultGroupImage	'resources/bluespice/images/bs-group-default-image.png'
DefaultUserImage	'resources/bluespice/images/bs-user-default-image.png'
ExtensionAttributeRegistryOverrides	array ()
LessVars	array ()
MaintenanceUserName	'BSMaintenance'
NotifierClass	'BlueSpice\\NullNotifier'
PermissionConfig	array ()
PingOnInit	false
RunJobsTriggerHandlerOptions	array ('*' => array ('basetime' => array (0 => 1, 1 => 0, 2 => 0,), 'once-a-week-day' => 'sunday',),)
UIPermissionBlacklist	array (0 => 'reupload', 1 => 'reupload-shared', 2 => 'minoredit', 3 => 'deletedhistory', 4 => 'editinterface', 5 => 'importupload', 6 => 'patrol', 7 => 'autopatrol', 8 => 'proxyunbannable', 9 => 'trackback', 10 => 'unwatchedpages', 11 => 'autoconfirmed', 12 => 'upload_by_url', 13 => 'ipblock-exempt', 14 => 'blockemail', 15 => 'purge', 16 => 'emailconfirmed', 17 => 'nominornewtalk',)

API Modules

- bs-adminuser-store
- bs-category-store
- bs-category-treestore
- bs-categorylinks-store
- bs-filebackend-store

- [bs-group-store](#)
- [bs-interwiki-store](#)
- [bs-js-var-config](#)
- [bs-linker](#)
- [bs-ping-tasks](#)
- [bs-recentchanges-store](#)
- [bs-task](#)
- [bs-templatelinks-store](#)
- [bs-titlequery-store](#)
- [bs-upload-license-store](#)
- [bs-user-store](#)
- [bs-watchlist-store](#)
- [bs-wikipage-store](#)
- [bs-wikipage-tasks](#)
- [bs-wikisubpage-treestore](#)

Hooks

- [ArticleDeleteComplete](#)
- [BeforePageDisplay](#)
- [BeforeParserFetchTemplateAndtitle](#)
- [ExtensionTypes](#)
- [HtmlPageLinkRendererEnd](#)
- [LinkerMakeMediaLinkFile](#)
- [LoadExtensionSchemaUpdates](#)
- [MakeGlobalVariablesScript](#)
- [PageContentSaveComplete](#)
- [ParserFirstCallInit](#)
- [ResourceLoaderGetConfigVars](#)
- [SearchGetNearMatchComplete](#)
- [SearchableNamespaces](#)
- [SetupAfterCache](#)
- [SiteNoticeAfter](#)
- [SkinTemplateOutputPageBeforeExec](#)
- [SoftwareInfo](#)
- [ThumbnailBeforeProduceHTML](#)
- [TitleMoveComplete](#)
- [getUserPermissionsErrors](#)

Reference:InsertFile

Redirect to:

- [Reference:BlueSpiceInsertFile](#)