

Archive:Installation Manual/Test System local with Installer

Contents

1	BlueSpice free local testing	. 2
2	Introduction	. 2
3	Step one: Install XAMPP	. 2
4	Step two: Install BlueSpice	. 5



BlueSpice free local testing

This document describes the steps for the installation of MediaWiki 1.27.4 and BlueSpice 2.27.3 with installer **on your local Windows computer**. This allows you to take a look at the system and test the features.

For the Installation of a productive system please follow the genereal [wiki/Setup: Installation_Manual installation manual.]

Introduction

BlueSpice is a wiki software.

BlueSpice is used worldwide as a platform for collaborative knowledge management, as a knowledge base in customer support and as an uncomplicated tool for documentation and handbooks.

BlueSpice is mostly used as:

- a central company wiki,
- a technical documentation platform,
- a quality handbook,
- knowledge management platform,
- documentation tool for research and development.

Add user-friendly extensions to MediaWiki and make your administrators' lives easier.

Step one: Install XAMPP

To install BlueSpice with installer you need:

- a Webserver,
- PHP,
- MySQL.

XAMPP contains all three.

Take notice that XAMPP should only be used for testing.

To download and install XAMPP click here .



The download will in the Chrome browser appear as small notification in the left corner at the end of the page. When download is finish you will get a notification in the corner, marked red as on this image:

U U Map	Apache Friends Do	wnload Add-on	a Hosting	Community	About	Search Search	💴 EN -	
		Your downlo	Awe	eson	ne!	slick base		
	Reading	Tour downio	Te	II Your Fi	riends	about XAMPP		
	Be sure to read the install instructio • Linux FAQs • Windows FAQs • OS X FAQs	ins and FAQs:		I just got #XAMI https://www.apa	PP from @A chefriends.c	pacheFriends rg #opensource.	Tweet	
D	You can find additional help on our Overflow.	forums or Stack						
	Add-ons	XA yea	IPP has been when the has been seen as a second sec	ty in around for r a huge comm	nore than f	you@example.com		
mpp-win32-5.6	exe ^							Alle anzeiger

Some browsers will ask you where you want to save download. In the case of Google Chrome you will find the downloaded file in: **C:\Users\Downloads**

When you install XAMPP, you should start **Apache** and **MySql** so that they appear green like in this image:

😫 XAMPP	P Control Par	nel v3.2.2 [Compile	d: Nov 12th	2015]				
83	XA	MPP Control I	Panel v3	.2.2				n Contig
Modules Service	Module	PID(s)	Port(s)	Actions				🔘 Netstat
	Apache			Start	Admin	Config	Logs	Shell
	NySQL			Start	Admin	Config	Logs	📴 Explorer
	FieZila			Start	Admin	Config	Logs	😴 Services
	Mercury			Start	Admin	Config	Loga	😥 Help
	Tomoat			Start	Admin	Config	Logs	📃 Quit
00000000000000000000000000000000000000	(main) (m	XMMPP Venic Centrel Parel You are not na most application they and bas you are not na most application that and bas you are not application that and the XMMPP instantial chacking for particular transmission of the transmission of the XMMPP instantial Alterneting to Status change Attempting to Status change	Internet Sciences (Sciences) Version: 32 Inning with a socially distances (Sciences) socially distances (Sciences) socially distances (Sciences) social (Sciences) social (Sciences) (Sc	 2 [Compi doministratio whenever y logue or this logue or this logue or this logue or this logue or this logue or this sector of the sector of	iled: Nov 12 r rightsf Thi ou do some ings will be innerestrator mpps?	2th 2015] is will work thing with aid So thin rights!	for services k	



In XAMPP by **Apache** click the button **Config**. Click on **PHP(php.ini)**. You should get:

)	AMPP	Control Panel v3.2.2	
Modul	e PID	a) Port(s) Actions	
Apach	e 982 612	80,443 Stop Admin Config Logs 🖼 Shell	
MySQL	. 102	🥘 php - Editor – 🗆 🗙	
FieZili		Datei Bearbeiten Format Ansicht ?	
Mercur	у	[PHP]	•
Tomca		101000000000000000000000000000000000000	
[main]	Ini	; About php.ini ;	
[main]	W	: PHP's initialization file, generally called php.ini, is responsible for	
[main]	XA	; configuring many of the aspects of PHP's behavior.	
[main]	Co	, contagoring mony of the oppeted of the presentation	
[main]	TO	; PHP attempts to find and load this configuration from a number of locations.	
[main]	th	: The following is a summary of its search order:	
[main]	ab	: 1. SAPI module specific location.	
[main]	XA	2. The PHPRC environment variable. (As of PHP 5.2.0)	
(main)	Cł	; 3. A number of predefined registry keys on Windows (As of PHP 5.2.0)	
[main]	AI	; 4. Current working directory (except CLI)	
[main]	-1 V	; 5. The web server's directory (for SAPI modules), or directory of PHP	
Apach		; (otherwise in Windows)	
[mysol]	X	; 6. The directory from thewith-config-file-path compile time option, or the	
[main]	St	; Windows directory (C:\windows or C:\winnt)	
[main]	Co	; See the PHP docs for more specific information.	
[mysql]	At	; http://php.net/configuration.file	
[mysql]	St		
(Apach)		; The syntax of the file is extremely simple. Whitespace and lines	
[Apach		; beginning with a semicolon are silently ignored (as you probably guessed).	
[mysol]	Δt	; Section headers (e.g. [Foo]) are also silently ignored, even though	
[mysol]	St	· · · · · · · · · · · · · · · · · · ·	·
Apach	At [s	S 20	
[Anach) St	stus change detected: running	

Find **tidy.dll**, and delete the Semicolon (;) at the beginning of the line ;extension=php_tidy.dll.

Save with **CTRL+S**

It should look like this:

ABINI	PP Control Panel V3.2.2	
Module	PID(s) Port(s) Actions	
Apache	9624 80, 443 Stop Admin Config Logs I Shell	
MySQL	1022 📄 php - Editor	- 🗆 X
FieZila	Datei Bearbeiten Format Ansicht ?	
Mercury	extension=php_mbstring.dll	^
Tomcat	extension=php_mysql.dll	
(main]	extension-php_mysqli.dll	
(main)	W :extension=php_dcid_i2c.dll ; ose with bracle bacabase izc instant client	
[main]	XA ;extension=php pdo firebird.dll	
main	extension=php_pdo_mysql.dll	
main	;extension-php_pdo_oci.dll	
[main]	the ;extension=php_pdo_odbc.dll	
[main]	ab ;extension-php_pdo_pgsql.dll	
[main]	XA extension=php_pdo_sqlite.dll	
[main]	Ch ;extension-php_pgsql.dll	
[main]	<pre>All ;extension=php_shmop.dll</pre>	
Apachel	XA	
Apache	XA ; The MIBS data available in the PHP distribution must be installed.	
[mysql]	XA ; See http://www.php.net/manual/en/snmp.installation.php	
(main)	Sta ;extension=php_snmp.dll	
[main]		
mysqr	extension-ppp_soap.dll	
Apachel	Att sectors in physickets. all	
Apachel	Att ;extension-pnp_sqlites.all	
Apache	Sta sextension=pnp_sybase_ct.dll	
(mysql)	Att extension-php_tidy.dll	v .
(mysql)	Sta <	5 . C
Apache	All states and states	



After this **stop** and **start** your xampp again:

Step two: Install BlueSpice

Now, when we have XAMPP, download BlueSpice **here**. Download the version with intaller (red marked) as you see bellow:

		PRODUCTS FEATURES USE	CASES SERVICES REFERENCES Q	
BlueSpice 2.27.1	BlueSpice free	BlueSpice free with Installer	BlueSpice pro	
Release Notes	Release Notes 2.27.1	Release Notes 2.27.1	Release Notes 2.27.1	
Installation Manual 2.27.1		Installation Manual 2.27.1	Installation Manual 2.27.1	
Date	2017-04-06	2017-04-06	2017-04-06	
File size	84.6 MB	119 MB	103 MB	
MediaWiki Version	MediaWiki 1.27	MediaWiki 1.27	MediaWiki 1.27	
	Download Link	Download Link	Please log in for Pro Version.	
BlueSpice 2.27.0				
	BlueSpice free	BlueSpice free with Installer	BlueSpice pro	
elease Notes	Release Notes 2.27.0	Release Notes 2.27.0	Release Notes 2.27.0	
	Installation Manual 2 27.0	Installation Manual 2 27.0	Installation Manual 2 37.0	

Download and unzip BlueSpice.

BlueSpice

To unzip file use: 7-zip, winzip, izarc.

When unzip is completed, you should get this:

Na	me	Änderungsdatum	Тур	Größe	
	cache	09.06.2017 08:17	Dateiordner		
	docs	09.06.2017 08:17	Dateiordner		
	extensions	09.06.2017 08:18	Dateiordner		
	images	09.06.2017 08:18	Dateiordner		
	includes	09.06.2017 08:20	Dateiordner		
	languages	09.06.2017 08:20	Dateiordner		
	maintenance	09.06.2017 08:21	Dateiordner		
	mw-config	09.06.2017 08:21	Dateiordner		
	resources	09.06.2017 08:21	Dateiordner		
	serialized	09.06.2017 08:21	Dateiordner		
	skins	09.06.2017 08:22	Dateiordner		
	tests	09.06.2017 08:22	Dateiordner		
	vendor	09.06.2017 08:23	Dateiordner		
d	api	30.04.2017 21:13	PHP-Datei	5 KB	KВ
d	autoload	30.04.2017 21:13	PHP-Datei	112 KB	КB
d	composer	30.04.2017 21:13	JSON File	3 KB	KВ
	composer.local.json-sample	30.04.2017 21:13	JSON-SAMPLE-Da	1 KB	KВ
	COPYING	30.04.2017 21:13	Datei	20 KB	KВ
	CREDITS	30.04.2017 21:13	Datei	5 KB	КB
	FAQ	30.04.2017 21:13	Datei	1 KB	KВ
	Gemfile.lock	30.04.2017 21:13	LOCK-Datei	3 KB	KВ
3	Gruntfile	30.04.2017 21:13	JavaSkriptdatei	3 KB	KВ
	HISTORY	30.04.2017 21:13	Datei	781 KB	KB
di	img_auth	30.04.2017 21:13	PHP-Datei	8 KB	KВ
d	index	30.04.2017 21:13	PHP-Datei	2 KB	KВ
	INSTALL	30.04.2017 21:13	Datei	4 KB	KB
d	jsduck	30.04.2017 21:13	JSON File	2 KB	KВ
d	load	30.04.2017 21:13	PHP-Datei	2 KB	KВ
-	•				

Create a new folder in C:\xampp\htdocs . You can choose any name you like, but it should contain only lettets, numbers, underscore or dash. The name of this folder will be refered to as **{name}** in later text. Copy the files from unziped folder (seen on the image above) to this newly created folder.

In some cases you might be asked: Do you want to merge? Answer **Yes**.

In C:\xampp\htdocs\{name} you find folder extensions in that folder is another folder BlueSpiceFoundation. Rename there data.template to data.

'Rename: right click and on combo/dropdown list and click 'Rename.



Repeat this for **config.template** and rename it to **config**.

Look for the folder **cache** in your **{name}** folder, right click (Properties and Security) and check if **Everyone** have permissions like in the image below. If not: go to edit, add **Everyone** and **OK**.



Do the same for folder **images** .

To check if all is ok, type in the browser: http://localhost/{name}

You should get:





Continue by clicking complete the installation .

You should get:

Blue Spice MediaWiki

	Dideopice 2.27 (on Wediawiki 1.27.1)	
for MediaWiki	Sprache	
Spice Home deak bible von edalweis enuberarischung derhang aufg gedelte agen es mich enamisformationen enamisformationen etaalserung	Sprache wahrend des Installierens: © tals en - English Sprache des Wikis: © tals en - English •	Sprache Vorhandenses Wild Wild Wathandenses Wild Wild Wild Wild Wild Wild Wild Wild Env softandarden Inne softandarden Installation adstallatieren Einstellungen zur Datenbark Name Optionen Installiteren Fretigi
		Installationsvorgang croot starten

Select a language and **Continue**.



You should get:

	BlueSpice 2.27 (on Med. ×	iii - 0				
O localho	st/bsinstaller/mw-config/index.php?page=Welcome	Q. 14				
JeSpíce	BlueSpice 2.27 (on MediaWiki 1.27.1)					
	Welcome to MediaWiki!					
	Environmental checks	 Language Existing wiki 				
Spice Home desk	in contention of the set of this environment is suitable for MediaWiki installation. Remember to include this information if you seek support on w to concrete the installation.	Welcome to MediaWiki!				
odiaWilki home Ier's Guide Iministrator's Guide	PHP 5.6.30 is installed. Warning: Could not find APCue, XCache# or WinCache#.	Connect to database Upgrade existing Installation				
a	Object caching is not enabled.	Database settings				
ad me	 GNU diff3 not found. 	Name				
ease notes	Found GD graphics library built-in.	Options				
nyang mading	Image thumbnailing will be enabled if you enable uploads.	Install				
	 Found the Git version control software: C:\Program Files\Git\cmd\git.exe 	Complete!				
	Using server name "http://localhost"					
	Using server URL http://ocainos/bsinstaller. Warming: Your default directory for unloads: Clypageolytetors/bstorstaller/wages/i is vulnerable to athitrary scripts execution	 Restart installation 				
	terming: teacher and termination of the second					
	 Warning: The intl PEC) extension 0 is not available to handle Unicode permittration falling back to show our public implementation 					
	I wan a high-traffic site you should read a little on Unicode normalization 2					
	The environment has been checked. You can install MediaWiki.					
	Copyright and Terms					
	This wiki is powered by MediaWiki@, copyright © 2001-2017 Magnus Manske, Brion Vibber, Lee Dariel Crecker, Tim Starling, Erik Möller, Gabriel Wicka, Ævar Amfjr Domas Mituzas, Rob Church, Yuri Atariahan, Aryeh Gregor, Aanon Schutz, Andrew Garrett, Rainmod Spekking, Alexande Ermenhuber, Seibrund Mazeland, Chad Ho Pancical, Bryan Tong Minh, Sam Reed, Victor Vallier, Korten Liss, Rainoides, Antoine Musso, Timo Tjind, Daniel Kinzler, Jeroen De Dawa, Bed Jords, Arisense San Schutz, San S	örð Bjarmason, Niklas Laxströn prohoe, Roan Kattouw, Trevor d translatewiki.net translatorsø				
	This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundat	tion; either version 2 of the				

Again Continue.

You should get:

En analyse ere for men a	IIII - D X
← → C (① localhost/bsInstaller/mw-config/index.php?page=D8Connect	ର ମ ଅଗ 🚖 🗄
BlueSpice BlueSpice 2.27 (on MediaWiki 1.27.1)	
Exclusion frame Vectors Model William Supports the following database system: Model William Supports	 Language Existing viki Existing viki Velocares to MediaWait Connect to database Upgrade existing instatiation Connect to database Upgrade existing instatiation Context existing Name Options Instatiation Completed Restart instatiation
Manthy Pits will Database name: Uses Database table prefix: Database table prefix: Database username: Database username: Database username: Database username: Database password: Database password: Database password: Database password: Database password: Database password:	Castous -

Change the **database name** as you want, but don't insert a password and **Continue**.

ueSpíce	BlueSpice 2.27 (on MediaWiki 1.27.1)	
for MediciWiki	Database settings	• Lanniane
ueSpice Home slpdesk MediaWiki home	Database account for web access	Europouge Eviding wiki Welcome to Media/Wiki Connect to database
User's Guide Administrator's Guide FAQ Read me	Storage engine: # ImoDB	Upgrade existing installation Database settings
Release notes Copying Upgrading	Nytowi Nytowi	Valine Options Install Completel
	 Binary UTF-0 ™ task 	Restart installation
	Back. Continue	
	Notice: Undefined property: BsWebInstallerOutput::SuseShortHeader in C:\xampp\htdocs\bsInstallerImw-config\overrides\	includes\BsWebInstallerOutput.php on line 62

Continue.

BlueSpíce

*∧*ediaWiki

BlueSpice 2.27 (on Media 🛪	- o
- > C O localhost/bsInstaller/mw-config/index.php?page=Name	ର ୩ ଅଟି 🖈
UeSpice BlueSpice 2.27 (on MediaWiki 1.27.1)	
for Mediowiki	
Nuclified Home lepteds Warning: Invalid argument supplied for foreach() in C:txampplhtdocslbsInstall Warning tarving Under Under Code Annand darly Quale Warning Invalid argument supplied for foreach() in C:txampplhtdocslbsInstall Warning tarving Under EAQ Warning Invalid argument supplied for foreach() in C:txampplhtdocslbsInstall Warning tarving Under EAQ Mare of wiki: Image: BubaWhi Project namespace: Ungraving Image: Image: Image: Same as the wiki name: BubaWhi Origital Image: Other (specify) Administrator account	Language Language Edding vilid Webinstaller,php on line 997 Edding vilid Webinstaller,php on line 997 Uggrade existing installation Orablese settings Name Options Install Completel Restart installation
Your username: Diate Eubica Pasword:	
Email address:	e.
You are almost done! You can now skip the remaining configuration and	install the whi right now.
	- Back Continue -
Notice: Undefined property: BsWebInstallerOutput::SuseShortHeader in C:txampg	plhtdocs\bsInstaller\mw-config\overrides\includes\BsWebInstallerOutput.php on line 62

Insert your name, password and e-mail address and Continue

On the next page click on **Continue**.



You should get:

Blue Spice MediaWiki

	🖉 BlueSpice 2.27 (on Medii 🛪	E - 0 ?
← → C ③ localhe	ost/bsinstaller/mw-config/index.php?page=Install	은 월 ☆
	BlueSpice 2.27 (on MediaWiki 1.27.1)	
BlueSpice Home Helpdesk	Install	Language Existing wiki Welcome to MediaWiki!
MediaWiki home User's Guide Administrator's Guide FAQ	Back Continue	Connect to database Upgrade existing installation Database settings
Read me Release notes Copying Upgrading		Name Options Install Completel
		Restart installation
	Notice: Undefined property: Bit/Vebinstalee/Output::SuseShortHeader in Crixamppihtdocs/bisinstallerimw-config/overrides/includes/BisWebInstallerOutput.php or	line 62

Continue.

The file **LocalSetings.php** will be downloaded.

Copy it to the folder **{name}**.

📙 i 🔽 📙 🖛 i bsinstal	ler					- 0	\times	
Datei Start Freig	eben Ansicht						~ 🕐	ł
← → * ↑ ↓ ↓	Dieser PC > Lokaler Datenträger (C:) > xam	npp > htdocs > bsinstaller			~ Ö	"bsinstaller" durchsuchen	P	
	Name	Änderungsdatum	Тур	Größe			^	
🖈 Schnellzugriff	composer.local.json-sample	22.08.2016 22:52	JSON-SAMPLE-Da	1 KB				
Desktop 🚽	COPYING	22.08.2016 22:52	Datei	19 KB				
👆 Downloads 🛛 🤘	CREDITS	22.08.2016 22:53	Datei	5 KB				
Dokumente #	FAQ	22.08.2016 22:52	Datei	1 KB				
	Gemfile.lock	22.08.2016 22:53	LOCK-Datei	3 KB				
	💰 Gruntfile	22.08.2016 22:53	JavaSkriptdatei	3 KB				
	HISTORY	22.08.2016 22:53	Datei	767 KB				
	img_auth	22.08.2016 22:53	PHP-Datei	8 KB				
	of index	22.08.2016 22:52	PHP-Datei	2 KB				
	INSTALL .	22.08.2016 22:52	Datei	4 KB				
	of installcheck	06.04.2017 16:49	PHP-Datei	23 KB				
	isduck	22.08.2016 22:53	JSON File	2 KB				
Dieser PC	of load	22.08.2016 22:53	PHP-Datei	2 KB				
	🔥 LocalSettings.BlueSpice	06.04.2017 16:49	PHP-Datei	1 KB				
	opensearch_desc	22.08.2016 22:53	PHP-Datei	4 KB				
	in phpcs	22.08.2016 22:52	XML-Dokument	2 KB				
	of profileinfo	22.08.2016 22:53	PHP-Datei	12 KB				
	Rakefile	22.08.2016 22:52	Datei	1 KB				
	README	22.08.2016 22:52	Datei	2 KB				
	RELEASE-NOTES-1.27	22.08.2016 22:53	27-Datei	35 KB				
	StartProfiler.sample	22.08.2016 22:52	SAMPLE-Datei	2 KB				
	🔥 thumb	22.08.2016 22:53	PHP-Datei	22 KB				
	thumb_handler	22.08.2016 22:53	PHP-Datei	2 KB				
	UPGRADE	22.08.2016 22:53	Datei	12 KB				
	wiki.phtml	22.08.2016 22:53	PHTML-Datei	1 KB				
	ocalSettings	09.06.2017 17:39	PHP-Datei	5 KB			~	

Open your browser and type: http://localhost/name/installcheck.php

You should get:





	🛛 🐵 BlueSpice-Install-Check 🛪	A	- 0	×	
← → C () localhost/bsinstall	ar/installcheck.php		୍ଷ୍	\$	
					-
	Diagnostics:				
	<u>Run BlueSpice diagnostics</u>				
	Charles NID extendence				
	Charling curls OX				1
	Checking: dom = OK Checking: od = OK				
	Checking: json - OK Checking: mbstring - OK				
	Checking: mysqli - OK Checking: pcre - OK				
	Checking: bdy - OK				
	Checking Henro usability: UK (Example output for C: (xamppi)itabits (bstristaner (instancheck.pnp: (bstr), x-pnp; characteus-acta)				
	Checking C:\sampi\tmp\ - OK				
	Checking PHP session save path:				
	Checking C:\xampp\tmp\ - OK				
	Checking php.ini values:				
	Checking: memory_limit - OK (128M) Checking: max execution time - WARNING! max execution time should be at least 120 (current value: 30). Set an execution time - 120 in your				
	phpini. Checking: post max size - WARNING! post max size should be at least 32M (current value: 8M). Set post max size - 32N in your php.ini.				
	Checking: upload_max_filesize - WARNINGI upload_max_filesize should be at least 32M (current value: 2M). Set upload_max_filesize - 32M in your php.ini.				
	Checking: register_globals - OK (OFF)				
	Checking write access:				
	Checking cache/ - OK Checking images/ - OK				
	Checking extensions/BlueSpiceFoundation/comg/ - OK Checking extensions/BlueSpiceFoundation/data/ - OK				
	Checking for necessary files	BlueSpice Installati Hallo Welti G	on Checker mbH		
	Checking extensions/BlueSpiceExtensions/BlueSpiceExtensions.php - OK Checking LocalSettings BlueSpice.php - OK				*
	BlueSpice-Install-Check X	-	- 0	X	
← → C O localhost/bsinstal	er/installcheck.php		Q, 🔩	\$	
				_	
	Checking extensions/BlueSpiceExtensions/BlueSpiceExtensions.php - OK Checking LocalSettings.BlueSpice.php - OK				^
	Checking entensions/BuckgineEntensions/BuckgineEntensions.php - OK Checking LocalSettings.Buckgine.php - OK Checking error handling:				•
	Checking extensions/BuckgineExtensions/BuckgineExtensions.php - OK Checking LocalSettings.Buckginesphp - OK Checking error handling: FAILEDI Your system is configured to display warning messages. Either set <u>Black errors</u> to faise or lower the value for <mark>error_regording</mark> in your				•
	Checking extensions/BuckgineExtensions/BuckgineExtensions.php - OK Checking LocalSettings.Buckgines.php - OK Checking error handling: FAILEDI Your system is configured to display warning messages. Either set <u>Blackgerors</u> to faise or lower the value for <mark>error_regorting</mark> in your php.in. Checking allow unt forger:				•
	Checking extensions/BudgiceExtensions/BudgiceExtensions.php - OK Checking tocs/BudgiceExtensions.php - OK Checking error handling: FALEDO Your system is configured to display warning messages. Either set <u>Budlay errors</u> to faise or lower the value for <u>error_regerting</u> in your php.m. Checking allow_urt_fopen: OK				•
	Checking entersions(BusgicieEntersions(BusgicieEntersions.php - OK Checking Locations,BusgicieEntersions.php - OK Checking error handling: FALLED Your system is configured to display warning messages. Either set <u>BissLey,proors</u> to false or lower the value for <u>error_reporting</u> in your php.int. Checking allow_url_fopen: OK				
	Checking entersions/BudgicieEntersions/BudgicieEntersions.php - OK Checking localizing.BudgicieEntersions.php - OK Checking error handling: FALLED? Your system is configured to display warning messages. Either set <u>BUGLIG, errors</u> to false or lower the value for <u>error_reporting</u> in your php.ini. Checking allow_url_fopen: OK				
	Checking extensions/BudgiceExtensions/BudgiceExtensions.php - OK Checking teors/brand/BudgiceExtensions.php - OK Checking error handling: FAILED! Your system is configured to display warning messages. Either set <u>Bisplay_servers</u> to false or lower the value for <u>error_reparting</u> in your splain. Checking allow_url_fopen: OK Informational:				
	Checking estamiona/BudgiceEstamiona/BudgiceEstamions_Pbp - OK Checking locations_Budgicestamions_Budgicestamions_php - OK Checking error handling: FAILED! Your system is configured to display warning messages. Either set <u>Bislag_errors</u> to false or lower the value for <u>error_reporting</u> in your php.m. Checking allow_url_fopen: OK Informational: PHP Configuration File:				
	Checking extensions/Bius/gisiceExtensions.Pibus/gisiceExtensions.php - OK Checking cordstrong.Bius/gisiceExtensions.php - OK Checking error handling: FALEDO Your system is configured to display warning messages. Either set ElsaLou, errors to faise or lower the value for error_regerting in your php.min. Checking allow_url_fopen: OK Informational: PHP Configuration File: Configuration File: Configuration File:				
	Checking entoniane/BudgiceEntoniane/BudgiceEntoniane/BudgiceEntoniane.php - OK Checking careford from Subject Section 2000 FALLED Your system is configured to display warning messages. Either set <u>BisElon_props</u> to false or lower the value for <u>error_reporting</u> in your php.im. Checking allow_url_fopen: OK Informational: PHP Configuration File: Configuration File: Configuration File in use: <u>Change unitary LSS</u> (determined by internal PHP function) PHP Error Log:				
	Checking estamionan@iusiglicitedmoion@iusiglicedmoion.gbp - OK Checking estamion@iusiglicedmoion@iusione.gbp - OK Checking estamion@iusiglicedmoion@iusione.gbp - OK Checking estamion@iusio@iusio@i PhiPCon@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@i PhiPCon@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@iusio@				
	Checking enterpione/BiologiceEnterpione/BiologiceEnterpione.php - OK Checking enterpione/BiologiceEnterpioneEnterpi				
	Checking entraining Biotopic efforts and Biotopic efforts and an analysis of the set of				
	Checking entonions(BiusgingLifetAnnions(BiusgingLifetAnnions.php - OK Checking cordshifting, Biusging enton, O K Checking cordshifting, Biusging enton, O K Phylamin. Checking allow_url_fopen: OK Informational: PHP Configuration File: Configuration File: Configuratio				
	Checking estamionar@iusignet#enionar@iusignet#enions.php - OK Checking estamionar@iusignet#enionar@iusignet#enions.php - OK Checking estamions.gluogice.php - OK Checking estamions.gluogice.php - OK Checking estamions.gluogice.php = OK Checking estamions.gluogice.php = OK Checking estamions.gluogice.php = OK Checking estamions.gluogice.php = OK PHP Configuration File: Configuration File: Configur				
	Checking entersions/BudgiceEntersions/BudgiceEntersions.php - OK Checking entersions/BudgiceEntersions/BudgiceEntersions.php - OK Checking entersions.photopeo.photo FALEDD Your system is configured to display warning messages. Either set <u>Biology enters</u> to false or lower the value for <u>entery reporting</u> in your Photopeo. Checking allow_url_fopen: OK Informational: PHP Error Los: Logping to <u>Elisanguanting your</u> (determined by internal PHP function) PHP Error Los: Logping to <u>Elisanguanting your</u> (determined by internal PHP function) PHP Error Los: Logping to <u>Elisanguanting your</u> (determined by internal PHP function) Checking times to set substantiation of the set SSO is not configured correctly and WILL HOT WORKI Checking time zone is Europa/Berlin (CEST) Server time: Your current time zone is Europa/Berlin (CEST)				
	Checking extensions/BudgiceEntrolonz/BudgiceEntrolonz.php - OK Checking extensions/BudgiceEntrolonz/BudgiceEntrolonz.php - OK Checking error handling: FAILED: Your system is configured to display warning messages. Either set #Stallug.errors to faise or lower the value for error_regerting in your php.mi. Checking allow_urf_fopen: OK Informational: PHP Configuration File: Configuration File: Configuration File: Configuration File: Configuration File: Configuration File: Configuration File: Configuration File: Configuration File: Single Sign-On: s_SERVER[NBMUTE_USER] in not set. SSO is not configured correctly and WILL NOT WORK! Checking time zone: Your correct time zone is Europe/Berlin (CEST) Server time: rf., op 3m 2017 17:15:156 +0200				
	Checking extensions/Biologiciet.environs.piblicipiet.environs.php - OK Checking career in a set in a set of the set of the set in a set of the set of the set of the set in a set of the s				
	Checking extensions/Budgiced.tensions/Budgiced.tensions.php - OK Checking extensions/Budgiced.tensions/Budgiced.tensions.php - OK Checking extensions.gluogiced.tensions.gluogiced.tensions.php - OK Checking extensions.gluogiced.tensions.gluogiced.tensions.php - OK Checking extensions.gluogiced.				
	Checking entersionan@BudgiesEntersionan@BudgiesEntersions.php - OK Checking entersionan@BudgiesEntersionan@BudgiesEntersionan.php - OK Checking entersionan@BudgiesEntersionan@BudgiesEntersionan.php - OK Checking entersional@BudgiesEntersionan@BudgiesEntersionaBudgies				
	Checking energiesen Biologic effortion and biologic effort e	Buespice Installati	on Checker.		
	Checking earbairson (Bioscipications and Bioscipications and Biosc	BiveSpice Installati Hallo Wert of	on Checker eitel		

You should pay attention to red marked warnings, and fix them if there are any. The warning **Checking error handling** can be ignored.

Now open new browser tab and type: http://localhost/{name}



You should get:

	, 🕝 Bubi	aWiki ×	A	- 0 >
← → C () localhost/bsinstaller/index.php/Main_Page	2			< 월 ☆
	BubaWiki About BlueSpice Blog	Search	Login Q	
	MAIN PAGE DISCUSSION (0)		еріт нізтоку 🕹 🗸	
=	👌 Assignments 🥒 6 hours and 9 minutes ago 🔔 MediaWiki default			
 Main Page All pages Categories Recent changes About Budspice HELP Instructions Support Context TOOLS Wate links here Related changes Pervalences link Pervalences link 	MediaWiki has been installed. Configuration setting is a for information on using the wiki software. Detring started MediaWiki Felage MediaWiki release mailing list @ Localise MediaWiki release mailing list @ Localise MediaWiki release mailing list @ Localise MediaWiki release mailing list @ MediaWiki release mailing list @ Localise MediaWiki release mailing list @ MediaWiki release mailing list @			

You have successfuly installed BlueSpice!