

Contents

1. Archive:SecureFileStore	2
2. Manual:Extension/SecureFileStore	3
3. Reference:BlueSpiceFoundation	5

Archive:SecureFileStore

Extension: SecureFileStore

Overview			
Description:	solves a general security vulnerability of MediaWikis.		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	-
Type:	BlueSpice	Category:	Security
Edition:	BlueSpice free, BlueSpice pro		
View help page			

Features

Contents	
1 Extension: SecureFileStore	2
1.1 Features	2
1.2 Description	3
1.3 Usage / Features	3
1.4 Technical information	3
1.4.1 Configuration	3
1.4.2 Rights (permissions)	3
1.4.3 Requirements	3
1.5 User manual	3
1.6 Try free our BlueSpice	3

Description

SecureFileStore (prev. SecureImages) solves a general security vulnerability of MediaWikis.

Usage / Features

Up to now pictures and documents could be found with search engines like google, even then the wiki-sites were protected by user permissions.

Especially in a business environment it is important that uploaded data is only accessible for authorized users. Pictures and documents should be visible for registered users.

Technical information

Configuration

This extension offers no configurations.

Rights (permissions)

When the SecureFileStore-Extension is active, then the pictures and documents are only shown when the appropriate authorization is met. If not, then there will be an error code "403 Forbidden". Additionally the webserver administrator has to ban the HTTP-access to the MediaWiki-upload-directory.

Requirements

SecureFileStore requires [BlueSpiceFoundation](#).

User manual

For detailed description and usage, visit our [user manual](#).

Try free our BlueSpice

[BlueSpiceDemo](#).

Manual:Extension/SecureFileStore

Contents

1 What is SecureFileStore?	5
--	-------------------

2 Functions of SecureFileStore	5
2.1 Preferences	5
3 See also	5

What is SecureFileStore?

SecureFileStore (prev. SecureImages) solves a general security vulnerability of MediaWikis. Pictures and ducumments could be found with search engines like google.

Functions of SecureFileStore

- SecureFileStore delivers the files in the images directory. Direct access to the file is no longer allowed.
- A php script checks in the last step before delivery of a file, if read permission exists for this file and refuses the output if necessary.
- If the SecureFileStore extension is active, SecureStore will only redirect it if authorized. Otherwise, an error 403 Forbidden is output.
- A whitelist array can be used to specify which files are generally available for download, eg images. So you can make the images available to all and files only for specific groups.
- In a DefaultDisposition-String you can set whether files are displayed in the browser by default (inline) or opened with an external application (attachment).
- In a DispositionInline-Array can be set which files are always provided for viewing in the browser.
- In a DispositionAttachment array you can set which files are always opened with external application.

Preferences

The Wiki-Admin can use following preferences:

- DefaultDisposition: String which determinates whether data will be shown in the browser by default (Inline) or if it has to be opened with an external program (Attachment).
- DispositionInline: Combobox with multiple selections; list of file extensions for files which are allowed to be accessed in the browser but are not at disposal of download (Inline).
- DispositionAttachment: Combobox with multiple selectors; list of file extensions for files, which are only accessible from external programs (Attachment).
- FileExtensionWhitelist: Combobox with multiple selectors; list of file extensions for files which should be displayed, regardless of the permissions.

See also

Our [reference page](#).

Reference:BlueSpiceFoundation

Extension\ BlueSpiceFoundation

Overview	
Description:	Makes MediaWiki enterprise ready

Overview			
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value " GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Infrastructure
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		

Features

The extension **BlueSpiceFoundation** is the interface between BlueSpice and Mediawiki. It provides basic functions for the individual BlueSpice extensions.

If you install any BlueSpice extension in a MediaWiki environment - that is outside of BlueSpice free or BlueSpice pro - the reference information for the extension will indicate if it requires BlueSpiceFoundation.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
ExtJSBase: 1.31

Integrates into

- BlueSpicePrivacy

Special pages

- SpecialCredits
- WikiAdmin

Configuration

Name	Value
BlueSpiceExtInfo	array ('name' => 'BlueSpice', 'version' => '3.2.3', 'status' => 'stable', 'package' => 'BlueSpice Free', 'url' => 'https://bluespice.com', 'desc' => 'Makes MediaWiki enterprise ready.', 'author' => array (0 => '[https://www.hallowelt.com Hallo Welt! GmbH]',),)
CreditsContributors	array (0 => 'Aaron Schulz', 1 => 'Acamicamacaraca', 2 => 'Alangi Derick', 3 => 'addshore', 4 => 'Albert221', 5 => 'Amir Sarabadani', 6 => 'Ammar', 7 => 'Ammarpad', 8 => 'amritsreekumar', 9 => 'Antoine Musso', 10 => 'Aryeh Gregor', 11 => 'Aude', 12 => 'Basil Hershberger', 13 => 'Bill Pirkle', 14 => 'Brad Jorsch', 15 => 'Chad Horohoe', 16 => 'Christian Aistleitner', 17 => 'DannyS712', 18 => 'David Sn', 19 => 'Demon', 20 => 'Derick Alangi', 21 => 'DrishyaR', 22 => 'Florian', 23 => 'Florianschmidtwelzow', 24 => 'Fomafix', 25 => 'Frederic Mohr', 26 => 'Gergő Tisza', 27 => 'Guycn2', 28 => 'hexmode', 29 => 'Holger Knust', 30 => 'idakuch', 31 => 'James D. Forrester', 32 => 'Jayprakash12345', 33 => 'Jforrester', 34 => 'Jhsoby', 35 => 'Justin Du', 36 => 'Kunal Mehta', 37 => 'Legoktm', 38 => 'libraryupgrader', 39 => 'MarcoAurelio', 40 => 'Mark A. Hershberger', 41 => 'Max Semenik', 42 => 'MaxSem', 43 => 'MtDu', 44 => 'Nikita Rana', 45 => 'OmkarJ', 46 => 'Ori Livneh', 47 => 'Paladox', 48 => 'Phantom42', 49 => 'Prateek Saxena', 50 => 'Purodha', 51 => 'QChris', 52 => 'Rafid Aslam', 53 => 'Raimond Spekking', 54 => 'Raymond', 55 => 'RazeSoldier', 56 => 'Reedy', 57 => 'rlot', 58 => 'Rohitt Vashishtha', 59 => 'Siebrand Mazeland', 60 => 'Subin Siby', 61 => 'TGC', 62 => 'Tulsi Bhagat', 63 => 'Umherirrender', 64 => 'Yuki Shira', 65 => 'Yuriy Shnitkovskiy', 66 => 'withoutaname', 67 => 'Zoranzoki21',)
CreditsDesignAndTesting	array (0 => 'Anja Ebersbach', 1 => 'Richard Heigl', 2 => 'Nathalie Köpff', 3 => 'Michael Rödl', 4 => 'Michael Scherm', 5 => 'Dardan Diugan', 6 => 'Christina Glaser', 7 => 'Christian Graf', 8 => 'Angelika Müller', 9 => 'Karl Skodnik', 10 => 'Astrid Scheffler', 11 => 'Sabine Gürtler', 12 => 'Thomas Schnakenberg', 13 => 'Sabrina Dürr', 14 => 'Tobias Kornprobst', 15 => 'Luisa Roth', 16 => 'Ljubica Sireta', 17 => 'David Schweiger', 18 => 'Florian Bäckmann', 19 => 'Alexander Ziegltrum', 20 => 'Margit Link-Rodrigue',)
	array (0 => 'Markus Glaser', 1 => 'Radovan Kubani', 2 => 'Sebastian Ulbricht', 3 => 'Marc Reymann', 4 => 'Mathias Scheer', 5 => 'Thomas Lorenz', 6 => 'Tobias Weichart', 7 =>

Name	Value
CreditsProgrammers	'Robert Vogel', 8 => 'Erwin Forster', 9 => 'Karl Waldmannstetter', 10 => 'Daniel Lynge', 11 => 'Tobias Davids', 12 => 'Patric Wirth', 13 => 'Stephan Muggli', 14 => 'Stefan Widmann', 15 => 'Jan Göttlich', 16 => 'Benedikt Hofmann', 17 => 'Daniel Vogel', 18 => 'Leonid Verhovskij', 19 => 'Gerhard Diller', 20 => 'Mannfred Dennerlein', 21 => 'Dejan Savuljesku', 22 => 'Josef Konrad', 23 => 'Philipp Pirzer', 24 => 'Peter Böhm', 25 => 'Gökhan Geyik', 26 => 'Oleksandr Pinchuck', 27 => 'Dmitry Shevliakov', 28 => 'Jenya Punchenko',)
CreditsTranslation	array (0 => 'Siebrand Mazeland', 1 => 'Raimond Spekking', 2 => 'Stephan Muggli',)
DefaultAnonImage	'resources/bluespice/images/bs-user-anon-image.png'
DefaultGroupImage	'resources/bluespice/images/bs-group-default-image.png'
DefaultUserImage	'resources/bluespice/images/bs-user-default-image.png'
ExtensionAttributeRegistryOverrides	array ()
LessVars	array ()
MaintenanceUserName	'BSMaintenance'
NotifierClass	'BlueSpice\\NullNotifier'
PermissionConfig	array ()
PingOnInit	false
RunJobsTriggerHandlerOptions	array ('*' => array ('basetime' => array (0 => 1, 1 => 0, 2 => 0,), 'once-a-week-day' => 'sunday',),)
UIPermissionBlacklist	array (0 => 'reupload', 1 => 'reupload-shared', 2 => 'minoredit', 3 => 'deletedhistory', 4 => 'editinterface', 5 => 'importupload', 6 => 'patrol', 7 => 'autopatrol', 8 => 'proxyunbannable', 9 => 'trackback', 10 => 'unwatchedpages', 11 => 'autoconfirmed', 12 => 'upload_by_url', 13 => 'ipblock-exempt', 14 => 'blockemail', 15 => 'purge', 16 => 'emailconfirmed', 17 => 'nominornewtalk',)

API Modules

- bs-adminuser-store
- bs-category-store
- bs-category-treestore
- bs-categorylinks-store

- [bs-filebackend-store](#)
- [bs-group-store](#)
- [bs-interwiki-store](#)
- [bs-js-var-config](#)
- [bs-linker](#)
- [bs-ping-tasks](#)
- [bs-recentchanges-store](#)
- [bs-task](#)
- [bs-templatelinks-store](#)
- [bs-titlequery-store](#)
- [bs-upload-license-store](#)
- [bs-user-store](#)
- [bs-watchlist-store](#)
- [bs-wikipage-store](#)
- [bs-wikipage-tasks](#)
- [bs-wikisubpage-treestore](#)

Hooks

- [ArticleDeleteComplete](#)
- [BeforePageDisplay](#)
- [BeforeParserFetchTemplateAndtitle](#)
- [ExtensionTypes](#)
- [HtmlPageLinkRendererEnd](#)
- [LinkerMakeMediaLinkFile](#)
- [LoadExtensionSchemaUpdates](#)
- [MakeGlobalVariablesScript](#)
- [PageContentSaveComplete](#)
- [ParserFirstCallInit](#)
- [ResourceLoaderGetConfigVars](#)
- [SearchGetNearMatchComplete](#)
- [SearchableNamespaces](#)
- [SetupAfterCache](#)
- [SiteNoticeAfter](#)
- [SkinTemplateOutputPageBeforeExec](#)
- [SoftwareInfo](#)
- [ThumbnailBeforeProduceHTML](#)
- [TitleMoveComplete](#)
- [getUserPermissionsErrors](#)