

AutoDoc:BlueSpiceBookshelf

Contents

1 DescriptionMsg	2
2 License	2
3 Requirements	2
4 IntegratesInto	2
5 SpecialPages	2
6 Permissions	2
6.1 Permissions	2
7 DefaultUserOptions	2
7.1 User options	2
8 Config	2
8.1 Configuration	2
9 ApiModules	3
9.1 API Modules	3
10 Hooks	3
10.1 Hooks	3

DescriptionMsg

Enables BlueSpice to manage and export hierarchical collections of articles.

License

GPL-3.0-only

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.1

IntegratesInto

- BlueSpiceBookshelf

SpecialPages

- Bookshelf
- BookshelfBookEditor
- BookshelfBookManager

Permissions

Permissions

Name	Description	Role
bookshelf-viewspecialpage	Access the special page Special:Bookshelf	reader
bookshelfbookmanager-viewspecialpage	Access the special page Special:BookshelfBookManager	reader

DefaultUserOptions

User options

Name	Value
bs-bookshelf-defaultview	'gridviewpanel'

Config

Configuration

Name	Value
	'resources/images/assets/coverimage/dummy.'

Name	Value
BookShelfDefaultCoverImage	png'
BookShelfShowChapterNavigationPagerAfterContent	false
BookShelfShowChapterNavigationPagerBeforeContent	false
BookshelfPrependPageTOCNumbers	true
BookshelfSupressBookNS	true
BookshelfTitleDisplayText	true

ApiModules

API Modules

- bs-bookshelf-bookstore
- bs-bookshelf-manage
- bs-bookshelf-mass-add-page-store
- bs-bookshelf-page-collection-store
- bs-bookshelf-store

Hooks

Hooks

- [BSBookshelfGetBookData](#)
- [BSInsertMagicAjaxGetData](#)
- [BSUEModulePDFAfterFindFiles](#)
- [BSUEModulePDFbeforeGetPage](#)
- [BSUEModulePDFcollectMetaData](#)
- [BSUEModulePDFgetPage](#)
- [BeforePageDisplay](#)
- [ContentHandlerDefaultModelFor](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [ParserFirstCallInit](#)
- [SkinTemplateOutputPageBeforeExec](#)