

AutoDoc:BlueSpiceRating

Contents

- 1 DescriptionMsg 2
- 2 License 2
- 3 Requirements 2
- 4 IntegratesInto 2
- 5 SpecialPages 2
- 6 Permissions 2
 - 6.1 Permissions 2
- 7 Config 2
 - 7.1 Configuration 2
- 8 ApiModules 3
 - 8.1 API Modules 3
- 9 Hooks 3
 - 9.1 Hooks 3

DescriptionMsg

Provides a rating system

License

GPL-3.0-only

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.2

IntegratesInto

- BlueSpicePrivacy
- BlueSpiceRating

SpecialPages

- Rating
- Recommendations

Permissions

Permissions

Name	Description	Role
rating-archive	Remove votes from pages	admin, editor, maintenanceadmin
rating-read	Read ratings on pages	admin, commenter, editor, maintenanceadmin, reader
rating-viewspecialpage	View pages which are protected with the "Rating-Views specialpage" right	admin, editor, maintenanceadmin, reader
rating-write	Vote on pages	author, commenter, editor, maintenanceadmin

Config

Configuration

Name	Value
RatingArticleEnabledNamespaces	array ()
	array (

Name	Value
RatingArticleLikeEnabledNamespaces	)

ApiModules

API Modules

- bs-rating-tasks
- bs-ratingarticle-store
- bs-ratingarticlelike-store

Hooks

Hooks

- [BSApiNamespaceStoreMakeData](#)
- [BSMigrateSettingsFromDeviatingNames](#)
- [BSMigrateSettingsSetNewSettings](#)
- [BeforePageDisplay](#)
- [GetDoubleUnderscoreIDs](#)
- [LoadExtensionSchemaUpdates](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)
- [SkinTemplateOutputPageBeforeExec](#)