

Contents

--

AutoDoc:BlueSpiceRating

Contents

1 DescriptionMsg 3

2 License 3

3 Requirements 3

4 IntegratesInto 3

5 SpecialPages 3

6 Permissions 3

6.1 Permissions 3

7 Config 3

7.1 Configuration 3

8 ApiModules 4

8.1 API Modules 4

9 Hooks 4

9.1 Hooks 4

DescriptionMsg

Provides a rating system

License

GPL-3.0-only

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.2

IntegratesInto

- BlueSpicePrivacy
- BlueSpiceRating

SpecialPages

- Rating
- Recommendations

Permissions

Permissions

Name	Description	Role
rating-archive	Remove votes from pages	admin, editor, maintenanceadmin
rating-read	Read ratings on pages	admin, commenter, editor, maintenanceadmin, reader
rating-viewspecialpage	View pages which are protected with the "Rating-Views specialpage" right	admin, editor, maintenanceadmin, reader
rating-write	Vote on pages	author, commenter, editor, maintenanceadmin

Config

Configuration

Name	Value
RatingArticleEnabledNamespaces	array ()
	array (

Name	Value
RatingArticleLikeEnabledNamespaces)	

ApiModules

API Modules

- `bs-rating-tasks`
- `bs-ratingarticle-store`
- `bs-ratingarticlelike-store`

Hooks

Hooks

- [BSApiNamespaceStoreMakeData](#)
- [BSMigrateSettingsFromDeviatingNames](#)
- [BSMigrateSettingsSetNewSettings](#)
- [BeforePageDisplay](#)
- [GetDoubleUnderscoreIDs](#)
- [LoadExtensionSchemaUpdates](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)
- [SkinTemplateOutputPageBeforeExec](#)