

AutoDoc:BlueSpiceReminder

Contents

1	DescriptionMsg	2
2	License	2
3	Requirements	2
4	IntegratesInto	2
5	SpecialPages	2
6	Permissions	2
6.1	Permissions	2
7	DefaultUserOptions	2
7.1	User options	2
8	ApiModules	3
8.1	API Modules	3
9	Hooks	3
9.1	Hooks	3

DescriptionMsg

Gives the user the opportunity to create reminders.

License

GPL-3.0-only

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.2

IntegratesInto

- BlueSpiceEchoConnector
- BlueSpicePrivacy
- BlueSpiceReminder

SpecialPages

- Reminder

Permissions

Permissions

Name	Description	Role
remindeditall	Edit others reminders	admin, maintenanceadmin

DefaultUserOptions

User options

Name	Value
bs-reminder-forns	"
bs-reminder-oncreate	false
bs-reminder-period	6
echo-subscriptions-email-notification-bs-reminder-cat	1
echo-subscriptions-web-notification-bs-reminder-cat	1

ApiModules

API Modules

- [bs-reminder-store](#)
- [bs-reminder-tasks](#)

Hooks

Hooks

- [BeforePageDisplay](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [PageContentSaveComplete](#)
- [SkinTemplateNavigation](#)
- [SkinTemplateOutputPageBeforeExec](#)