

Contents

AutoDoc:BlueSpiceReminder

Contents

1 DescriptionMsg	3
2 License	3
3 Requirements	3
4 IntegratesInto	3
5 SpecialPages	3
6 Permissions	3
6.1 Permissions	3
7 DefaultUserOptions	3
7.1 User options	3
8 ApiModules	4
8.1 API Modules	4
9 Hooks	4
9.1 Hooks	4

DescriptionMsg

Gives the user the opportunity to create reminders.

License

GPL-3.0-only

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.2

IntegratesInto

- BlueSpiceEchoConnector
- BlueSpicePrivacy
- BlueSpiceReminder

SpecialPages

- Reminder

Permissions

Permissions

Name	Description	Role
remindeditall	Edit others reminders	admin, maintenanceadmin

DefaultUserOptions

User options

Name	Value
bs-reminder-forns	"
bs-reminder-oncreate	false
bs-reminder-period	6
echo-subscriptions-email-notification-bs-reminder-cat	1
echo-subscriptions-web-notification-bs-reminder-cat	1

ApiModules

API Modules

- [bs-reminder-store](#)
- [bs-reminder-tasks](#)

Hooks

Hooks

- [BeforePageDisplay](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [PageContentSaveComplete](#)
- [SkinTemplateNavigation](#)
- [SkinTemplateOutputPageBeforeExec](#)