

Contents

--

Extension/PagesVisited

The extension **PagesVisited** creates a list of your recently visited pages.

Contents


1	Personal navigation	3
2	Embedding the tag on a page	4
3	Related info	5

Personal navigation


The functionality is integrated in the [personal navigation menu](#) (clipboard icon). If it has been removed, it can be re-added on the page *User:<username>/Sidebar*. This page is loaded when the *Edit sidebar* link at the bottom of the sidebar is clicked. This link is visible when you hover over any existing navigation item.

To display recently visited pages add the following item to the page:

```
* PAGESVISITED
```



Embedding the tag on a page




While in source edit mode, enter the following tag anywhere on the page.

```
<pagesvisited count="10" />
```

The list of recently viewed pages will appear at the place in the page where the tag was inserted.

Options that can be passed to the tag are:

- *count* - number of pages to show
- *maxtitlelength* - maximum length of each shown page
- *namespaces* - list of namespaces from which to show pages. Multiple namespaces can be entered, separated by comma.
- *order* - sorting of the pages displayed - can be "time" or "pagename"



The screenshot shows the BlueSpice MediaWiki interface. On the left, a sidebar titled 'Pages visited' lists 'Test', 'Main Page', and 'TestPage'. The main content area is titled 'Test' and contains the text 'Pages visited:|<pagesvisited count="7" maxtitlelength="40" />'. This text is circled in orange. Below the text, there are links for 'Privacy policy', 'About BlueSpice', 'Disclaimers', and 'Analysis service'. At the bottom, there are buttons for 'MediaWiki' and 'BlueSpice', and a 'Semantic MediaWiki' button. The top navigation bar includes a search bar, a 'Save changes...' button, and a user profile icon labeled 'SO'.

Inserting the *PagesVisited* tag

Related info

- [Reference:BlueSpicePagesVisited](#)