

Contents

1. Get creative - Working with information	2
2. Manual:Using Redirects	7
3. Redirects	7
4. Reference:BlueSpicePageTemplates	7
5. Rename and move pages	9
6. Subpage	9

Get creative - Working with information


Contents

1 Together we know more	3
2 How do I create a page?	3
2.1 Using the search field	3
2.2 Using the "New page" button	4
2.3 Using a text link (redlink)	4
2.4 Using the web address	5
3 Selecting a template	6
4 Tips	6
5 Related info	7

Together we know more

An important aspect of the wiki principle is that information can be shared with other people quickly and without any "red tape". Every wiki user with edit rights should therefore be able to create and edit a page at least in the (Main) namespace without any prior knowledge or without special privileges to contribute to the company knowledge.

How do I create a page?




There are four ways to create a new page in BlueSpice:

- using the search box
- using the "New Page" button
- using a text link (redlink)
- using the web address ("url")


Using the search field

Maybe information about your topic already exists. Before you create a new page, you can use the search to enter terms for your topic and check existing pages. If there is no page on your topic yet, click on the red link '*Create page [page name]*' in the search results:



Using the "New page" button


Next to the search box is a button to create a page. This button is only activate if you are logged in and have write permissions on the wiki (or in a specific namespace):




Here you can create a page or a subpage of the current page. In addition, you can also upload a file (image, PDF, Word file, etc.) to the wiki.

Using a text link (redlink)

Let's say that you want to create the "Training" page. You can directly select any text on the current page and define it as a link to a new page. This creates a so-called redlink. From then on, the link exists, but there is no wiki page for it. The example page "Training" is thus also listed on the Special page [WantedPages](#).

With VisualEditor: Click the Link button () or press Ctrl+K to create a page. Now enter the page name. If there is no page with this name, the page name is shown in red and the page icon shows a question mark. Click "Done" to create the redlink.



In the source text:

When editing the source code, enter the new page name as a link:


```
[[Training]]
```

Since the page does not yet exist, the link is shown in red after saving:

Consulting and technology from a single source,
but adapts them, helps with the Ko In addition,
Hello World offers training.

Using the web address

You can also create a page directly from the address bar of your web browser:




Simply exchange the current page name with a new one. Here, we create a page "Support" in the main namespace (Main) in the BlueSpice Helpdesk:


`https://de.wiki.bluespice.com/wiki/Support`


Selecting a template

When you create a page, you are always redirected to an overview page. There, select a [page template](#):

 **Empty page**
Start with an empty page.

(Pages)

 **User Profile**
Template for creating user pages

 **New customer organization**
Data and information to maintain our customer base

Creating a new page in a namespace: To create a new page in a namespace, put the name of the namespace in front of it, followed by a colon. Example: `Help:New_Article`

Tips

- **Browser navigation:** When creating pages, try not to use the "back" button. You could lose content that you have not yet saved or that you want to edit again.
- **Redirects:** Do you have the impression that an article title is searched more often with a different synonym? Then create a new article with this name first. Then [redirect](#) the page.
- **Title choice:** In a wiki, titles are very important. In wikis with many entries, authors may make references to pages that they deem important in the context of their entry. The page title should, therefore, clearly communicate its content. Single words are very good, but even short sentences like "why wikis work" can be useful names. In addition, meaningful page titles also help readers find their way around when they search for an entry.
- **Spelling:** When linking to an already existing page you should pay attention to their exact spelling. If you e.g. typing a `[[hello world]]` instead of `[[Hello World]]` will create a new page as the links are spelled differently. Therefore, consider also capitalization and spaces. Only at the beginning of the letter does it make no difference whether you write a small or capital letter.
- **Namespaces:** If you want to create an article in a different namespace, the namespace must appear before article name. Example: `[[namespace:article name]]`.
- **Special characters:** The following characters **cannot** be used in titles : `{ } & ? < > \` and `,` `.` For more information, see mediawiki.org/wiki/Manual:Page_title.
- **Subpages:** The character `/` is used to create a [subpage](#).

Related info

- [Rename and move pages](#)
- [Redirects - Using Synonyms](#)
- [Creating and Using Page Templates](#)

Manual:Using Redirects

Redirect

Redirects

Redirect to:

- [Manual:Redirects](#)

Reference:BlueSpicePageTemplates

Extension\ : BlueSpicePageTemplates

Overview			
Description:	Displays a list of templates marked as page templates		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.

Overview			
Type:	BlueSpice	Category:	Content Structuring
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

BlueSpicePageTemplates allows users to create new pages from predefined templates to start with a basic page structure.

- Create a template (with headers, categories, boxes and other content) in the template namespace.
- Create a page template using the special page `Special_PageTemplatesAdmin` give the page template a name and a description.
- Each template should be assigned a template from the "Template" namespace that represents the structure of a document.
- Page templates can be assigned to a particular namespace, so that a certain template will only appear when creating pages in that namespace.
- The page template is shown as a choice when a new page is created.

Some aspects of this extension can be configured on the page `Special:BlueSpiceConfigManager`, under "Page templates". Here, wiki administrators can:

- Force a target namespace for the page that was created from the template
- Hide default templates

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceFoundation: 3.2

Integrates into

Special pages

- `PageTemplatesAdmin`

Permissions

Name	Description	Role
pagetemplatesadmin-viewspecialpage	Access to the Special:PageTemplatesAdmin special page, where page templates can be managed	admin, maintenanceadmin, structuremanager

Configuration

Name	Value
PageTemplatesExcludeNs	array (0 => -2, 1 => -1, 2 => 6, 3 => 7, 4 => 8, 5 => 9, 6 => 10, 7 => 11, 8 => 14, 9 => 15,)
PageTemplatesForceNamespace	false
PageTemplatesHideDefaults	false
PageTemplatesHideIfNotInTargetNs	true

API Modules

- [bs-pagetemplates-store](#)
- [bs-pagetemplates-tasks](#)

Hooks

- [BSApiNamespaceStoreMakeData](#)
- [BSUsageTrackerRegisterCollectors](#)
- [HtmlPageLinkRendererBegin](#)
- [LoadExtensionSchemaUpdates](#)
- [MediaWikiPerformAction](#)
- [MessagesPreLoad](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)

Rename and move pages

Redirect to:

- [Manual:Rename and move pages](#)

Subpage

Redirect to:

- [Manual:Subpage](#)