

## Contents

<a href="#">1. Interwikilinks</a>	2
<a href="#">2. GPL v3 only</a>	3
<a href="#">3. Manual:Extension/BlueSpiceInterWikiLinks</a>	3
<a href="#">4. Manual:Extension/InterWikiLinks</a>	6
<a href="#">5. Reference:BlueSpiceFoundation</a>	6

## Interwikilinks

### Extension\>: BlueSpiceInterWikiLinks

Overview			
<b>Description:</b>	Administration interface for adding, editing and deleting interwiki links.		
<b>State:</b>	stable	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	<a href="#">GPL v3 only</a>
<b>Type:</b>	<a href="#">BlueSpice</a>	<b>Category:</b>	Administration
<b>Edition:</b>	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
<a href="#">View help page</a>			

## Features

---

The extension **InterWikiLinks** simplifies linking to other wikis. Through this extension, administrators can create the abbreviations for different external wikis using a special page.

## Usage / features

---

This extension provides the following functionality:

- access to the page *Special:InterWikiLinks*
- add new interwikilinks
- delete interwikilink entries
- assign URLs to interwiki link entries
- sort entries
- export entries

## Technical information

---

Interwikilinks are saved in the Mediawiki table *interwiki*. An Interwikilink essentially consists of assigning a link name (prefix) to an URL. Keep in mind that the link name **must** be only **one** word.

## Configuration

This extension offers no configurations.

## Rights (permissions)

Users must have the *interwiki-viewspecialpage* permission to view the list of interwiki links. This permission is by default assigned to the roles *editor*, *admin*, and *maintenanceadmin*. To edit the list, users need *wikiadmin* permissions. This permission is by default assigned to the roles *admin* and *maintenanceadmin*.

## Requirements

InterWikiLinks requires [BlueSpiceFoundation](#).

## More info

---

For detailed description and usage, visit our [help page](#).

## Demo

---

Try inserting interwiki links in our [BlueSpiceDemo](#).

## GPL v3 only

Redirect to:

- [GPL v3](#)

## Interwiki links

A [quality version](#) of this page, [approved](#) on *21 January 2022*, was based off this revision.


Interwiki links are shortcodes for linking to other wikis. The extension **InterWikiLinks** allows creating abbreviations for various external wikis. The full URL only needs to be known when the interwiki link is defined and not every time it is used.

### Contents

<a href="#">1 Interwiki links manager</a>	4
<a href="#">2 Interwiki link syntax</a>	4
<a href="#">3 Using interwiki links on a page</a>	5
<a href="#">4 Special use case: multilingualism</a>	5
<a href="#">5 Related info</a>	6

## Interwiki links manager

Interwiki links are managed from the page *Special:InterwikiLinks*. It can be loaded from the navigation item *Global actions > Management > Interwiki links*.



While all users with edit permissions can see this page, a user needs administrative rights to edit the interwiki links:


## Interwiki link syntax

Admins can create and delete Interwikilinks with the Interwiki links manager. Existing links can be edited by clicking the "wrench" icon when the link is selected or deleted by clicking the "X" button.

The syntax for interwiki links is:

```
http://URL_OF_THE_WIKI/$1
```

`$1` is the placeholder for the article title of the other wiki.



## Using interwiki links on a page

In edit mode, links to other wikis are added just like links to local wiki pages, but with the interwiki prefix at the beginning.

For example:

The URL to the Wikipedia article "Tree house" is:

```
https://en.wikipedia.org/wiki/Tree_house
```

Wikipedia is a default entry in the Interwiki link manager:

```
prefix: wikipedia, url: https://en.wikipedia.org/wiki/$1
```

As a result, a link to any wikipedia page can be inserted by using the wikipedia prefix.

```
[[wikipedia:Tree_house|Wikipedia article about tree houses]]
```

## Special use case: multilingualism

If you want to maintain multiple language versions of your wiki on separate wikis, you can use interwiki links to cross-reference related pages.

With BlueSpice, flag symbols are automatically inserted when the interwiki links with language abbreviations are set.


### Linking the language versions:

1. Create interwiki links for the required languages and configure them in the *Interwiki link manager* (see above) of all language sites. The prefix must always be an [ISO-3166](#) country code, e.g. de, en, fr.

2. Add the interwiki links at the bottom of the related pages to create the language switch. **Example:** In the English article "Tree", insert the following interwiki links:

```
[[en:{{FULLPAGENAME}}]]  
[[de:Baum]]
```

The result of setting the first link is that the English flag will be shown in the language selection of the page header toolbar. This is not necessary and can also be omitted. The second link connects the page with the related german page "Baum" in the German wiki and generates the German flag as a switch in the header toolbar:



To view a list of all pages on a wiki that don't have interwiki links, an administrator can review the page *Special:WithoutInterwiki*.

## Related info

---

- [Reference:InterWikiLinks](#)

## Manual:Extension/InterWikiLinks

Redirect to:

- [Manual:Extension/BlueSpiceInterWikiLinks](#)

## Reference:BlueSpiceFoundation

## Extension\>: BlueSpiceFoundation

Overview			
<b>Description:</b>	Makes MediaWiki enterprise ready		
<b>State:</b>	stable	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
<b>Type:</b>	BlueSpice	<b>Category:</b>	Infrastructure
<b>Edition:</b>	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		

## Features

The extension **BlueSpiceFoundation** is the interface between BlueSpice and Mediawiki. It provides basic functions for the individual BlueSpice extensions.

If you install any BlueSpice extension in a MediaWiki environment - that is outside of BlueSpice free or BlueSpice pro - the reference information for the extension will indicate if it requires BlueSpiceFoundation.

## Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

## Requirements

MediaWiki: 1.31  
ExtJSBase: 1.31

## Integrates into

- BlueSpicePrivacy

## Special pages

- SpecialCredits
- WikiAdmin

## Configuration

Name	Value
BlueSpiceExtInfo	array ( 'name' => 'BlueSpice', 'version' => '3.2.3', 'status' => 'stable', 'package' => 'BlueSpice Free', 'url' => 'https://bluespice.com', 'desc' => 'Makes MediaWiki enterprise ready.', 'author' => array ( 0 => '[https://www.hallowelt.com Hallo Welt! GmbH]', , )
CreditsContributors	array ( 0 => 'Aaron Schulz', 1 => 'Acamicamacaraca', 2 => 'Alangi Derick', 3 => 'addshore', 4 => 'Albert221', 5 => 'Amir Sarabadani', 6 => 'Ammar', 7 => 'Ammarpad', 8 => 'amritsreekumar', 9 => 'Antoine Musso', 10 => 'Aryeh Gregor', 11 => 'Aude', 12 => 'Basil Hershberger', 13 => 'Bill Pirkle', 14 => 'Brad Jorsch', 15 => 'Chad Horohoe', 16 => 'Christian Aistleitner', 17 => 'DannyS712', 18 => 'David Sn', 19 => 'Demon', 20 => 'Derick Alangi', 21 => 'DrishyaR', 22 => 'Florian', 23 => 'Florianschmidtwelzow', 24 => 'Fomafix', 25 => 'Frederic Mohr', 26 => 'Gergő Tisza', 27 => 'Guycn2', 28 => 'hexmode', 29 => 'Holger Knust', 30 => 'idakuch', 31 => 'James D. Forrester', 32 => 'Jayprakash12345', 33 => 'Jforrester', 34 => 'jhsoby', 35 => 'Justin Du', 36 => 'Kunal Mehta', 37 => 'Legoktm', 38 => 'libraryupgrader', 39 => 'MarcoAurelio', 40 => 'Mark A. Hershberger', 41 => 'Max Semenik', 42 => 'MaxSem', 43 => 'MtDu', 44 => 'Nikita Rana', 45 => 'OmkarJ', 46 => 'Ori Livneh', 47 => 'Paladox', 48 => 'Phantom42', 49 => 'Prateek Saxena', 50 => 'Purodha', 51 => 'QChris', 52 => 'Rafid Aslam', 53 => 'Raimond Spekking', 54 => 'Raymond', 55 => 'RazeSoldier', 56 => 'Reedy', 57 => 'rlot', 58 => 'Rohitt Vashishtha', 59 => 'Siebrand Mazeland', 60 => 'Subin Siby', 61 => 'TGC', 62 => 'Tulsi Bhagat', 63 => 'Umherirrender', 64 => 'Yuki Shira', 65 => 'Yuriy Shnitkovskiy', 66 => 'withoutaname', 67 => 'Zoranzoki21', )
	array ( 0 => 'Anja Ebersbach', 1 => 'Richard Heigl', 2 => 'Nathalie Köpff', 3 => 'Michael Rödl', 4 => 'Michael Scherm', 5 => 'Dardan Diugan', 6 => 'Christina Glaser', 7 => 'Christian



Name	Value
CreditsDesignAndTesting	Graf', 8 => 'Angelika Müller', 9 => 'Karl Skodnik', 10 => 'Astrid Scheffler', 11 => 'Sabine Gürtler', 12 => 'Thomas Schnakenberg', 13 => 'Sabrina Dürr', 14 => 'Tobias Kornprobst', 15 => 'Luisa Roth', 16 => 'Ljubica Sireta', 17 => 'David Schweiger', 18 => 'Florian Bäckmann', 19 => 'Alexander Ziegltrum', 20 => 'Margit Link-Rodrigue', )
CreditsProgrammers	array ( 0 => 'Markus Glaser', 1 => 'Radovan Kubani', 2 => 'Sebastian Ulbricht', 3 => 'Marc Reymann', 4 => 'Mathias Scheer', 5 => 'Thomas Lorenz', 6 => 'Tobias Weichart', 7 => 'Robert Vogel', 8 => 'Erwin Forster', 9 => 'Karl Waldmannstetter', 10 => 'Daniel Lynge', 11 => 'Tobias Davids', 12 => 'Patric Wirth', 13 => 'Stephan Muggli', 14 => 'Stefan Widmann', 15 => 'Jan Göttlich', 16 => 'Benedikt Hofmann', 17 => 'Daniel Vogel', 18 => 'Leonid Verhovskij', 19 => 'Gerhard Diller', 20 => 'Mannfred Dennerlein', 21 => 'Dejan Savuljesku', 22 => 'Josef Konrad', 23 => 'Philipp Pirzer', 24 => 'Peter Böhm', 25 => 'Gökhan Geyik', 26 => 'Oleksandr Pinchuck', 27 => 'Dmitry Shevliakov', 28 => 'Jenya Puchenko', )
CreditsTranslation	array ( 0 => 'Siebrand Mazeland', 1 => 'Raimond Spekking', 2 => 'Stephan Muggli', )
DefaultAnonImage	'resources/bluespice/images/bs-user-anon-image.png'
DefaultGroupImage	'resources/bluespice/images/bs-group-default-image.png'
DefaultUserImage	'resources/bluespice/images/bs-user-default-image.png'
ExtensionAttributeRegistryOverrides	array ( )
LessVars	array ( )
MaintenanceUserName	'BSMaintenance'
NotifierClass	'BlueSpice\\NullNotifier'
PermissionConfig	array ( )
PingOnInit	false
RunJobsTriggerHandlerOptions	array ( '*' => array ( 'basetime' => array ( 0 => 1, 1 => 0, 2 => 0, ), 'once-a-week-day' => 'sunday', ), )
	array ( 0 => 'reupload', 1 => 'reupload-shared', 2 => 'minoredit', 3 => 'deletedhistory', 4 => 'editinterface', 5 => 'importupload', 6 => 'patrol', 7 => 'autopatrol', 8 => 'proxyunbannable', 9 => 'trackback', 10 => 'unwatchedpages',

Name	Value
UIPermissionBlacklist	11 => 'autoconfirmed', 12 => 'upload_by_url', 13 => 'ipblock-exempt', 14 => 'blockemail', 15 => 'purge', 16 => 'emailconfirmed', 17 => 'nominornewtalk', )

## API Modules

- [bs-adminuser-store](#)
- [bs-category-store](#)
- [bs-category-treestore](#)
- [bs-categorylinks-store](#)
- [bs-filebackend-store](#)
- [bs-group-store](#)
- [bs-interwiki-store](#)
- [bs-js-var-config](#)
- [bs-linker](#)
- [bs-ping-tasks](#)
- [bs-recentchanges-store](#)
- [bs-task](#)
- [bs-templatelinks-store](#)
- [bs-titlequery-store](#)
- [bs-upload-license-store](#)
- [bs-user-store](#)
- [bs-watchlist-store](#)
- [bs-wikipage-store](#)
- [bs-wikipage-tasks](#)
- [bs-wikisubpage-treestore](#)

## Hooks

- [ArticleDeleteComplete](#)
- [BeforePageDisplay](#)
- [BeforeParserFetchTemplateAndtitle](#)
- [ExtensionTypes](#)
- [HtmlPageLinkRendererEnd](#)
- [LinkerMakeMediaLinkFile](#)
- [LoadExtensionSchemaUpdates](#)
- [MakeGlobalVariablesScript](#)
- [PageContentSaveComplete](#)
- [ParserFirstCallInit](#)
- [ResourceLoaderGetConfigVars](#)
- [SearchGetNearMatchComplete](#)
- [SearchableNamespaces](#)
- [SetupAfterCache](#)
- [SiteNoticeAfter](#)
- [SkinTemplateOutputPageBeforeExec](#)
- [SoftwareInfo](#)
- [ThumbnailBeforeProduceHTML](#)

- [TitleMoveComplete](#)
- [getUserPermissionsErrors](#)