

Contents

1. Manual:Create pages	2
2. Manual:Create pages/Inputbox	7

Manual:Create pages

A [quality version](#) of this page, [approved](#) on *26 April 2021*, was based off this revision.


Contents

1 Together we know more	3
2 How do I create a page?	3
2.1 Using the search field	3
2.2 Using the "New page" button	4
2.3 Using a text link (redlink)	4
2.4 Using the web address	5
3 Selecting a template	6
4 Tips	6
5 Related info	7

Together we know more

An important aspect of the wiki principle is that information can be shared with other people quickly and without any "red tape". Every wiki user with edit rights should therefore be able to create and edit a page at least in the (Main) namespace without any prior knowledge or without special privileges to contribute to the company knowledge.

How do I create a page?




There are four ways to create a new page in BlueSpice:

- using the search box
- using the "New Page" button
- using a text link (redlink)
- using the web address ("url")


Using the search field

Maybe information about your topic already exists. Before you create a new page, you can use the search to enter terms for your topic and check existing pages. If there is no page on your topic yet, click on the red link 'Create page *[page name]*' in the search results:



Using the "New page" button

Next to the search box is a button to create a page. This button is only activate if you are logged in and have write permissions on the wiki (or in a specific namespace):




Here you can create a page or a subpage of the current page. In addition, you can also upload a file (image, PDF, Word file, etc.) to the wiki.

Using a text link (redlink)

Let's say that you want to create the "Training" page. You can directly select any text on the current page and define it as a link to a new page. This creates a so-called redlink. From then on, the link exists, but there is no wiki page for it. The example page "Training" is thus also listed on the Special page [WantedPages](#).

With VisualEditor: Click the Link button () or press Ctrl+K to create a page. Now enter the page name. If there is no page with this name, the page name is shown in red and the page icon shows a question mark. Click "Done" to create the redlink.



In the source text:

When editing the source code, enter the new page name as a link:


```
[[Training]]
```

Since the page does not yet exist, the link is shown in red after saving:

Consulting and technology from a single source,
but adapts them, helps with the Ko In addition,
Hello World offers training.

Using the web address

You can also create a page directly from the address bar of your web browser:



Simply exchange the current page name with a new one. Here, we create a page "Support" in the main namespace (Main) in the BlueSpice Helpdesk:

```
https://de.wiki.bluespice.com/wiki/Support
```

Selecting a template

When you create a page, you are always redirected to an overview page. There, select a [page template](#):

 **Empty page**
Start with an empty page.

(Pages)

 **User Profile**
Template for creating user pages

 **New customer organization**
Data and information to maintain our customer base

Creating a new page in a namespace: To create a new page in a namespace, put the name of the namespace in front of it, followed by a colon. Example: `Help:New_Article`

Tips

- **Browser navigation:** When creating pages, try not to use the "back" button. You could lose content that you have not yet saved or that you want to edit again.
- **Redirects:** Do you have the impression that an article title is searched more often with a different synonym? Then create a new article with this name first. Then [redirect](#) the page.
- **Title choice:** In a wiki, titles are very important. In wikis with many entries, authors may make references to pages that they deem important in the context of their entry. The page title should, therefore, clearly communicate its content. Single words are very good, but even short sentences like "why wikis work" can be useful names. In addition, meaningful page titles also help readers find their way around when they search for an entry.
- **Spelling:** When linking to an already existing page you should pay attention to their exact spelling. If you e.g. typing a `[[hello world]]` instead of `[[Hello World]]` will create a new page as the links are spelled differently. Therefore, consider also capitalization and spaces. Only at the beginning of the letter does it make no difference whether you write a small or capital letter.
- **Namespaces:** If you want to create an article in a different namespace, the namespace must appear before article name. Example: `[[namespace:article name]]`.
- **Special characters:** The following characters **cannot** be used in titles : `{ } & ? < > \` and `,` . For more information, see mediawiki.org/wiki/Manual:Page_title.
- **Subpages:** The character `/` is used to create a [subpage](#).


Related info

- [Rename and move pages](#)
- [Redirects - Using Synonyms](#)
- [Creating and Using Page Templates](#)

Manual:Create pages/Inputbox

A [quality version](#) of this page, [approved](#) on *29 January 2021*, was based off this revision.

The extension **InputBox** provides a form field on a wiki page. This field allows users to automatically create a new page with a predefined page name. This page can - optionally - be created in a particular namespace.



Input box for creating a new page

A typical example for using an input box is the creation of meeting minutes, which have to follow a consistent naming convention. The inputbox by copying the following code into any wiki page:

```
<inputbox>
type=create
default={{CURRENTYEAR}}-{{CURRENTMONTH}}-{{CURRENTDAY2}}
prefix=Minutes:IT/Jour fixe/
preload=Template:Minutes_general
buttonlabel=Create new minutes
break=no
width=30
useve=true
</inputbox>
```

Description of the inputbox elements:

Element	Value	Description
type	create	The purpose of the infobox is to create a new page
default		Default text as suggestion for the new page name. In our example: The current date.
		The path to the new page, if it is created as a subpage and/or in a specific namespace. • Example without namespace: <i>IT/Jour Fixe/</i>

Element	Value	Description
prefix	<i>path</i>	Example with namespace (the namespace has to already exist): <i>Minutes:HR/</i>
preload	<i>path to the template</i>	Loads the default text for the meeting minutes from a template. If you do not use a template, you can delete this line. If the template is not found, an empty page is created.
buttonlabel	<i>Text</i>	Label for the submit button.
break	no	Places the submit button next to the input field.
width	30	Width of the input field in characters.
useve	true	Opens the new page in visual editing mode.

Show the latest minutes

If you want to display links to the latest meeting minutes directly under the input box, you can add the following query in the source text under the input box:

```
Previous minutes:
<div>
{{#ask:[[~IT/Jour Fixe/*]]
|limit=5
|sort=creation date
|order=desc
|format=ul
|default=There are no pervious minutes.
|searchlabel= &#8594; More IT-Jour Fixe minutes
}}
</div>
```

Description of the query elements for displaying previous meeting minutes:

Name	Wert	
#ask [[]]	create	Type of meeting minutes to show. You can show the path to the subpages if you are working with subpages, followed by an asterisk * . Alternatively, you can enter a category, if your minutes are associated with a particular category, e.g., category <i>IT-minutes</i> .
limit	<i>number</i>	Number of minutes to show. If additional minutes exist, a more... link will be shown.
sort	creation date	Sort the minutes by creation date.
order	desc	Sort order is descending (latest first)
format	ul	Show the links to the minutes as a bullet list.
default	<i>text</i>	Default text when no minutes are found.
search label	<i>text</i>	Bezeichnung für den Link zu weiteren Protokollen (erscheint nur, wenn es mehr Protokolle gibt als im Wert für <i>limit</i> angegeben).

Template:Box Links