

Contents

Manual:Extension/BlueSpiceVisualDiff

A [quality version](#) of this page, [approved](#) on *1 April 2021*, was based off this revision.

BlueSpiceVisualDiff enables users to easily compare two versions of a wiki page.


Contents

1 Comparing page versions	3
2 Reading the diff	4
3 Related info	4

Comparing page versions

VisualDiff is integrated in the history page of every content page. Users with reading rights can access the version comparison by clicking on *Page > History* at the top of the content area.

Once in history view, select two versions (revisions) to compare (by marking the radio button in front of every revision) and click "Compare selected revisions".



BlueSpice3
MediaWiki

Page

Revision history of "TestPage"

View logs for this page
— TestPage

Search for revisions

From year (and earlier): 2019 From month (and earlier): all Tag filter:

Revision deleted only

Show

selection: Mark the radio buttons on the revisions to compare and hit enter or the button at the bottom.
Legend: (cur) = difference with latest revision, (prev) = difference with preceding revision, m = minor edit.

Compare selected revisions

- (cur | prev) 17:27, 12 February 2019 WikiSysop (talk | contribs | block) .. (1,436 bytes) (+850) . (undo) (Tag: Visual edit)
- (cur | prev) 17:27, 12 February 2019 WikiSysop (talk | contribs | block) .. (586 bytes) (+586) . (Created page with "Suspendisse vitae egestas arcu. Phasellus pulvinar, tortor ut pharetra pharetra, neque ligula interdum tortor, ut congue felis leo eget diam. Etiam nulla lectus, iaculis ut qu...") (Tag: Visual edit)

Privacy policy About BlueSpice Disclaimers Change view Analysis service

Semantic MediaWiki BlueSpice

Selecting revisions

This opens the compare view, with several modes of comparison available:

- VisualDiff - mode that this page describes.
- WikiText - shows difference in underlying wikitext.
- Classic - shows basic visual difference with old version on the left and new on the right. It highlights which lines were added or removed.

Return to history page
← Manual:Extension/BlueSpiceVisualDiff

[quality revision]

Revision as of 08:23, 21 July 2020 (edit)

Mlink-rodrique (talk | contribs)

m

(Tag: 2017 source edit)

← Older edit

[pending revision]

Latest revision as of 08:34, 21 July 2020 (edit) (undo)

Mlink (talk | contribs) [rollback 1 edit]

m

(Tag: Visual edit)

Visual

WikiText

Classic

BlueSpiceVisualDiff enables users to easily compare two versions of a wiki page.

Usage

Comparing page versions

VisualDiff is integrated in the history page of every content page. Users with reading rights can access the version comparison by clicking on *Page > History* at the top of the content area.

VisualDiff color coding

Reading the diff

A change can be “added”, “deleted”, “changed”, or be marked as “conflict” content. Due to the nature of wiki articles, “changed” and “conflict” are very rare. “Changed” will be shown, for example, if a word was linked subsequently. All other changes (although being “changed” as well) are shown as “added” or “deleted”.

Color code for text changes:

- Light blue: additions to the text.
- Orange and crossed-out: deletions from the text.
- Blue dashed lines: Changes in the structure of the article. This is usually the case when a word has been linked subsequently, or a header has been changed.

Color code for image changes:

- Light blue frame: added picture, or the current format of a changed image.
- Red frame: deleted picture, or the former format of a changed image.

Important! Changes that are only visible in the source view (e.g., changes to categories or tags) are not refelcted in the visual comparison mode), you should always check the classic comparison mode in addition to "catch" these changes.

Related info

- [Reference:BlueSpiceVisualDiff](#)

