

Contents

1. Manual:Semantic MediaWiki/Examples/Customer data/Queries	2
2. Hallo Welt GmbH	5
3. Manual:Semantic MediaWiki/Examples/Customer data/Customer page	6
4. Property:Has First contact	6
5. Property:Has contact person	6
6. Property:Has location	7

4 Manual:Semantic MediaWiki/Examples/Customer data/Queries

A [quality version](#) of this page, [approved](#) on *22 December 2020*, was based off this revision.

You can query and display the data that you collect in the wiki at at any time on any wiki page.

Contents

1 "Ask" queries	3
2 Adjusting the output format	3
2.1 Table formatting	4
2.2 Simple page list	4
3 Adjusting the query	4
3.1 Examples	4
4 Related info	5

"Ask" queries

With the parser function "#ask", we can now use the semantic properties and the category association to show the collected data on our wiki pages.

As an example, we list the pages that collect customer data. You can include this "ask" query on any wiki page:

```
{{#ask:
  [[Category:Customer data]]
  |?Has location
  |?Has contact person
  |?Has First contact
}}
```

This query first defines via the category *Customer data* that only pages within this category should be included in the data query (1).

Then, using the pipe-syntax `|?` we define which property values we want to display (2).

```
{{#ask:|
  [[Category:Customer data]] 1
  |?Has location
  |?Has contact person 2
  |?Has First contact
}}
```

Simple "ask" query

The default results output is in a table format. The page from which the customer data originates is automatically added as a first column (this can be customized as needed).

	Has location	Has contact person	Has First contact
Hallo Welt GmbH	Regensburg	Jane Doe	21 December 2020
Semantic MediaWiki/Examples/Customer data/Custom page	Berlin	David Wang	18 December 2020

Adjusting the output format

The output of the data is very flexible and offers many customizing options. Let's look at some examples.

Table formatting

Output with adjusted table width of 100% (format=broadtable) and with adjusted column labels. The first column also gets a custom label (mainlabel=Customer):

Customer	Location	Contact	Date of first contact
Hallo Welt GmbH	Regensburg	Jane Doe	21 December 2020
Semantic MediaWiki/Examples/Customer data/Customer page	Berlin	David Wang	18 December 2020

Query:

```
{{#ask:
[[Category:Customer data]]
|?Has location = Location
|?Has contact person = Contact
|?Has First contact= Date of first contact
|mainlabel = Customer
|format= broadtable
}}
```

Simple page list

Output of pages that use the template "Customer data" in a list format:

- [Hallo Welt GmbH](#)
- [Semantic MediaWiki/Examples/Customer data/Customer page](#)

Query:

```
{{#ask:
[[Category:Customer data]]
|format= ul
}}
```

Adjusting the query

In semantic queries, results can be filtered by namespaces, categories and semantic attributes.

Examples

The following query shows all results for the namespace *Manual* and the category *Customer data*. The output shows the location of the customers:

```
{{#ask:[[Manual:]] [[Category:Customer data]]
|?Has location = Location
}}
```

Result:

	Location
Semantic MediaWiki/Examples/Customer data/Customer page	Berlin

The following query shows all results for the namespace *Manual* **and for the namespace (Main)** and' for the category *customer data*. All three selection criteria have to be valid for a page to be included in the results. (Note: The namespace (Main) is referenced as empty prefix (`:` `+`).

```
{{#ask: [[Manual:+:|:|:]] [[Category:Customer data]]
|?Has location = Location
|mainlabel = Customer
}}
```

Result:

Kunde	Location
Hallo Welt GmbH	Regensburg

The following query shows the results from namespace *Manual* and from the category *Customer data*.

```
{{#ask: [[Category:Customer data]] [[Has location::Regensburg]]
|?Has location = Location
|mainlabel = Customer
}}
```

Result:

Customer	Location
Hallo Welt GmbH	Regensburg

Related info

- https://www.semantic-mediawiki.org/wiki/Help:Inline_queries Help page for semantic inline queries

Hallo Welt GmbH

Location	Regensburg
----------	------------

Contact	Jane Doe
First contact	2020/12/21

Hallo Welt! was founded to make the technology and concept of Wikipedia applicable for professional usage.

Since 2007 Hallo Welt! builds collaborative platforms of knowledge for organisations – especially solutions for knowledge management, online documentation and quality management.

Manual:Semantic MediaWiki/Examples/Customer data /Customer page

Location	Berlin
Contact	David Wang
First contact	2020/12/18

Property:Has First contact

This is a property of type [Date](#).

Usage2

[previous](#) 202050100250500[next](#) 20

Filter

Showing 2 pages using this property.

H

[Hallo Welt GmbH](#) +

December 21, 2020 +

S

[Semantic MediaWiki/Examples/Customer data/Customer page](#) +

December 18, 2020 +

Property:Has contact person

This is a property of type [Text](#).

Usage2

[previous](#) 202050100250500[next](#) 20

Filter

Showing 2 pages using this property.

H

[Hallo Welt GmbH](#) +

Jane Doe +

S

[Semantic MediaWiki/Examples/Customer data/Customer page](#) +

David Wang +

Property:Has location

This is a property of type [Text](#).

Usage2

[previous](#) 202050100250500[next](#) 20

Filter

Showing 2 pages using this property.

H

[Hallo Welt GmbH](#) +

Regensburg +

S

[Semantic MediaWiki/Examples/Customer data/Customer page](#) +

Berlin +