

Contents

1. Reference:BlueSpiceExpiry	2
2. Manual:Extension/BlueSpiceExpiry	4

Reference:BlueSpiceExpiry

Extension\[: BlueSpiceExpiry

Overview			
Description:	Pages can be marked as expired.		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Quality Assurance
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

Expiry marks — after a certain period of time — a chosen article as "obsolete". The article can be updated by editing or by confirming that the article is still up-to-date. Expiry is the ideal basis for an archiving system. Outdated articles can be moved to an archive after being queried.

- An author can add an expiration date to an article.
- The expiry date can automatically be postponed to the future for a specific period of time.
- Several authors: There can only be one expiration date. The user who originally entered the expiration date will be informed of the change.
- There is no limit to the number of expiration dates with respect to users.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceFoundation: 3.2

- BlueSpiceReminder: 3.2

Integrates into

- BlueSpiceEchoConnector
- BlueSpiceReminder
- BlueSpiceSMWConnector

Special pages

- Expiry

Permissions

Name	Description	Role
expirearticle	Expire pages	admin, editor, maintenanceadmin
expiry-delete	Remove expiration from pages	admin, editor, maintenanceadmin

Configuration

Name	Value
ExpiryEnablePDFWatermark	true
ExpiryEnablePageWatermark	true
ExpiryEnablePrintWatermark	true

API Modules

- bs-expiry-store
- bs-expiry-tasks

Hooks

- [BSUEModulePDFBeforeAddingStyleBlocks](#)
- [BSUEModulePDFgetPage](#)

- [BeforePageDisplay](#)
- [LoadExtensionSchemaUpdates](#)
- [SkinTemplateNavigation](#)
- [SkinTemplateOutputPageBeforeExec](#)
- [wgQueryPages](#)

Expiry


A [quality version](#) of this page, [approved](#) on *5 October 2020*, was based off this revision.

Expiry marks a wiki page as "obsolete". The page can be updated by editing or by confirming that the page is still up-to-date. Expiry is the ideal basis for an archiving system. Outdated articles can be moved to an archive after being queried. Expiry can be set on any content page of the wiki.

Contents

1 Expiring a page	5
2 Overview of expired wiki pages	6
3 Configuration	6
4 Related info	7


Expiring a page



Expiry for a page can be set from the *Quality management tab* in the page tools. After clicking on "Expiry", a form opens in a fly-out layer.


If the page has already been expired, the expiration date is shown. In this case, a user can remove the expiration from the page by clicking on *Unexpire the page*.

If no expiration date is set, users can set an expiration date and enter a short comment: In addition, the user can create a [reminder](#) for the page. After saving the form, the page is reloaded and updated information is displayed.



Overview of expired wiki pages


Users can see all of the pages set to expire, along with expiry information for those pages on *Special:Expiry* page. This page can be accessed from the Expiry flyout described above, by clicking on Expiry manager at the bottom of the flyout. All expiration dates can be deleted or edited from this page.



Configuration

In the [Config manager](#), you can change the following settings:

- **Show watermark for expired pages in PDF:** Shows the watermark for expired pages in PDFs.
- **Show watermark for expired pages in print version:** Shows the watermark for expired pages when a page is printed.
- **Show watermark for expired pages:** Shows a watermark on the page itself.



Related info

- [Quality assurance](#)
- [Reference:BlueSpiceExpiry](#)