

Reference:BlueSpicePageAssignments

Extension\ BlueSpicePageAssignments

Overview			
Description:	Enables you to assign users or groups to a page		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value " GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Quality Assurance
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

PageAssignments allows to assign pages to single users or user groups. Assigned users are notified about assignment changes via email or internal notifications.

- Assign responsible users to a page.
- Assign individual users or groups.
- The responsible editor(s) for the page can be viewed in the flyout "Page assignments" in the quality management tools.
- Users can view their assignments on the page *Special:PageAssignments*.
- Users with *admin*, *maintenanceadmin* or *reviewer* rights can manage all assignments on the page *Special:ManagePageAssignments*.

Display assignments in the title section

The page assignments can be displayed in the title section of the page. Activate this page assignments display in *LocalSettings.php* (or in the php file in the *d.settings* folder):

```
$GLOBALS['bsgBlueSpiceCalummaPageHeaderBeforeContentEnabledProviders'] = [ "pageheader-assignments" ];
```

Set the limit:


```
$GLOBALS['bsgPageAssignmentsPageHeaderLimit'] = 25;
```

Assign all users (with option to exclude some users)

To activate the option to assign all users to a page, a group *everyone* can be created. For this, the following code needs to be set in `<bluespice-installationpath>/extensions/BlueSpicePageAssignments/extension.json`:

```
"PageAssignmentsActivatedTypes": {  
    "value": [  
        "user",  
        "group",  
        "everyone"  
    ],  
}
```

This allows users to add the group *everyone* to a page assignment. Individual users can be excluded from the assignment by creating the file *MediaWiki:PageAssignments-everyone-blacklist*. Users can be added to this blacklist with using line breaks.



Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceFoundation: 3.2

Integrates into

- BlueSpiceExtendedStatistics
- BlueSpicePageAssignments
- BlueSpicePrivacy
- BlueSpiceSMWConnector

Special pages

- ManagePageAssignments
- PageAssignments

Permissions

Name	Description	Role
pageassignable	Appear in the list of assignable users	reader, admin, author, editor, maintenanceadmin, reviewer
pageassignments	Edit the assignments of a page	admin, maintenanceadmin, reviewer

Configuration

Name	Value
PageAssignmentsActivatedTypes	array (0 => 'user', 1 => 'group',)
PageAssignmentsLockdownGroups	array (0 => 'user',)
PageAssignmentsPageHeaderLimit	3
PageAssignmentsSecureEnabledNamespaces	array ()

Name	Value
PageAssignmentsSecureRemoveRightList	array (0 => 'edit',)
PageAssignmentsTarget	'title'
PageAssignmentsUseAdditionalPermissions	false

User options

Name	Value
echo-subscriptions-email-bs-pageassignments-action-cat	true
echo-subscriptions-web-bs-pageassignments-action-cat	true

API Modules

- [bs-mypageassignment-store](#)
- [bs-pageassignable-store](#)
- [bs-pageassignment-store](#)
- [bs-pageassignment-tasks](#)

Hooks

- [ArticleDeleteComplete](#)
- [BSApiNamespaceStoreMakeData](#)
- [BSBookshelfBookManager](#)
- [BSBookshelfManagerGetBookDataRow](#)
- [BSDashboardsUserDashboardPortalConfig](#)
- [BSDashboardsUserDashboardPortalPortlets](#)
- [BSGroupManagerGroupDeleted](#)
- [BSGroupManagerGroupNameChanged](#)
- [BSUEModulePDFcollectMetaData](#)
- [BSUsageTrackerRegisterCollectors](#)
- [BSUserManagerAfterDeleteUser](#)
- [BSUserManagerAfterSetGroups](#)
- [BeforePageDisplay](#)
- [EchoGetDefaultNotifiedUsers](#)
- [LoadExtensionSchemaUpdates](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)
- [PersonalUrls](#)
- [SkinTemplateNavigation](#)
- [SkinTemplateOutputPageBeforeExec](#)
- [TitleMoveComplete](#)
- [WikiExplorer::buildDataSets](#)

- [WikiExplorer::getColumnDefinitions](#)
- [WikiExplorer::getFieldDefinitions](#)
- [WikiExplorer::queryPagesWithFilter](#)