

Contents

1. Reference:BlueSpiceRating	2
2. Manual:Extension/BlueSpiceRating	4
3. Reference:BlueSpiceNamespaceManager	6

Reference:BlueSpiceRating

Extension\ BlueSpiceRating

Overview			
Description:	Provides a rating system		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Communication
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

BlueSpiceRating enables users to rate a wikii page with up to five stars or to recommend the page. In the [Namespace manager](#), wiki administrators can configure in which namespaces ratings or recommendations should be activated.

Rating

Users select a number of stars to provide their rating. Users can change their assessment at any time, by choosing less or more stars. The average evaluation as well as the number of assessments are displayed.

If a user rates the page multiple times, only the first assessment is counted. Subsequent ratings only change the average evaluation, but not the number of assessments.

Recommendation

Users click on a recommendation link to make the recommendation. Users can change their assessment at any time by recommending the page or by retracting their recommendation.

If a user recommends the page multiple times, only one recommendation is counted.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceFoundation: 3.2

Integrates into

- BlueSpicePrivacy
- BlueSpiceRating

Special pages

- Rating
- Recommendations

Permissions

Name	Description	Role
rating-archive	Remove votes from pages	admin, editor, maintenanceadmin
rating-read	Read ratings on pages	admin, commenter, editor, maintenanceadmin, reader
rating-viewspecialpage	View pages which are protected with the "Rating-Viewspecialpage" right	admin, editor, maintenanceadmin, reader
rating-write	Vote on pages	author, commenter, editor, maintenanceadmin

Configuration

Name	Value
RatingArticleEnabledNamespaces	array ()
RatingArticleLikeEnabledNamespaces	array ()

API Modules

- [bs-rating-tasks](#)
- [bs-ratingarticle-store](#)
- [bs-ratingarticlelike-store](#)

Hooks

- [BSApiNamespaceStoreMakeData](#)
- [BSMigrateSettingsFromDeviatingNames](#)
- [BSMigrateSettingsSetNewSettings](#)
- [BeforePageDisplay](#)
- [GetDoubleUnderscoreIDs](#)
- [LoadExtensionSchemaUpdates](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)
- [SkinTemplateOutputPageBeforeExec](#)

Ratings and recommendations

A [quality version](#) of this page, [approved](#) on *30 July 2020*, was based off this revision.

The extension **BlueSpiceRating** allows users to rate a page with up to five stars or to recommend the page.

Contents

1 Rating or recommending a page	5
2 Special pages	5
3 Disabling rating on a page	5
4 Disabling rating in a namespace	5
5 Related info	6

Rating or recommending a page

A user simply selects the amount of stars for a rating. The number of stars are then highlighted in yellow during the selection process. A mouse-click confirms the rating.

A screenshot of a page title 'Wikitext' followed by five yellow stars and the text '(1)' in parentheses.

Only one rating per user is counted. New votes only change the average evaluation, but not the number of ratings.

Users can change their rating at any time by choosing less or more stars. The average evaluation, as well as the number of ratings is shown next to the page title:

A screenshot of a page title 'Main Page' followed by five blue stars, the text '(1)', a blue flame icon, and the text 'Recommended (1)'.

Rating and recommending a page

To recommend a page, a user clicks on the link "Recommend". To retract the recommendation, the user clicks on the link again.

Special pages

The special page `Special:Rating` lists all pages that have been rated.

The special page `Special:Recommendations` lists all pages that have been recommended.

Disabling rating on a page

You can also exclude pages from the rating system. You can do this with a so-called "Behaviour Switch". Insert the switch at the bottom of the page in source view: `__NORATING__`

Disabling rating in a namespace

Administrators can turn on the rating feature for individual namespaces. To enable or disable ratings, go to *Global actions > Namespace manager* and edit the namespaces:

Namespace manager

+

⚙

×

☐ Hide talk namespaces

Export table ▾

ID	Namespace	Pages	Subpages	Content namespace	CategoryCheck	Secured page assignments	Page Templates	Visual editor	Rating	Recommendations	Read Confirmation	Semantic MediaWiki	FlaggedRevs	Actions
0	(Pages)	357	✓	✓	✗	✗	✓	✓	✓	✗	✓	✓	✓	
1	Talk	77	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	
2	User	16	✓	✗	✗	✗	✓	✓	✗	✗	✗	✓	✗	
3	User_talk	0	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	

Related info

- [Reference:BlueSpiceRating](#)

Reference:BlueSpiceNamespaceManager

Extension\: BlueSpiceNamespaceManager

Overview			
Description:	Administration interface for adding, editing and deleting namespaces		
State:	stable	Dependency:	BlueSpice

Overview			
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Administration
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

NamespaceManager allows to manage all [namespaces](#) in the wiki. The NamespaceManager is visible for users with admin permissions. The following actions are possible

- Creating a namespace
- Editing a namespace
- Deleting a namespace
- Turning features for a namespace on or off :
 - [Subpages](#): Activates the use of subpages, which introduce some hierarchical organization into wiki pages.
 - [Content namespace](#): Contents from this namespace will be prioritized in the search results.
 - [Category check](#): Warns users on page save that a page has no associated category.
 - [Secured page assignments](#): Only assigned users can edit pages. By default, only users with *reviewer* or *admin* role can assign users. If pages are created by users with only edit rights, they cannot edit the new page after saving it unless they are later assigned to that page.
 - [Page templates](#): allows page templates to be used.
 - [Visual editor](#): activates VisualEditor.
 - [Rating](#): displays a star-based rating option with the page title.
 - [Recommendations](#): displays a recommendations icon next to the page title.
 - [Read Confirmation](#): users that are assigned to this page need to confirm when they have read the page.
 - [Semantic MediaWiki](#): activates Semantic MediaWiki.
 - [Approval](#): creates draft and approved versions of pages.
- Sorting, filtering, and exporting of the table grid

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceFoundation: 3.2

Integrates into

- BlueSpicePrivacy

Special pages

- NamespaceManager

Permissions

Name	Description	Role
namespacemanager-viewspecialpage	Access to the special page Special:NamespaceManager	admin, maintenanceadmin, structuremanager

Configuration

Name	Value
NamespaceManagerNsOffset	2999

API Modules

- bs-namespace-store
- bs-namespace-tasks

Hooks

- [BSMigrateSettingsSaveNewSettings](#)
- [LoadExtensionSchemaUpdates](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::writeNamespaceConfiguration](#)