

## Contents

---

## Reference:BlueSpiceReadConfirmation

### Extension\ : BlueSpiceReadConfirmation

Overview			
<b>Description:</b>	Extension to collect read confirmations for a page		
<b>State:</b>	stable	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
<b>Type:</b>	BlueSpice	<b>Category:</b>	Quality Assurance
<b>Edition:</b>	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
<a href="#">View help page</a>			

## Features

**ReadConfirmation** asks for confirmation that a page has been read by users who have a [page assignment](#) for that page.

When the feature is enabled for a namespace, users who are assigned to a page see a checkbox at the top of the page. By clicking the checkbox, they confirm that the page has been read.

ReadConfirmations can be enabled or disabled for each namespace individually, in [NamespaceManager](#).

### Page approval and read confirmation

If a namespace has the feature [Approval](#) activated at the same time, the read confirmation is triggered if a new draft page has been created. This can be changed server-side using `LocalSettings.php`. If a read confirmation should be triggered after the page has been approved and not when the draft is created, the following setting needs to exist:

```
$GLOBALS['bsgReadConfirmationMechanism'] =
"\\BlueSpice\\FlaggedRevsConnector\\ReadConfirmation\\Mechanism\\PageApproved::
factory";
```

## Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

### Requirements

MediaWiki: 1.31  
BlueSpiceFoundation: 3.2

### Integrates into

- [BlueSpicePrivacy](#)

### Special pages

### Permissions

Name	Description	Role
readconfirmationremind	Remind users that they have to confirm to have read the page	admin, maintenanceadmin

### Configuration

Name	Value
Mechanism	'BlueSpice\\ReadConfirmation\\Mechanism\\NonMinorEdit::factory'

### API Modules

- [bs-readconfirmation-tasks](#)

### Hooks

- [BSApiExtJStoreBaseBeforePostProcessData](#)
- [BSApiNamespaceStoreMakeData](#)
- [BSPageAssignmentsManager](#)

- [BSPageAssignmentsOverview](#)
- [BSPageStoreDataProviderBeforeAppendRow](#)
- [BeforePageDisplay](#)
- [LoadExtensionSchemaUpdates](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)
- [PageContentSaveComplete](#)