

Contents

1. Reference:BlueSpiceSocialProfile	2
2. Manual:Extension/BlueSpiceSocialProfile	6

Reference:BlueSpiceSocialProfile

Extension\ BlueSpiceSocialProfile

Overview			
Description:	Profile entity for BlueSpiceSocial		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Communication
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

BlueSpiceSocialProfile provides the SocialEntity of type profile. Furthermore, the user page is converted into a complete user profile.

Warning: Pages in the namespaces *SocialEntity* and *User* are indexed by search engines by default until prior to version 3.1.13. If you run a public wiki with an earlier version, you should [exclude these namespaces from being searchable](#) unless you want these pages to be indexed by public search engines.

- the user page is converted into a complete user profile
- the content of the original user page is also shown as a description field below the profile section
- provides the page *Special:SocialProfiles*
- a user profile can be included in a page with the tag `<bs:socialentityprofile username="Testuser" rendertype="Short" />`

- users can update their profile information and upload a profile picture

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceAvatars: 3.2

- BlueSpiceFoundation: 3.2 BlueSpiceSocial: 3.2

Integrates into

- BlueSpicePrivacy
- BlueSpiceSMWConnector
- BlueSpiceSocialProfile

Special pages

- SocialProfiles

Permissions

Name	Description	Role
social-editothersprofile	Edit other users profile	admin, maintenanceadmin
socialprofile-viewspecialpage	View the special page "Profiles"	accountmanager, admin, author, bot, commenter, editor, maintenanceadmin, reader, reviewer, structuremanager

Configuration

Name	Value
BSSocialProfileCustomFields	<pre>array ('social-profile-department' => array ('i18n' => 'bs-social-profile-field-department', 'type' => 'string',), 'social-profile-function' => array ('i18n' => 'bs-social-profile-field-function', 'type' => 'string',), 'social-profile-location' => array ('i18n' => 'bs-social-profile-field-location', 'type' => 'string',), 'social-profile-phone' => array ('i18n' => 'bs-social-profile-field-phone', 'type' => 'string',),)</pre>

Name	Value
BSSocialProfileFields	array ('social-profile-title' => array ('i18n' => 'bs-social-profile-field-title', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Title::getInstance',), 'social-profile-name' => array ('i18n' => 'bs-social-profile-field-name', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Name::getInstance',), 'social-profile-email' => array ('i18n' => 'bs-social-profile-field-email', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Email::getInstance',),)

User options

Name	Value
bs-social-profile-infoshowemail	false

Hooks

- [ArticleViewHeader](#)
- [BSPageTemplatesModifyTargetUrl](#)
- [BSUserInfoMetaDataFactoryAllKeys](#)
- [BSUserInfoMetaDataFactoryCallback](#)
- [GetPreferences](#)
- [HtmlPageLinkRendererBegin](#)
- [PageContentSaveComplete](#)
- [UserLoadAfterLoadFromSession](#)
- [UserSaveSettings](#)

Configuration

Name	Description	Type	Default	S
			"social-profile-title" => ["i18n" => "bs-social-profile-field-title", "callback" => "\\BlueSpice\\Social\\Profile\\Field\\Title::getInstance"], "social-profile-name" => ["i18n" => "bs-social-profile-field-name",	

Name	Description	Type	Default	Source
<i>bsg</i> BSSocialProfileFields	system-defined profile fields	array	<pre>"callback" => "\BlueSpice\\Social\\Profile\\Field\\Name:: getInstance"], "social-profile-email" => ["i18n" => "bs-social-profile-field-email", "callback" => "\BlueSpice\\Social\\Profile\\Field\\Email:: getInstance"]</pre>	Local profile Custom Fields
<i>bsg</i> BSSocialProfileCustomFields	user-defined profile fields	array	<pre>"social-profile-department" => ["i18n" => "bs-social-profile-field- department", "type" => "string"], "social-profile-function" => ["i18n" => "bs-social-profile-field- function", "type" => "string"], "social-profile-location" => ["i18n" => "bs-social-profile-field- location", "type" => "string"], "social-profile-phone" => ["i18n" => "bs-social-profile-field- phone", "type" => "string"]</pre>	Local profile Custom Fields

Name	Description	Type	Default	S
			]	
bs-social-profile-infoshowemail	is the email address shown in the profile	bool	false	u:

User profile

A [quality version](#) of this page, [approved](#) on *17 July 2020*, was based off this revision.

BlueSpiceSocialProfile provides the SocialEntity of type profile. Furthermore, the user page is converted into a complete user profile.

User profile info

The first part of the profile page contains elements related to the user's profile info.

WikiSysop

① Last edited 1 second ago by WikiSysop

1 ★ Unwatch ⓘ No status information

2

3

4

5

Multi-certified (MCSE, MCSA, RHCE) systems administrator with strong experience managing server infrastructures and data-center operations across Unix, Linux, Windows and Mac OS X platforms. Effectively plan, install, configure and optimize IT infrastructures to achieve high availability and performance.

User profile

(1) **Watchlist:** The profile page is by default on the user's watchlist to send notifications about any changes to the page.

(2) **Actions menu:** In the edit menu, users can edit their profile description (5) below their profile picture, update their user image and enter their profile data (3).

(3) **Profile data:** Users can enter their profile details, such as department and phone number.

(4) **User image:** The user image can be uploaded from the actions menu. For users without a user image, an [avatar](#) image is displayed instead.

(5) **Description:** The edit link in the Actions menu allows to edit the page content itself. This content is displayed directly below the profile box.

Social timeline

Below the user profile information, a timeline of the user contributions is shown in the form of social entities. A filter allows all users to change what types of actions are displayed in the list.

WikiSysop Created one month and 2 weeks ago

Name	WikiSysop
Department	IT
Function	Systems administrator
Location	Regensburg
Telephone	+49 (0)941 660 800
Company name	Hallo Welt! GmbH

Watch

WikiSysop edited the article [Social test](#) Created 2 days and

Main Page Created 3 months and 2 weeks ago **WikiSysop**

Comments (0) Recommend (0) Unwatch

WikiSysop edited the article [Main Page](#) Created 3 days and

WikiSysop edited the article [Dpl](#) Created one week and one day ago

Timeline of user actions

Owner
Mine

Type ☐ ☐

☐ Article edit ☐ Article create ☐ Article delete ☐ File edit
☐ File create ☐ File delete ☐ Blog ☐ Comment ☐ Microblog
☐ Profile ☐ Wikipage ☐ Attachments ☐ Discussion
☐ Discussion topic

Archived

Creation date to
16.07.2020

Linked pages

Resolve status

Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Discussion topics](#)
- [Microblog](#)
- [Social comments](#)
- [Reference:BlueSpiceSocial](#)