

## Contents

---

## Reference:BlueSpiceSocialTopics

### Extension\>: BlueSpiceSocialTopics

Overview			
<b>Description:</b>	Topic and discussion entities for BlueSpiceSocial		
<b>State:</b>	stable	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
<b>Type:</b>	BlueSpice	<b>Category:</b>	Communication
<b>Edition:</b>	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		

## Features

**SocialTopics** provides the SocialEntity types *discussion* and *topic*.

**Warning:** Pages in the namespaces *SocialEntity* and *User* are indexed by search engines by default until prior to version 3.1.13. If you run a public wiki with an earlier version, you should [exclude these namespaces from being searchable](#) unless you want these pages to be indexed by public search engines.

At the bottom of each content page, the social entities associated with the page are displayed, filtered by the *topic* type.

The discussion page is completely replaced by the page view of the SocialEntity type *discussion*. It displays a timeline that lists the social entities of type *topic* that belong to this discussion. In addition, free text can be entered at the beginning of the discussion page just like on a standard MediaWiki discussion page.

## Technical Information

---

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

### Requirements

MediaWiki: 1.31  
BlueSpiceFoundation: 3.2

- BlueSpiceSocial: 3.2

### Integrates into

### Special pages

- Topics

### Configuration

Name	Value
SocialTopicsTalkPageAutoCreate	false
SocialTopicsTimelineAfterContentNamespaceBlackList	array ( )
SocialTopicsTimelineAfterContentShow	true

### User options

Name	Value
bs-social-topics-skipcreatedialog	true

### Hooks

- [ArticleViewHeader](#)
- [BSInsertMagicAjaxGetData](#)
- [BSMigrateSettingsFromDeviatingNames](#)
- [BSSocialModuleDepths](#)
- [BSSocialTagsBeforeSetTags](#)
- [GetDoubleUnderscoreIDs](#)
- [GetPreferences](#)

- [LoadExtensionSchemaUpdates](#)
- [PageContentSaveComplete](#)
- [SkinTemplateOutputPageBeforeExec](#)

## Entry fields for dialogs

Name	Description	Type	Default value
discussiontitleid	ID of the page to which the discussion topic belongs	integer/choice field	current discussion page
topictitle	Title of the discussion topic	str	empty
text	Content of the discussion topic	WikiText or reduced VisualEditor; reduzierter parser scope	empty

## Behavior switch

Name	Beschreibung
<code>__NODISCUSSION__</code>	Diskussionen werden auf der seite ausgeblendet

## Configuration

Name	Description	Type	Default value	Scope
<code>bsgSocialTopicsTalkPageAutoCreate</code>	Discussion pages are automatically created with a new page. Activating this option si not recommended, because a lot of pages will be created.	bool	false	ConfigMan
	Determines in what namespaces the timeline			

Name	Description	Type	Default value	Scope
<i>bsg</i> SocialTopicsTimelineAfterContentNamespaceBlackList	with the latest discussion topics should not be shown.	array	[]	LocalSetting php
<i>bsg</i> SocialTopicsTimelineAfterContentShow	Determines if the timeline with the latest discussion topics should be shown at the bottom of a page.	bool	true	LocalSetting php