

Contents

1. Reference:BlueSpiceWebDAVClientIntegration	2
2. Manual:Extension/BlueSpiceContextMenu	3

Reference:BlueSpiceWebDAVClientIntegration

Extension\: BlueSpiceWebDAVClientIntegration

Overview			
Description:	Allows opening files from the browser directly in the client application (Requires WebDAV)		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Document Management
Edition:	BlueSpice pro (deactivated), BlueSpice Farm (deactivated), BlueSpice Cloud (deactivated)		

Features

BlueSpiceWebDAVClientIntegration provides an user user interface for the WebDAV on wiki. It integrates into [BlueSpiceContextMenu](#) to add a menu option for opening files in a client application.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

Integrates into

Special pages

Configuration

Name	Value
WebDAVIClientApps	<pre>array ('bs-webdav-ci-ms-word' => array ('icon' => 'icon-file-word', 'extensions' => array (0 => 'doc', 1 => 'docx', 2 => 'dot', 3 => 'dotx', 4 => 'rtf', 5 => 'docm', 6 => 'dotm', 7 => 'odt',), 'protocol' => 'ms-word',), 'bs- webdav-ci-ms-excel' => array ('icon' => 'icon-file-excel', 'extensions' => array (0 => 'xls', 1 => 'xlsx', 2 => 'csv', 3 => 'tsv',), 'protocol' => 'ms- excel',), 'bs-webdav-ci-ms-powerpoint' => array ('icon' => 'icon-file- powerpoint', 'extensions' => array (0 => 'ppt', 1 => 'pptx',), 'protocol' => 'ms-powerpoint',), 'bs-webdav-ci-archive' => array ('icon' => 'icon-file-zip', 'extensions' => array (0 => 'zip',),), 'bs-webdav-ci-generic' => array ('icon' => 'icon-file',), '@Not yet supported!' => '', '@bs-webdav-ci-ms-visio' => array ('icon' => 'icon-file-visio', 'extensions' => array (), 'protocol' => 'ms- visio',), '@bs-webdav-ci-ms-access' => array ('icon' => 'icon-file-access', 'extensions' => array (), 'protocol' => 'ms-access',), '@bs-webdav-ci-ms- project' => array ('icon' => 'icon-file-project', 'extensions' => array (), 'protocol' => 'ms-project',), '@bs-webdav-ci-ms-publisher' => array ('icon' => 'icon-file-publisher', 'extensions' => array (), 'protocol' => 'ms-publisher', , '@bs-webdav-ci-ms-spd' => array ('icon' => 'icon-file-spd', 'extensions' => array (), 'protocol' => 'ms-spd',), '@bs-webdav-ci-ms-infopath' => array ('icon' => 'icon-file-infopath', 'extensions' => array (), 'protocol' => 'ms- infopath',),)</pre>

API Modules

- bs-file-tasks
- bs-filehistory-store

Hooks

- [BeforePageDisplay](#)
- [BsContextMenuGetItems](#)

Context menu

A [quality version](#) of this page, [approved](#) on *30 July 2020*, was based off this revision.

ContextMenu replaces the default browser context menu with wiki functions - depending on the context and user permissions.


Contents

1 Using the context menu	5
2 Settings	6
3 Related info	6

Using the context menu

Context menu opens when right clicking components that support ContextMenu functionality, namely, internal links and file links.

The context menu opens when you right-click on a component, such as a link or an image.



On internal links, the context menu display quick links for basic page actions, like:


- Editing page
- Viewing page history
- Moving page
- Deleting page...

On file links, some additional options are shown, like:

- Opening file page
- Downloading file
- Uploading new version of the file
- Opening files using client application (when available)

Exact content of ContextMenu menu depends on the wiki configuration

Settings



Settings for the context menu are located in the user preferences (page *Special:Preferences*), under the "Appearance" tab. The setting is applied separate for each user.

The context menu has two modes:

- Click using the right mouse button and pressing CTRL (Normal right mouse button will show default browser menu)
- Click using the right mouse button (Pressing CTRL will show default browser context menu)

Related info

- [Reference:BlueSpiceContextMenu](#)