

Contents

1. Reference:CustomMenu	2
2. Reference:BlueSpiceCustomMenu	2

Reference:CustomMenu

Redirect to:

- [Reference:BlueSpiceCustomMenu](#)

Reference:BlueSpiceCustomMenu

Extension\: BlueSpiceCustomMenu

Overview			
Description:	Provides customizable menus		
State:	stable	Dependency:	BlueSpice
Developer:		License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value " GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Search and Navigation
Edition:	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud		

Features

CustomMenu is a menu with configurable items. It appears as collapsible menu above the top navigation bar. The HTML output is an unordered list. Menu items can be modified by editing the page `MediaWiki:CustomMenu/Header`.

Syntax:

```
* html ID (has to be unique) | target page | label (optional)
```

The [html ID](#) can be used to apply CSS rules in `MediaWiki:Common.css`.

Examples:

1. A link to the Wiki page 'Intranet':

```
* menuLink1 | Intranet
```

The html ID 'menuLink1' is used to display the menu item, because no label has been specified.

2. A link to the Wiki page 'Intranet'. The visible label is 'Our Intranet':

```
* menuLink1 | Intranet | Our Intranet
```

3. A Dropdown with link to the Wiki pages 'Intranet' and 'Demo'. The visible label of the menu is 'Hello World'. The dropdown contains 'Our Intranet' and 'Demo':

```
* Hello World  
** menuLink1 | Intranet | Our Intranet  
** demoLink | https://en.demo.bluespice.com | Demo
```

BlueSpiceCustomMenu will be hidden on mobile devices. The width is restricted to the content width. It is limited to one line.

By default, there are only 2 menu levels (link text and one dropdown). More levels can be set, but it is tested only up to level 3. Further menus may be outside the browser window.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceFoundation: 3.2

Integrates into

- BlueSpiceCustomMenu

Special pages

Configuration

Name	Value
CustomMenuHeaderNumberOfLevels	2
CustomMenuHeaderNumberOfMainEntries	10
CustomMenuHeaderNumberOfSubEntries	10

Hooks

- [ArticleDeleteComplete](#)
- [EditFormPreloadText](#)
- [LoadExtensionSchemaUpdates](#)
- [OutputPageBodyAttributes](#)
- [PageContentSaveComplete](#)
- [SkinTemplateOutputPageBeforeExec](#)
- [TitleMoveComplete](#)