Contents

Reference:GroupManager

Redirect to:

- Reference:BlueSpiceGroupManager

Reference:BlueSpiceGroupManager

Extension\: BlueSpiceGroupManager

Overview			
Description:	Administration interface for adding, editing and deleting user groups and their rights		
State:	stable	**Dependency:**	BlueSpice
Developer:	HalloWelt	**License:**	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	**Category:**	Administration
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

GroupManager allows to create new groups, and to edit and delete existing groups.

Using the group concept, you can soften the wiki principle to work with a more granular permissions model. Using groups, administrators can assign differnet permissions to users. For example, a group can have read permissions, but no edit permissions. Use the group concept wisely, since otherwise the cooperative dynamic suffers.

With the Group manager, you can:

- create groups

- edit groups
- delete groups (system groups cannot be deleted or edited)

Users are assigned to groups in the User manager. Permissions are assigned to groups in the Permission manager.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

> MediaWiki: 1.31
> BlueSpiceFoundation: 3.2

Integrates into

Special pages

- GroupManager

Permissions

Name	Description	Role
groupmanager-viewspecialpage	Access to the special page Special: GroupManager	accountmanager, admin, maintenanceadmin

API Modules

- bs-groupmanager