

Contents

1. Reference:PageAccess	2
2. Reference:BlueSpicePageAccess	2

Reference:PageAccess

Redirect to:

- [Reference:BlueSpicePageAccess](#)

Reference:BlueSpicePageAccess

Extension\>: BlueSpicePageAccess

Overview			
Description:	Controls access on page level		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Security
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

BlueSpicePageAccess allows only a certain user group access to the page.

The restriction is achieved by inserting the tag *pageaccess* on a page. Access restriction per page is done on a group basis. "Access" here means all actions, including read and edit.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31
BlueSpiceFoundation: 3.2

Integrates into

- [BlueSpiceVisualEditorConnector](#)

Special pages

- [PageAccess](#)

Permissions

Name	Description	Role
pageaccess-viewspecialpage	Access to the special page Special:PageAccess	admin, maintenanceadmin, structuremanager

Configuration

Name	Value
PageAccessBlockableActions	array (0 => 'read', 1 => 'edit', 2 => 'delete', 3 => 'move',)

API Modules

- [bs-pageaccess-store](#)

Hooks

- [BSInsertMagicAjaxGetData](#)
- [BSUsageTrackerRegisterCollectors](#)
- [PageContentSave](#)