

Contents

1. Reference:WebDAVClientIntegration	2
2. Reference:BlueSpiceWebDAVClientIntegration	2

Reference:WebDAVClientIntegration

Redirect to:

- [Reference:BlueSpiceWebDAVClientIntegration](#)

Reference:BlueSpiceWebDAVClientIntegration

Extension\: BlueSpiceWebDAVClientIntegration

Overview			
Description:	Allows opening files from the browser directly in the client application (Requires WebDAV)		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Document Management
Edition:	BlueSpice pro (deactivated), BlueSpice Farm (deactivated), BlueSpice Cloud (deactivated)		

Features

BlueSpiceWebDAVClientIntegration provides an user user interface for the WebDAV on wiki. It integrates into [BlueSpiceContextMenu](#) to add a menu option for opening files in a client application.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

Integrates into

Special pages

Configuration

Name	Value
WebDAVClientApps	<pre>array ('bs-webdav-ci-ms-word' => array ('icon' => 'icon-file-word', 'extensions' => array (0 => 'doc', 1 => 'docx', 2 => 'dot', 3 => 'dotx', 4 => 'rtf', 5 => 'docm', 6 => 'dotm', 7 => 'odt',), 'protocol' => 'ms-word',), 'bs- webdav-ci-ms-excel' => array ('icon' => 'icon-file-excel', 'extensions' => array (0 => 'xls', 1 => 'xlsx', 2 => 'csv', 3 => 'tsv',), 'protocol' => 'ms- excel',), 'bs-webdav-ci-ms-powerpoint' => array ('icon' => 'icon-file- powerpoint', 'extensions' => array (0 => 'ppt', 1 => 'pptx',), 'protocol' => 'ms-powerpoint',), 'bs-webdav-ci-archive' => array ('icon' => 'icon-file-zip', 'extensions' => array (0 => 'zip',),), 'bs-webdav-ci-generic' => array ('icon' => 'icon-file',), '@Not yet supported!' => '', '@bs-webdav-ci-ms-visio' => array ('icon' => 'icon-file-visio', 'extensions' => array (), 'protocol' => 'ms- visio',), '@bs-webdav-ci-ms-access' => array ('icon' => 'icon-file-access', 'extensions' => array (), 'protocol' => 'ms-access',), '@bs-webdav-ci-ms- project' => array ('icon' => 'icon-file-project', 'extensions' => array (), 'protocol' => 'ms-project',), '@bs-webdav-ci-ms-publisher' => array ('icon' => 'icon-file-publisher', 'extensions' => array (), 'protocol' => 'ms-publisher', , '@bs-webdav-ci-ms-spd' => array ('icon' => 'icon-file-spd', 'extensions' => array (), 'protocol' => 'ms-spd',), '@bs-webdav-ci-ms-infopath' => array ('icon' => 'icon-file-infopath', 'extensions' => array (), 'protocol' => 'ms- infopath',),)</pre>

API Modules

- [bs-file-tasks](#)
- [bs-filehistory-store](#)

Hooks

- [BeforePageDisplay](#)
- [BsContextMenuGetItems](#)