

SMW queries

Here you can see some examples for simple queries using the metadata of a wiki page. You can add these queries to any wiki page.

Contents

1	Creating page lists	2
1.1	Output in category style	2
1.2	Show pages from a category	3
1.3	Seiten mit gleichem Namensanfang	3
2	Results format: Table	3
2.1	Format "broadtable"	3
2.2	Format "datatable"	4
3	Related info	5

Creating page lists

```
{{#ask:
[[[:+]]
[[Modification date::+]]<!-- necessary to filter deleted pages -->
|format=ul
|limit=4
}}
```

- [About maintenance](#)
- [Adding RSS feeds to a page](#)
- [Administration and safety](#)
- [Announcement/Log4Shell](#)

[... further results](#)

Notes:

`[[[:+]]` show Pages in the *Main* namespace. `[[Myspace:+]]` shows pages in the namespace *Myspace*.

`[[[:+|Help:+]]` shows pages in the Main namespace and in the namespace *Help*.

Output in category style

```
{{#ask:
[[[:+]] [[Modification date::+]]
|format=category
|limit=12
}}
```

A

- [About maintenance](#)
- [Adding RSS feeds to a page](#)
- [Administration and safety](#)
- [Announcement/Log4Shell](#)

B

- [BSD 3-Clause](#)

B cont.

- [BlueSpice 2.23](#)
- [BlueSpice 2.23.1](#)
- [BlueSpice 2.23.2](#)
- [BlueSpice 2.23.3](#)
- [BlueSpice 2.27.0](#)

B cont.

- [BlueSpice 2.27.0 Notable New Features](#)

- [BlueSpice 2.27.1](#)
- [... further results](#)

Show pages from a category

```
{{#ask:
[[Category:Administration]]
| limit=4
| searchlabel=
| format=ol
}}
```

1. [Authentication with LDAP](#)
2. [BlueSpice Layout/Footer](#)
3. [Config manager](#)
4. [Customize the main navigation](#)

Seiten mit gleichem Namensanfang

```
{{#ask:
[[~Visu*]][[:+|Manual:++]]
[[Modification date:++]]<!-- necessary to filter deleted pages -->
| limit=5
| searchlabel=
| format=ol
}}
```

List of pages in the *Main* namespace and in the namespace *Manual* that begin with "Visu".

1. [Visual version comparison \(VisualDiff\)](#)
2. [VisualEditor](#)
3. [VisualEditor/Tables/Examples](#)
4. [VisualEditor/Version comparison](#)
5. [VisualEditor: Insert Images](#)

Results format: Table

Format "broadtable"

```
{{#ask:
[[~Visu*]][[:+|Manual:++]]
[[Modification date:++]]<!-- necessary to filter deleted pages -->
| limit=5
| searchlabel=
| format=broadtable
}}
```

Visual version comparison (VisualDiff)
--

VisualEditor
VisualEditor/Tables/Examples
VisualEditor/Version comparison
VisualEditor: Insert Images

Format "datatable"

```
{{#ask:
[[~Visu*]][[:+||Handbuch:+]]
[[Modification date::+]]<!-- necessary to filter deleted pages -->
| limit=5
| searchlabel=
| format=table
| class=datatable
}}
```

Important!

The format declaration

```
|format=datatable
```

currently does not work with the BlueSpice skin. Instead, use the following syntax:

```
|format=table
|class=datatable
```

Related info

- [SMW "ask" queries](#)
- [SMW result formats](#)