

Contents



Setup:Installation Guide/With Installer

A quality version of this page, approved on 2 August 2021, was based off this revision.

Contents	
1 Introduction	
2 Step-by-step installation	



Introduction

With BlueSpice 3, we offer the installation as a complete package with MediaWiki and BlueSpice. This installation guide gives you step-by-step instructions to install BlueSpice.

Important! If you do a fresh install of BlueSpice 3.2 it might be necessary to run update.php afterwards if you get an error.

Note: This document only describes the steps for installing the web application itself. For the installation of extended functions such as VisualEditor and Extendedsearch, please refer to the corresponding documentation.

We will not go into details about your operating system installation here, but assume that you have already configured your system and stored the installation package in a web root of your choice, where you can access it via your browser. You can find more details in our detailed installation guide.

Further help on optimizing the operating system can be found in our compendium.

Step-by-step installation




If you also install the paid extension "BlueSpiceWikiFarm", make sure that the codebase is not located directly in the DocumentRoot of your web server or VirtualHost - it must be located in the /w subfolder!

Step 1 - Start the installation setup: First, open the URL of your web application in your browser. Then click on "set up the wiki" to start the installation.


Note: If you don't meet all necessary requirements for PHP yet, you won't be able to view this setup page yet. Please make the






official Mediawiki documentation.









Note: If the page is not loading, give the group "users" change-permissions for the folder C: \Windows\Temp.

Important! As next step, you can configure VisualEditor and Extendedsearch.



