

Contents

1. Setup:Installation Manual/Services and system configuration/ElasticSearch .....	2
2. Setup:Installation Guide/Security Settings/File System Permissions .....	4

## Setup:Installation Manual/Services and system configuration /ElasticSearch

A [quality version](#) of this page, [approved](#) on *20 September 2019*, was based off this revision.

### Contents

1 Linux .....	3
2 Activating the ElasticSearch in BlueSpice .....	3

## Linux

---

There is an official repo from the manufacturer: Documentation [on manufacturer's website](#)

Summary:

```
$ wget -qO - https://artifacts.elastic.co/GPG-KEY-elasticsearch | apt-key add -  
$ apt-get install apt-transport-https  
$ echo "deb https://artifacts.elastic.co/packages/6.x/apt stable main" > /etc/apt  
/sources.list.d/elastic-6.x.list  
$ apt-get update && apt-get install elasticsearch  
$ /usr/share/elasticsearch/bin/elasticsearch-plugin install ingest-attachment  
$ systemctl enable elasticsearch
```

Then please execute "service elasticsearch start". It takes about 10 seconds to start, then the service should appear on port 9200 under "netstat -tulpn".

## Activating the ElasticSearch in BlueSpice

---

Go to the directory `<installpath-bluespice>/settings.d`. Open the file **020-BlueSpiceExtendedSearch.php** in a text editor.

In the second line is a code to activate the extension:

```
return; // Disabled. Needs Tomcat
```

You can either add a comment character (#) to the beginning of this line or delete the line completely, save the file and exit it.

Open a command line and change to the `<installpath-bluespice>` folder. Execute the following command:

```
php maintenance/update.php (Linux)  
php maintenance\update.php (Windows))
```



In Windows, make sure that the environment variables are set correctly to access the php command.



Note that you must update the [file system permissions](#) after running update.php.

When the script is finished with the "Done" message, the web service is successfully installed.

## File System Permissions

A [quality version](#) of this page, [approved](#) on *27 October 2021*, was based off this revision.

### Contents

1 Tips for this Document .....	5
2 Affected Folders .....	5
3 Assignment of Permissions with Windows .....	5
4 Assignment of Permissions with Linux .....	6

For trouble-free usage of your BlueSpice installation, the web server requires write permissions to several folders of the file system. However, it is recommended to keep the rights for all other files and folders to a minimum. This document shows you the relevant folders and the correct permissions setting.

## Tips for this Document

---

- Please, read this manual completely and work through the single installation steps one after another.
- For editing the configuration files with a text editor, the files must be saved in UTF-8 coding without BOM (Byte Order Mark).
- The placeholder `<installpath-bluespice>` stands for the path to your BlueSpice installation, e.g. `C:\inetpub\wwwroot\bluespice` (Windows) or `/var/www/bluespice` (Linux).

## Affected Folders

---


The folders, which require write permissions, are:

- `<installpath-bluespice>/cache`
- `<installpath-bluespice>/images`
- `<installpath-bluespice>/extensions/BlueSpiceFoundation/config`
- `<installpath-bluespice>/extensions/BlueSpiceFoundation/data`
- `<installpath-bluespice>/extensions/Widgets/compiled_templates` (**only BlueSpice pro**)

## Assignment of Permissions with Windows

---

Assign "change" rights for this folder for the local user "Everyone".



## Assignment of Permissions with Linux

Here you can assign rights much more strictly, which is also recommended. Transfer the directory `<installpath-bluespice>` recursively to the user root (CHMOD for Files 644, CHMOD for Directories 755) and after this, transfer the mentioned directory recursively to the user and the group, under which the Apache Web Server runs (Debian/Ubuntu e.g. "www-data").

In the following, we provide a bash script, which works through this tasks for you with only one command.

To do so, create the file `/usr/local/bin/setWikiPerm` and copy the following code into this file:

```
#!/bin/bash

WWW_USER="www-data"
WWW_GROUP="www-data"

WWW_HOME=`eval echo ~$WWW_USER`
```

```
WWW_CFG=$WWW_HOME/.config

if [ $# -eq 0 ]; then
    echo "You must enter the path of your MediaWiki installation."
    exit
elif [ ! -d $1 ]; then
    echo "$1 does not exist or is no path."
    exit
fi

if [ ! -f $1/LocalSettings.php ]; then
    echo "$1 contains no Localsettings.php"
    exit
fi

PATH=`echo "$1" | sed -e 's#/###'`

/usr/bin/find $PATH -type d -exec /bin/chmod 755 {} \;
/usr/bin/find $PATH -type f -exec /bin/chmod 644 {} \;

/bin/chown -R root:root $PATH

pathes=(
    "$PATH/cache" \
    "$PATH/images" \
    "$PATH/_sf_archive" \
    "$PATH/_sf_instances" \
    "$PATH/extensions/BlueSpiceFoundation/data" \
    "$PATH/extensions/BlueSpiceFoundation/config" \
    "$PATH/extensions/Widgets/compiled_templates" \
)

for i in "${pathes[@]"; do
    if [ -d $i ]; then
        /bin/chown -R $WWW_USER:$WWW_GROUP $i
    fi
done

if [ ! -d $WWW_CFG ]; then
    /bin/mkdir $WWW_CFG
fi

/bin/chown -R $WWW_USER:$WWW_GROUP $WWW_CFG

/usr/bin/find $PATH/extensions -iname 'create_pygmentize_bundle' -exec /bin/chmod +x {} \;
/usr/bin/find $PATH/extensions -iname 'pygmentize' -exec /bin/chmod +x {} \;
/usr/bin/find $PATH/extensions -name 'lua' -type f -exec /bin/chmod 755 {} \;
```

If needed, replace the content of the variables

```
WWW_USER="www-data"
WWW_GROUP="www-data"
```

with the appropriate user and group of your distribution.

After this, assign CHMOD 755 to this file. Now you can run the script and let it do the complete permission setting automatically with the following command:

```
setWikiPerm <installpath-bluespice>
```



**Note that when the `update.php` is executed on the console, the rights can be partially discarded. For this reason, set the rights to "`update.php`" again.**