

Contents

1. Template:BSExtensionInfobox	2
2. Property:BSExtensionInfoActivated	3
3. Property:BSExtensionInfoCategory	3
4. Property:BSExtensionInfoCompatible	5
5. Property:BSExtensionInfoDescription	6
6. Property:BSExtensionInfoDeveloper	7
7. Property:BSExtensionInfoDocumentation	8
8. Property:BSExtensionInfoEdition	8
9. Property:BSExtensionInfoLicense	10
10. Property:BSExtensionInfoName	11
11. Property:BSExtensionInfoStatus	11
12. Property:BSExtensionInfoType	13

Template:BSExtensionInfobox

This is the "BSExtensionInfobox" template. Used mainly for MediaWiki extensions, but also for BlueSpice extensions that don't have a page in the AutoDoc namespace. For AutoDoc extensions, use the template BSExtensionInfo. It should be called in the following format:

```
{{BSExtensionInfobox
|desc=
|status=
|developer=
|type=
|compatible=
|edition=
|category=
|active=
|license=
|docu=
}}
```

semantic properties

semantic property	template variable	type	multiple choice	allowed values
Property:BSExtensionInfoName		text		
Property:BSExtensionInfoDescription	desc	text		
Property:BSExtensionInfoStatus	status	text		unknown, unstable, experimental, beta, stable, unmaintained
Property:BSExtensionInfoDeveloper	developer	text	x	
Property:BSExtensionInfoType	type	text		MediaWiki, BlueSpice
Property:BSExtensionInfoEdition	edition	text		BlueSpice free, BlueSpice pro, BlueSpice Cloud, BlueSpice Farm
Property:BSExtensionInfoActivated	active	bool		Yes, No
Property:BSExtensionInfoCompatible	compatible	text	x	MediaWiki, BlueSpice
Property:BSExtensionInfoCategory	category	text		Administration, Buchfunktion, Kommunikation, Inhaltliche Strukturierung, Datenanalyse, Dokumentenmanagement, Editor, Export, Infrastruktur, Mobile, Personalisierung, Qualitätssicherung, Reporting, Rich articles, Suche und Navigation, Sicherheit, Skinning
				ISC, MIT, WTFPL, GPL v2+, GPL v2+ and BSD 3 Clause, GPL v2+ and MIT, GPL v3+,

semantic property	template variable	type	multiple choice	allowed values
Property: BSExtensionInfoLicense	license	page		GPL v3
Property: BSExtensionInfoDocumentation	docu	url		

Edit the page to see the template text.

Property:BSExtensionInfoActivated

This is a property of type [Boolean](#).

Property:BSExtensionInfoCategory

This is a property of type [Text](#).

The allowed values for this property are:

- -
- Administration
- Book
- Communication
- Content Structuring
- Data Analysis
- Document Management
- Editor
- Export
- Infrastructure
- Mobile
- Personalization
- Quality Assurance
- Reporting
- Rich Articles
- Search and Navigation
- Security
- Skinning

Usage223Constraint schema

[previous](#) 202050100250500[next](#) 20

Filter

Showing 20 pages using this property.

A

[Arrays](#) +

[Rich Articles](#) +

[Auth remoteuser](#) +

[Infrastructure](#) +

B

[BlueSpiceAbout](#) +

Administration +

[BlueSpiceArticleInfo](#) +

Data Analysis +

[BlueSpiceArticlePreviewCapture](#) +

Data Analysis +

[BlueSpiceAuthors](#) +

Data Analysis +

[BlueSpiceAvatars](#) +

Personalization +

[BlueSpiceBookshelf](#) +

Book +

[BlueSpiceBookshelfUI](#) +

Book +

[BlueSpiceCalumma](#) +

- +

[BlueSpiceCategoryCheck](#) +

Infrastructure +

[BlueSpiceCategoryManager](#) +

Content Structuring +

[BlueSpiceChecklist](#) +

Rich Articles +

[BlueSpiceCloudClient](#) +

Infrastructure +

[BlueSpiceConfigManager](#) +

Administration +

[BlueSpiceContextMenu](#) +

Search and Navigation +

[BlueSpiceCountThings](#) +

Infrastructure +

[BlueSpiceCustomMenu](#) +

Search and Navigation +

[BlueSpiceDashboards](#) +

Reporting +

[BlueSpiceDistributionConnector](#) +

Infrastructure +

```
{
  "type": "PROPERTY_CONSTRAINT_SCHEMA",
  "constraints": {
    "type_constraint": "_txt",
    "allowed_values": [
      "Administration",
      "Editor",
      "Export",
      "Mobile",
      "Reporting",
      "Skinning",
      "Book",
      "Communication",
      "Infrastructure",
      "Personalization",
      "Security",
    ]
  }
}
```

```
        "- ",
        "Content Structuring",
        "Data Analysis",
        "Document Management",
        "Quality Assurance",
        "Rich Articles",
        "Search and Navigation"
    ]
}
```

Property:BSExtensionInfoCompatible

This is a property of type [Text](#).

The allowed values for this property are:

- MediaWiki
- BlueSpice

Usage218Constraint schema

[previous](#) [202050100250500](#)[next](#) [20](#)

Filter

Showing 20 pages using this property.

A

[Arrays](#) +

[MediaWiki](#) +

[Auth remoteuser](#) +

[MediaWiki](#) +

B

[BlueSpiceAbout](#) +

[BlueSpice](#) +

[BlueSpiceArticleInfo](#) +

[BlueSpice](#) +

[BlueSpiceArticlePreviewCapture](#) +

[BlueSpice](#) +

[BlueSpiceAuthors](#) +

[BlueSpice](#) +

[BlueSpiceAvatars](#) +

[BlueSpice](#) +

[BlueSpiceBookshelf](#) +

[BlueSpice](#) +

[BlueSpiceBookshelfUI](#) +

[BlueSpice](#) +

[BlueSpiceCalumma](#) +

[BlueSpice](#) +

[BlueSpiceCategoryCheck](#) +

[BlueSpice](#) +

[BlueSpiceCategoryManager](#) +

[BlueSpice](#) +

[BlueSpiceChecklist](#) +

[BlueSpice](#) +
[BlueSpiceCloudClient](#) +
[BlueSpice](#) +
[BlueSpiceConfigManager](#) +
[BlueSpice](#) +
[BlueSpiceContextMenu](#) +
[BlueSpice](#) +
[BlueSpiceCountThings](#) +
[BlueSpice](#) +
[BlueSpiceCustomMenu](#) +
[BlueSpice](#) +
[BlueSpiceDashboards](#) +
[BlueSpice](#) +
[BlueSpiceDistributionConnector](#) +
[BlueSpice](#) +

```
{
  "type": "PROPERTY_CONSTRAINT_SCHEMA",
  "constraints": {
    "type_constraint": "_txt",
    "allowed_values": [
      "MediaWiki",
      "BlueSpice"
    ]
  }
}
```

Property:BSExtensionInfoDescription

This is a property of type [Text](#).

Usage222

[previous](#) [202050100250500](#)[next](#) [20](#)

Filter

Showing 20 pages using this property.

A

[Arrays](#) +

Store and compute named arrays +

[Auth remoteuser](#) +

Automatically logs-in users using the `REMOTE_USER` environment variable +

B

[BlueSpiceAbout](#) +

Information about BlueSpice +

[BlueSpiceArticleInfo](#) +

Provides information about a page in status bar +

[BlueSpiceArticlePreviewCapture](#) +

Creates preview images of wikipages for dynamic file dispatcher +

[BlueSpiceAuthors](#) +

Displays the profile picture for authors of a page +

[BlueSpiceAvatars](#) +

Provides generic and individual user pictures +

[BlueSpiceBookshelf](#) +

Enables BlueSpice to manage and export hierarchical collections of articles. +

[BlueSpiceBookshelfUI](#) +

provides a graphical administration interface for creating, editing and managing books. +

[BlueSpiceCalumma](#) +

BlueSpice Skin +

[BlueSpiceCategoryCheck](#) +

Checks for assigned category before an article gets saved +

[BlueSpiceCategoryManager](#) +

Visual tool to manage categories +

[BlueSpiceChecklist](#) +

Provides checklist functionality +

[BlueSpiceCloudClient](#) +

encapsulates all cloud specific functionality +

[BlueSpiceConfigManager](#) +

Offers the possibility to admins, to configurate the whole wiki from a single special page +

[BlueSpiceContextMenu](#) +

Provides context menus for various links +

[BlueSpiceCountThings](#) +

Provides content based statistics +

[BlueSpiceCustomMenu](#) +

Provides customizable menus +

[BlueSpiceDashboards](#) +

Provides dashboards for users and administrators +

[BlueSpiceDistributionConnector](#) +

Connects BlueSpice to various MediaWiki extensions +

Property:BSExtensionInfoDeveloper

This is a property of type [Text](#).

Usage313

[previous](#) 202050100250500[next](#) 20

Filter

Showing 20 pages using this property.

A

[Arrays](#) +

[Li Ding](#) +, [Jie Bao](#) +, [Daniel Werner](#) +

[Auth remoteuser](#) +

[Otheus Shelling](#) +, [Rusty Burchfield](#) +, [James Kinsman](#) +, ..., ...

B

[BlueSpiceAbout](#) +

[HalloWelt](#) +

[BlueSpiceArticleInfo](#) +

[HalloWelt](#) +

[BlueSpiceArticlePreviewCapture](#) +

[HalloWelt](#) +

[BlueSpiceAuthors](#) +
HalloWelt +
[BlueSpiceAvatars](#) +
HalloWelt +
[BlueSpiceBookshelf](#) +
HalloWelt +
[BlueSpiceBookshelfUI](#) +
HalloWelt +
[BlueSpiceCalumma](#) +
HalloWelt +
[BlueSpiceCategoryCheck](#) +
HalloWelt +
[BlueSpiceCategoryManager](#) +
HalloWelt +
[BlueSpiceChecklist](#) +
HalloWelt +
[BlueSpiceCloudClient](#) +
HalloWelt +
[BlueSpiceConfigManager](#) +
HalloWelt +
[BlueSpiceContextMenu](#) +
HalloWelt +
[BlueSpiceCountThings](#) +
HalloWelt +
[BlueSpiceDashboards](#) +
HalloWelt +
[BlueSpiceDistributionConnector](#) +
HalloWelt +
[BlueSpiceDrawioConnector](#) +
HalloWelt +

Property:BSExtensionInfoDocumentation

This is a property of type [URL](#).

Property:BSExtensionInfoEdition

This is a property of type [Text](#).

The allowed values for this property are:

- BlueSpice free
- BlueSpice free (deactivated)
- BlueSpice pro
- BlueSpice pro (deactivated)
- BlueSpice Farm
- BlueSpice Farm (deactivated)
- BlueSpice Cloud

- BlueSpice Cloud (deactivated)

Usage680Constraint schema

[previous 20](#)[2050100250500next 20](#)

Filter

Showing 20 pages using this property.

A

[Arrays](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[Auth remoteuser](#) +

[BlueSpice pro \(deactivated\)](#) +, [BlueSpice Farm \(deactivated\)](#) +, [BlueSpice free \(deactivated\)](#) +

B

[BlueSpiceAbout](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceArticleInfo](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceArticlePreviewCapture](#) +

[BlueSpice pro](#) +, [BlueSpice Farm](#) +, [BlueSpice Cloud](#) +

[BlueSpiceAuthors](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceAvatars](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceBookshelf](#) +

[BlueSpice pro](#) +, [BlueSpice Farm](#) +, [BlueSpice Cloud](#) +

[BlueSpiceBookshelfUI](#) +

[BlueSpice pro](#) +, [BlueSpice Farm](#) +, [BlueSpice Cloud](#) +

[BlueSpiceCalumma](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceCategoryCheck](#) +

[BlueSpice pro](#) +, [BlueSpice Farm](#) +, [BlueSpice Cloud](#) +

[BlueSpiceCategoryManager](#) +

[BlueSpice pro](#) +, [BlueSpice Farm](#) +, [BlueSpice Cloud](#) +

[BlueSpiceChecklist](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceCloudClient](#) +

[BlueSpice Cloud](#) +

[BlueSpiceConfigManager](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceContextMenu](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceCountThings](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceCustomMenu](#) +

[BlueSpice pro](#) +, [BlueSpice free](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceDashboards](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

[BlueSpiceDistributionConnector](#) +

[BlueSpice free](#) +, [BlueSpice pro](#) +, [BlueSpice Farm](#) +, ...

```
{
  "type": "PROPERTY_CONSTRAINT_SCHEMA",
  "constraints": {
    "type_constraint": "_txt",
    "allowed_values": [
      "BlueSpice pro",
      "BlueSpice free",
      "BlueSpice Farm",
      "BlueSpice Cloud",
      "BlueSpice free (deactivated)",
      "BlueSpice pro (deactivated)",
      "BlueSpice Farm (deactivated)",
      "BlueSpice Cloud (deactivated)"
    ]
  }
}
```

Property:BSExtensionInfoLicense

This is a property of type [Page](#).

Usage135Improper assignments10

[previous](#) [202050100250500](#)[next](#) [20](#)

Filter

Showing 20 pages using this property.

A

[Angelika](#) +

- +

[Arrays](#) +

[MIT](#) +

[Auth remoteuser](#) +

[GPL v2](#) +

B

[BlueSpiceBookshelfUI](#) +

[GPL v3](#) +

[BlueSpiceCloudClient](#) +

[GPL v3](#) +

[BlueSpiceEditNotifyConnector](#) +

[GPL v3](#) +

[BlueSpiceFilterSpecialPages](#) +

[GPL v2](#) +

[BlueSpiceInterWikiLinks](#) +

[GPL v3](#) +

[BlueSpiceInterwikiSearch](#) +

[GPL v3](#) +

[BlueSpiceMatomoConnector](#) +

[GPL v3](#) +

[BlueSpiceReviewExtended](#) +

[GPL v3](#) +

[BlueSpiceTagSearch](#) +

[GPL v3](#) +
[BlueSpiceUEModulePDFSubpages](#) +
[GPL v3](#) +
[BlueSpiceWikiFarm](#) +
[GPL v3](#) +
[Bootstrap](#) +
[GPL v3](#) +
[C](#)
[CategoryTree](#) +
[GPL v3](#) +
[CheckUser](#) +
[-](#) +
[Cite](#) +
[GPL v2](#) +
[CiteThisPage](#) +
[GPL v2](#) +
[CodeEditor](#) +
[GPL v2+ and BSD 3 Clause](#) +

Showing 10 related entities (more are available).

B

- [Reference:BlueSpiceAbout](#) +
- [Reference:BlueSpiceArticleInfo](#) +
- [Reference:BlueSpiceArticlePreviewCapture](#) +
- [Reference:BlueSpiceAuthors](#) +
- [Reference:BlueSpiceAvatars](#) +
- [Reference:BlueSpiceBookshelf](#) +
- [Reference:BlueSpiceCalumma](#) +
- [Reference:BlueSpiceCategoryCheck](#) +
- [Reference:BlueSpiceCategoryManager](#) +
- [Reference:BlueSpiceChecklist](#) +
- ...

Property:BSExtensionInfoName

This is a property of type [Text](#).

Property:BSExtensionInfoStatus

This is a property of type [Text](#).

The allowed values for this property are:

- unknown
- unstable
- experimental
- beta

- [stable](#)
- [unmaintained](#)

Usage222Constraint schema

[previous](#) [202050100250500](#)[next](#) [20](#)

Filter

Showing 20 pages using this property.

A

[Arrays](#) +

[stable](#) +

[Auth remoteuser](#) +

[stable](#) +

B

[BlueSpiceAbout](#) +

[stable](#) +

[BlueSpiceArticleInfo](#) +

[stable](#) +

[BlueSpiceArticlePreviewCapture](#) +

[stable](#) +

[BlueSpiceAuthors](#) +

[stable](#) +

[BlueSpiceAvatars](#) +

[stable](#) +

[BlueSpiceBookshelf](#) +

[stable](#) +

[BlueSpiceBookshelfUI](#) +

[stable](#) +

[BlueSpiceCalumma](#) +

[stable](#) +

[BlueSpiceCategoryCheck](#) +

[stable](#) +

[BlueSpiceCategoryManager](#) +

[stable](#) +

[BlueSpiceChecklist](#) +

[stable](#) +

[BlueSpiceConfigManager](#) +

[beta](#) +

[BlueSpiceContextMenu](#) +

[stable](#) +

[BlueSpiceCountThings](#) +

[stable](#) +

[BlueSpiceCustomMenu](#) +

[stable](#) +

[BlueSpiceDashboards](#) +

[stable](#) +

[BlueSpiceDistributionConnector](#) +

[stable](#) +

[BlueSpiceDrawioConnector](#) +

[stable](#) +

```
{
  "type": "PROPERTY_CONSTRAINT_SCHEMA",
  "constraints": {
    "type_constraint": "_txt",
    "allowed_values": [
      "unknown",
      "unstable",
      "experimental",
      "beta",
      "stable",
      "unmaintained"
    ]
  }
}
```

Property:BSExtensionInfoType

This is a property of type [Text](#).

The allowed values for this property are:

- [MediaWiki](#)
- [BlueSpice](#)

Usage223Constraint schema

[previous](#) [202050100250500](#)[next](#) [20](#)

Filter

Showing 20 pages using this property.

A

[Arrays](#) +

[MediaWiki](#) +

[Auth remoteuser](#) +

[MediaWiki](#) +

B

[BlueSpiceAbout](#) +

[BlueSpice](#) +

[BlueSpiceArticleInfo](#) +

[BlueSpice](#) +

[BlueSpiceArticlePreviewCapture](#) +

[BlueSpice](#) +

[BlueSpiceAuthors](#) +

[BlueSpice](#) +

[BlueSpiceAvatars](#) +

[BlueSpice](#) +

[BlueSpiceBookshelf](#) +

[BlueSpice](#) +

[BlueSpiceBookshelfUI](#) +

[BlueSpice](#) +

[BlueSpiceCalumma](#) +

[BlueSpice](#) +

[BlueSpiceCategoryCheck](#) +

[BlueSpice](#) +

[BlueSpiceCategoryManager](#) +

[BlueSpice](#) +

[BlueSpiceChecklist](#) +

[BlueSpice](#) +

[BlueSpiceCloudClient](#) +

[BlueSpice](#) +

[BlueSpiceConfigManager](#) +

[BlueSpice](#) +

[BlueSpiceContextMenu](#) +

[BlueSpice](#) +

[BlueSpiceCountThings](#) +

[BlueSpice](#) +

[BlueSpiceCustomMenu](#) +

[BlueSpice](#) +

[BlueSpiceDashboards](#) +

[BlueSpice](#) +

[BlueSpiceDistributionConnector](#) +

[BlueSpice](#) +

```
{
  "type": "PROPERTY_CONSTRAINT_SCHEMA",
  "constraints": {
    "type_constraint": "_txt",
    "allowed_values": [
      "MediaWiki",
      "BlueSpice"
    ]
  }
}
```