

Contents

1. UEModuleBoxDOCX	2
2. Reference:BlueSpiceFoundation	3
3. Reference:BlueSpiceUniversalExport	7

UEModuleBoxDOCX

Extension: UEModuleBoxDOCX

Overview			
Description:	export an article to DOCX format.		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	-
Type:		Category:	Export
Edition:	BlueSpice pro		

Features

Contents

1	Extension: UEModuleBoxDOCX	2
1.1	Features	2
1.2	Description	3
1.3	Usage / Features	3
1.4	Technical information	3
1.4.1	Configuration	3
1.4.2	Rights (permissions)	3
1.4.3	Requirements	3
1.5	User manual	3
1.6	Try free our BlueSpice	3

Description

UEModuleBoxDOCX export an article to DOCX format.

Usage / Features

Export an article and subpages to docx.

Technical information

Configuration

This extension offers no configurations.

Rights (permissions)

This extension does not require any special rights.

Requirements

UEModuleBoXDOCX requires [BlueSpiceFoundation](#) and [UniversalExport](#).

User manual

UEModuleBoxDOCX is a module that allows export to word format. Read more on [UniversalExport](#)

Try free our BlueSpice

[BlueSpiceDemo](#).

Reference:BlueSpiceFoundation

Extension\ : BlueSpiceFoundation

Overview			
Description:	Makes MediaWiki enterprise ready		
State:	stable	Dependency:	BlueSpice

Overview			
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Infrastructure
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		

Features

The extension **BlueSpiceFoundation** is the interface between BlueSpice and Mediawiki. It provides basic functions for the individual BlueSpice extensions.

If you install any BlueSpice extension in a MediaWiki environment - that is outside of BlueSpice free or BlueSpice pro - the reference information for the extension will indicate if it requires BlueSpiceFoundation.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31

ExtJSBase: 1.31

Integrates into

- BlueSpicePrivacy

Special pages

- SpecialCredits
- WikiAdmin

Configuration

Name	Value
BlueSpiceExtInfo	array ('name' => 'BlueSpice', 'version' => '3.2.3', 'status' => 'stable', 'package' => 'BlueSpice Free', 'url' => 'https://bluespice.com', 'desc' => 'Makes MediaWiki enterprise ready.', 'author' => array (0 => '[https://www.hallowelt.com Hallo Welt! GmbH]',),)
CreditsContributors	array (0 => 'Aaron Schulz', 1 => 'Acamicamacaraca', 2 => 'Alangi Derick', 3 => 'addshore', 4 => 'Albert221', 5 => 'Amir Sarabadani', 6 => 'Ammar', 7 => 'Ammarpad', 8 => 'amritsreekumar', 9 => 'Antoine Musso', 10 => 'Aryeh Gregor', 11 => 'Aude', 12 => 'Basil Hershberger', 13 => 'Bill Pirkle', 14 => 'Brad Jorsch', 15 => 'Chad Horohoe', 16 => 'Christian Aistleitner', 17 => 'DannyS712', 18 => 'David Sn', 19 => 'Demon', 20 => 'Derick Alangi', 21 => 'DrishyaR', 22 => 'Florian', 23 => 'Florianschmidtwelzow', 24 => 'Fomafix', 25 => 'Frederic Mohr', 26 => 'Gergő Tisza', 27 => 'Guycn2', 28 => 'hexmode', 29 => 'Holger Knust', 30 => 'idakuch', 31 => 'James D. Forrester', 32 => 'Jayprakash12345', 33 => 'jforrester', 34 => 'jhsoby', 35 => 'Justin Du', 36 => 'Kunal Mehta', 37 => 'Legoktm', 38 => 'libraryupgrader', 39 => 'MarcoAurelio', 40 => 'Mark A. Hershberger', 41 => 'Max Semenik', 42 => 'MaxSem', 43 => 'MtDu', 44 => 'Nikita Rana', 45 => 'OmkarJ', 46 => 'Ori Livneh', 47 => 'Paladox', 48 => 'Phantom42', 49 => 'Prateek Saxena', 50 => 'Purodha', 51 => 'QChris', 52 => 'Rafid Aslam', 53 => 'Raimond Spekking', 54 => 'Raymond', 55 => 'RazeSoldier', 56 => 'Reedy', 57 => 'rlot', 58 => 'Rohitt Vashishtha', 59 => 'Siebrand Mazeland', 60 => 'Subin Siby', 61 => 'TGC', 62 => 'Tulsi Bhagat', 63 => 'Umherirrender', 64 => 'Yuki Shira', 65 => 'Yuriy Shnitkovskiy', 66 => 'withoutaname', 67 => 'Zoranzoki21',)
CreditsDesignAndTesting	array (0 => 'Anja Ebersbach', 1 => 'Richard Heigl', 2 => 'Nathalie Köpff', 3 => 'Michael Rödl', 4 => 'Michael Scherm', 5 => 'Dardan Diugan', 6 => 'Christina Glaser', 7 => 'Christian Graf', 8 => 'Angelika Müller', 9 => 'Karl Skodnik', 10 => 'Astrid Scheffler', 11 => 'Sabine Gürtler', 12 => 'Thomas Schnakenberg', 13 => 'Sabrina Dürr', 14 => 'Tobias Kornprobst', 15 => 'Luisa Roth', 16 => 'Ljubica Sireta', 17 => 'David Schweiger', 18 => 'Florian Bäckmann', 19 => 'Alexander Ziegltrum', 20 => 'Margit Link-Rodrigue',)
	array (0 => 'Markus Glaser', 1 => 'Radovan Kubani', 2 => 'Sebastian Ulbricht', 3 => 'Marc Reymann', 4 => 'Mathias Scheer', 5 => 'Thomas Lorenz', 6 => 'Tobias Weichart', 7 => 'Robert Vogel', 8 => 'Erwin Forster', 9 => 'Karl

Name	Value
CreditsProgrammers	Waldmannstetter', 10 => 'Daniel Lynge', 11 => 'Tobias Davids', 12 => 'Patric Wirth', 13 => 'Stephan Muggli', 14 => 'Stefan Widmann', 15 => 'Jan Göttlich', 16 => 'Benedikt Hofmann', 17 => 'Daniel Vogel', 18 => 'Leonid Verhovskij', 19 => 'Gerhard Diller', 20 => 'Mannfred Dennerlein', 21 => 'Dejan Savuljesku', 22 => 'Josef Konrad', 23 => 'Philipp Pirzer', 24 => 'Peter Böhm', 25 => 'Gökhan Geyik', 26 => 'Oleksandr Pinchuck', 27 => 'Dmitry Shevliakov', 28 => 'Jenya Puchenko',)
CreditsTranslation	array (0 => 'Siebrand Mazeland', 1 => 'Raimond Spekking', 2 => 'Stephan Muggli',)
DefaultAnonImage	'resources/bluespice/images/bs-user-anon-image.png'
DefaultGroupImage	'resources/bluespice/images/bs-group-default-image.png'
DefaultUserImage	'resources/bluespice/images/bs-user-default-image.png'
ExtensionAttributeRegistryOverrides	array ()
LessVars	array ()
MaintenanceUserName	'BSMaintenance'
NotifierClass	'BlueSpice\\NullNotifier'
PermissionConfig	array ()
PingOnInit	false
RunJobsTriggerHandlerOptions	array ('*' => array ('basetime' => array (0 => 1, 1 => 0, 2 => 0,), 'once-a-week-day' => 'sunday',),)
UIPermissionBlacklist	array (0 => 'reupload', 1 => 'reupload-shared', 2 => 'minoredit', 3 => 'deletedhistory', 4 => 'editinterface', 5 => 'importupload', 6 => 'patrol', 7 => 'autopatrol', 8 => 'proxyunbannable', 9 => 'trackback', 10 => 'unwatchedpages', 11 => 'autoconfirmed', 12 => 'upload_by_url', 13 => 'ipblock-exempt', 14 => 'blockemail', 15 => 'purge', 16 => 'emailconfirmed', 17 => 'nominornewtalk',)

API Modules

- bs-adminuser-store
- bs-category-store
- bs-category-treestore
- bs-categorylinks-store
- bs-filebackend-store

- [bs-group-store](#)
- [bs-interwiki-store](#)
- [bs-js-var-config](#)
- [bs-linker](#)
- [bs-ping-tasks](#)
- [bs-recentchanges-store](#)
- [bs-task](#)
- [bs-templatelinks-store](#)
- [bs-titlequery-store](#)
- [bs-upload-license-store](#)
- [bs-user-store](#)
- [bs-watchlist-store](#)
- [bs-wikipage-store](#)
- [bs-wikipage-tasks](#)
- [bs-wikisubpage-treestore](#)

Hooks

- [ArticleDeleteComplete](#)
- [BeforePageDisplay](#)
- [BeforeParserFetchTemplateAndtitle](#)
- [ExtensionTypes](#)
- [HtmlPageLinkRendererEnd](#)
- [LinkerMakeMediaLinkFile](#)
- [LoadExtensionSchemaUpdates](#)
- [MakeGlobalVariablesScript](#)
- [PageContentSaveComplete](#)
- [ParserFirstCallInit](#)
- [ResourceLoaderGetConfigVars](#)
- [SearchGetNearMatchComplete](#)
- [SearchableNamespaces](#)
- [SetupAfterCache](#)
- [SiteNoticeAfter](#)
- [SkinTemplateOutputPageBeforeExec](#)
- [SoftwareInfo](#)
- [ThumbnailBeforeProduceHTML](#)
- [TitleMoveComplete](#)
- [getUserPermissionsErrors](#)

Reference:BlueSpiceUniversalExport

Extension\ : BlueSpiceUniversalExport

Overview			
Description:	Enables MediaWiki to export pages into different formats		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value "</br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.
Type:	BlueSpice	Category:	Export
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

BlueSpiceUniversalExport enables the export of wiki page content to various formats. It incorporates various modules, each serving as exporter for a particular format or type of export.

The export is executed taking into account the export settings (parameters, tags). It checks permissions and collects the parameters and metadata of the entities to be exported, providing the context for the export module.

It supports the following export modules:

- [UEModuleBookPDF](#)
- [UEModuleHTML](#)
- [UEModulePDF](#)
- [UEModulePDFRecursive](#)
- [UEModulePDFSubpages](#)
- [UEModuleTable2Excel](#)

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.31

BlueSpiceFoundation: 3.2

Integrates into

- BlueSpiceUniversalExport
- BlueSpiceVisualEditorConnector

Special pages

- UniversalExport

Configuration

Name	Value
UniversalExportCategoryBlacklist	array (0 => 'Confidential', 1 => 'Internal',)
UniversalExportCategoryWhitelist	array (0 => 'Exportable', 1 => 'Public',)
UniversalExportMetadataDefaults	'{"creator":"Hallo Welt! GmbH"}'
UniversalExportMetadataOverrides	'{"producer":"UniversalExport 3.0.0 (BlueSpice MediaWiki)}'
UniversalExportParamsDefaults	array ('format' => 'pdf', 'pdf-merging' => '0', 'attachments' => '0', 'recursive' => false, 'filter' => 'use-all',)
UniversalExportParamsOverrides	array ('use-serverside-caching' => false, 'pdf-attachment-formats' => array (0 => 'doc', 1 => 'docx', 2 => 'xls', 3 => 'xlsx', 4 => 'ppt', 5 => 'pptx', 6 => 'odt', 7 => 'ods', 8 => 'odp', 9 => 'odg', 10 => 'svg',),)

Hooks

- [BSInsertMagicAjaxGetData](#)
- [BSUsageTrackerRegisterCollectors](#)
- [SkinTemplateOutputPageBeforeExec](#)