UserManual:Extension/BlueSpiceRating



Contents

1.	UserManual:Extension/BlueSpiceRating	2
2.	Reference:BlueSpiceRating	4



9.5 UserManual:Extension/BlueSpiceRating

The extension **BlueSpiceRating** allows users to rate a page with up to five stars or to recommend the page.

Contents	
1 Rating or recommending a page	3
2 Special pages	3
3 Disabling rating on a page	3
4 Disabling rating in a namespace	3
5 Related info	4



Rating or recommending a page

A user simply selects the amount of stars for a rating. The number of stars are then hightlighted in yellow during the selection process. A mouse-click confirms the rating.



Only one rating per user is counted. New votes only change the average evaluation, but not the number of ratings.

Users can change their rating at any time by choosing less or more stars. The average evaluation, as well as the number of ratings is shown next to the page title:



To recommend a page, a user clicks on the link "Recommend". To retract the recommendation, the user clicks on the link again.

Special pages

The special page | Special:Rating | lists all pages that have been rated.

The special page Special: Recommendations lists all pages that have been recommended.


Disabling rating on a page

You can also exclude pages from the rating system. You can do this with a so-called "Behaviour Switch". Insert the switch at the bottom of the page in source view: ___NORATING__

Disabling rating in a namespace

Administrators can turn on the rating feature for individual namespaces. To enable or disable ratings, go to *Global actions > Namespace manager* and edit the namespaces:





Related info

Reference:BlueSpiceRating

Reference:BlueSpiceRating

Extension\: BlueSpiceRating

Overview			
Description:	Provides a rating system		
State:	stable	Dependency:	BlueSpice



Overview				
Developer:	HalloWelt	License:	GPL-3.0-onlyProperty "BSExtensionInfoLicense" (as page type) with input value " /br>GPL-3.0-only" contains invalid characters or is incomplete and therefore can cause unexpected results during a query or annotation process.	
Туре:	BlueSpice	Category:	Communication	
Edition:	BlueSpice pro, BlueSpice Fari	m, BlueSpice Cloud		
View help page				

Features

BlueSpiceRating enables users to rate a wikii page with up to five stars or to recommend the page. In the Namespace manager, wiki administrators can configure in which namespaces ratings or recommendations should be activated.

Rating

Users select a number of stars to provide their rating. Users can change their assessment at any time, by choosing less or more stars. The average evaluation as well as the number of assessments are displayed.

If a user rates the page multiple times, only the first assessment is counted. Subsequent ratings only change the average evaluation, but not the number of assessments.

Recommendation

Users click on a recommendation link to make the recommendation. Users can change their assessment at any time by recommending the page or by retracting their recommendation.

If a user recommends the page multiple times, only one recommendation is counted.

Technical Information

This information applies to BlueSpice 3 . Technical details for BlueSpice cloud can differ in some cases.



Requirements

MediaWiki: 1.31

BlueSpiceFoundation: 3.2

Integrates into

- BlueSpicePrivacy
- BlueSpiceRating

Special pages

- Rating
- Recommendations

Permissions

Name	Description	Role
rating-archive	Remove votes from pages	admin, editor, maintenanceadmin
rating-read	Read ratings on pages	admin, commenter, editor, maintenanceadmin, reader
rating- viewspecialpage	View pages which are protected with the "Rating-Viewspecialpage" right	admin, editor, maintenanceadmin, reader
rating-write	Vote on pages	author, commenter, editor, maintenanceadmin

Configuration

Name	Value
RatingArticleEnabledNamespaces	array ()
RatingArticleLikeEnabledNamespaces	array ()

API Modules

- bs-rating-tasks
- bs-ratingarticle-store
- bs-ratingarticlelike-store



Hooks

- BSApiNamespaceStoreMakeData
- BSMigrateSettingsFromDeviatingNames
- BSMigrateSettingsSetNewSettings
- BeforePageDisplay
- GetDoubleUnderscoreIDs
- LoadExtensionSchemaUpdates
- NamespaceManager::editNamespace
- NamespaceManager::getMetaFields
- NamespaceManager::writeNamespaceConfiguration
- SkinTemplateOutputPageBeforeExec